Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

# Acme Electric

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
**Acme Electric** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Acme Electric Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün | Açıklama |
|---|---|
| Ae07-0100 | |
| Dm32440 | |
| Ta-1-81212 | |
| Ta83310 | |
| Tf269220s | |
| Ta-69306 | |
| Ptba3150022ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtga0754s | |
| Mt0600ds | |
| T-2-53311-1s | TRANSFORMER 15KVA 480V PRI 240/120V SEC |
| 100b7h | |

| | |
|---|---|
| Ptba3150030ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Sps-60-6.1 | |
| Sps-70t-5/12/15 | |
| Ta-1-81221 | |
| Ae02-0350-F2 | |
| Alrb200cbc | |
| Alrb-080tbc | |
| Sws152q10 | |
| Ce060100 | |
| Tp-53312-3s | |
| Tb181151 | |
| Dtfa0754s | |
| A201010206 | |
| Cps220-24/28 | |
| Lsws20010 | |
| Ae06-0750-F3 | |
| Fs-3-3000 | |
| T79105sr | |
| Eia-413-9717 | POWER SUPPLY 12AMP 115/230V 47-440HZ |
| Ae060750 | |
| Dtfa0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tlv10024s | |
| Gp121000s | |
| Tb-81144-F3 | |
| Tb181143 | |
| Ta-81142 | |
| Tbgr81141 | |
| Dtha6604s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS |

| | |
|---|---|
| | THREE PHASE, 60 HZ |
| Sps40-12 | |
| T-2-53009-S | |
| Dm124038 | |
| Tdlt2000a | |
| Dtgb-014-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp793744s | |
| Dtgb02204s | |
| 62020 | |
| Ta-69304 | |
| Dthb01184s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Alrb004tbc | |
| Tb-81309 | |
| 100b12ha | |
| Ta-2-81218-F3 | |
| T15024s | |
| Dtga0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tpns01792754s | |
| 0010-102958-02 | |
| Dthb3304s | TRANSFORMER |
| Dtha01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81301 | |
| Ta281203 | |
| Dm1480125 | |
| Ce010075 | |
| Fs32000 | |
| | |

| | |
|---|---|
| Tb-69303-F3 | |
| T253013ss | |
| T-2-53140-1s | |
| T5hb30s | TRANSFORMER |
| Ta-1-81203 | |
| Ln3533173s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Tpnc01533173s | |
| Tdmd0250ab | |
| Dr120241 | |
| Dmp11204 | |
| Ae020500 | |
| Ta-2-69303 | |
| Ae07-0350-F3 | |
| T2530105 | |
| Ae070050 | |
| T160802 | |
| T-3-3500075-3s | TRANSFORMER 75KVA 480V 3PHASE |
| Ae070350 | |
| Ln3533433s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| T-2-53110-S | |
| Ta-1-54524 | |
| Tdmd0500aa | |
| Ae06-0500-F3 | |
| Alrc420cbc | |
| Dthb0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Pl-1-70608 | |
| 25a1-9100002-A | |

| | |
|---|---|
| Ta-2-81212-F3 | |
| Plc85000 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-798443s | |
| Ta-2-81215-F2 | |
| Tb-1-81149 | |
| 0000-101770-01 | |
| Ta-2-69305 | |
| Tpc3533151s | |
| T-1-13076 | |
| Tpnc21533183s | |
| T179600s | |
| T243571 | |
| L5010 | |
| T253008ss | |
| Alrc016lwe | |
| Tlv50012sc | |
| Scc30-1 | |
| Tdlt2000xm | |
| T-2-53616-1s | |
| Sa3701320 | |
| Ta-2-81327 | |
| E1000wb | |
| Dtgb0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ta-81184 | |
| Te2533143s | |
| A-8-1010206-01 | |
| Ln3533123s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Alrc160lwe | |

| | |
|---|---|
| 16-D-1260r | |
| Ce06-0350-F3 | |
| Cps60-24/28 | |
| Tdlt0500xm | |
| Alrb420cbc | |
| Tb-81006 | |
| Ln3533133s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Alrc006tbc | |
| Pl-112601 | |
| Pt411150005ls | |
| Tp131023s | |
| Tb81304 | |
| Spw2424 | |
| Ta83300 | |
| Ta81216 | |
| Ae02-0350-F3 | |
| L3020 | |
| Tb181148 | |
| L2040 | |
| Tc535163s | |
| 150c-9122000 | |
| Ln3533453s | |
| T-1-69433 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| A81010206 | |
| Tpns01792734s | |
| Ac-1150 | |
| Gp1215000s | DISTRIBUTION TRANSFORMER 277/480 PRIMARY VOLTS 208/277 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb-81210-F4 | |

| | |
|---|---|
| T169435 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tp533143s | |
| 400a-9143316 | |
| 0240-304119-01 | |
| Dr5262i | |
| Aa53002-015 | |
| T3793123s | |
| 10a281212 | |
| Dtga-020-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtha0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Fs11000 | |
| Ps-175559 | |
| Tp1533473s | DISTRIBUTION TRANSFORMER 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY THREE PHASE, 60 HZ |
| Ta-1-81328 | |
| Dtgb6604s | 660 KVA 460 DELTA PRIMARY VOLTS |
| A121010206 | |
| Ae120250 | |
| 200b20-M3354 | |
| T75024s | |
| Dthb03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Ta-2-53931 | |
| T-2a-53329-1s | |
| Ta-2-81210 | |
| Hf-1-63872 | |
| Tdmd1000xma | |

| | |
|---|---|
| Pl79921 | |
| Ta-2-81007 | |
| Ce040150 | |
| Dr124025 | |
| T-2-53007-S | |
| T-2-53142-1s | |
| Pt061150015ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtfa0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtgb-14-2s-1 | TRANSFORMER 14KVA 270VAC 60HZ 3PH |
| Ln3533423s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| Tb-81001 | |
| T-2-53060 | |
| T-1-69438 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Spws-2424 | |
| Ae020300 | |
| Ta-2-81143 | |
| Te2a530213s | |
| Ps-63534 | Power Supply NPSI03, PS63534 |
| Dtha002754s | |
| Ae030350 | |
| Tb-81142-F2 | |
| Dtga5504s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T179615s | |
| Dtfa01454s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| | |

| | |
|---|---|
| ~~T-13173-8-Tt~~ Sps-40t-5.12.12 | ~~TRANSFORMER 45KVA 3 PH/60 H/PRI 240/SEC 208Y-120~~ |
| Ce01-0150 | |
| T179622s | |
| Tp533943s | |
| Ae010350 | |
| Sws152 | |
| Ts53010s | |
| T150024s | |
| Spw-5-3/Ovp | |
| Dthb0934s | |
| T2a795543s | |
| 15b12h | |
| Tp533121s | |
| Ae06-0050 | |
| Ce02-0050 | |
| T2a79532s | TRANSFORMER |
| Dm11206s | |
| Ta1-81200 | |
| Dtgb4404s | 440 KVA 460 DELTA PRIMARY VOLTS |
| Tpnc01533153s | |
| T-2-5318-3s | |
| T-1-53013-4 | |
| Ae07-0750-F3 | |
| T-2-53515-3s | |
| Sps-85010-B | |
| T213079 | |
| Ce040250 | |
| T-2-53007 | |
| T10012s | |
| T160835 | |

| | |
|---|---|
| Sps-85010 | |
| Dmp1504 | |
| Sa6701319 | |
| Dthb01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Dtgb03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtgb08804s | 880 KVA 460 DELTA PRIMARY VOLTS |
| T1-53014 | |
| Dtgb0934s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81142 | |
| 70021 | |
| Pb81214 | |
| Tf220505s | |
| Dtha03304s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-3-53041-S | |
| Ta-83222 | |
| 0000-304132-01 | |
| Te2530193s | |
| Gp1210000s | DISTRIBUTION TRANSFORMER 277/480 PRIMARY VOLTS 208/277 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtfa0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ae020250 | |
| Tb-81001-F3 | |
| T-2-53021-3s | |
| Dm32405 | |
| Tpc3533131s | |
| Pl79911 | |

| | |
|---|---|
| T179101sr | |
| T11687 | |
| Tp1533173s | |
| Ta-1-32405 | |
| T-1-69436 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ovp-2 | |
| Tpnc11533183s | |
| Ta-2-81210-F3 | |
| Ce030250 | |
| Pl-112074 | |
| Pl1126011 | |
| Dtgb0274s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| L3005 | |
| T25024s | |
| T-1-69434 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T111687 | |
| Tpc3533161s | |
| Spw2436 | |
| T253012 | |
| Sps-85010-0 | |
| Tlv10012sc | |
| T131423s | |
| T2a533601s | |
| Sps-80t-5/12/15 | |
| Dthb02204s | |
| Sps60-15 | POWER SUPPLY 115/230V 47-440HZ 4AMP |
| Dthb01454s | |

| | |
|---|---|
| T3793133s | |
| Tb-81211-F2 | |
| 01-101583-00 | |
| Alrc480cbc | |
| T2536481s | |
| Dtha0634s | |
| Ptba3150009ss | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtga-014-Ts | |
| Mt2000ds | |
| 200b20h | |
| Fs250 | |
| Pt061150025ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-1-53011 | TRANSFORMER 120/480V 1.5KVA 60HZ 1PHASE |
| Ae010500 | |
| Pl-79924 | |
| Tpns02533113s | |
| A-20-1010206-01 | |
| Tb-81216-F2 | |
| Dr-1202410 | |
| Alrc012tbc | |
| Dtga-027-4s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ptba3150015ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Ps-59426 | |
| Sps-30ta-5/12/15 | |
| Dtfa0404s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tdgn7500a | |
| | |

| | |
|---|---|
| Sps60-T2 | |
| Spw15d-1.5 | |
| T-1-69439 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb81321 | |
| T-1-13075 | |
| Pl-112706 | |
| Ae02-0100-F2 | |
| 70013 | |
| Mt1000ds | |
| A-701758 | |
| Swd | |
| Tb-81149-F3 | |
| T-353312-3s | TRANSFORMER 30KVA 480V PRI 208/120V SEC 3PHASE |
| Dtga002754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-1-81221 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 PRIMARY VOLTS , 120 SECONDARY VOLTS |
| T379083s | |
| Dtha01184s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Wsb5 | |
| Tb81148 | |
| Dmp1120125 | |
| Ce02-0350-F3 | |
| Ps2l-1000 | |
| L6005 | |
| Y2000 | |
| Sa2701321 | |
| Ta-1-81307 | |
| 500b24 | |

| | |
|---|---|
| T3793353s | |
| Dtfa72s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp35001503s | |
| Ae06-0350 | |
| Dtha0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tlv150024s | |
| T-1-37922 | |
| T2795563s | |
| 500b24ha | |
| Fs-3-1500 | |
| Dthb4404s | 440 KVA 575 DELTA PRIMARY VOLTS |
| Ta-2-53929 | |
| T179619s | |
| Dtgb06604s | |
| Ptba3150009ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| T50024s | |
| T-2a-53312-3s | |
| Plc85004 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Te3533153s | |
| Ae07-0100-F2 | |
| Tp533654s | |
| Tp534033s | |
| Plc85003 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ac-1040 | |
| Ce05-0750-F3 | |
| Spws-2448 | |
| 928053 | |

| | |
|---|---|
| Spw512ovp | |
| T73340 | |
| Ln3533463s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3 DB) 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 V |
| Pt061150007ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ta-2-81308 | |
| Ta-2-81216 | |
| Wsa3 | |
| Alrb008lwe | |
| Ta-1-81142 | |
| Dtfa0274s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Dtha-7-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T2a527121 | |
| Ta83306 | |
| Fs-2-300 | |
| Ta-2-81214 | |
| Spws-1217 | |
| Ae030100 | |
| T2a53308ss | |
| 70060 | |
| T2536761s | |
| T-1-69431 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Pt061150010ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ae06-0350-F3 | |
| Wsb1 | |
| | |

| | |
|---|---|
| T-60805 | |
| PI79908 | |
| Alrb002tbc | |
| Ae120500 | |
| Dtga-011-2s | |
| 60b24ha | |
| Ovp-11 | |
| Alrc045lwe | |
| Pt061150005ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Ac-1200 | |
| Ce05-0750-F2 | |
| Alrb055lwe | |
| Dthb5504s | 550 KVA 575 DELTA PRIMARY VOLTS |
| Tb-81200-F2 | |
| Sps-60d-12/15 | |
| Tp533664s | |
| Tlv15012sc | |
| Fs-3-500 | |
| 0005-102272-01 | |
| Tpc3-53316-3s | |
| Alrc160cbc | |
| Tpc533163s | |
| Ae030050 | |
| Tdap0500a | |
| Ln3533143s | LOW NOISE TRANSFORMERS LOW NOISE (MINUS 3DB) 480 DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY |
| Lug4 | |
| Ta-1-81212-R | |
| Alrc-080tbc | |
| T353545s | |

| | |
|---|---|
| Spw15d-.8 | |
| Ce020250 | |
| T2a53315-3s | |
| T-3-53344-3s | TRANSFORMER 75KVA 3PH 480Y/277V 4WIRE |
| Fs-3-150 | |
| Et-83340 | |
| Tb-81143 | |
| T-3-53341-1s | DISTRIBUTION TRANSFORMER 480 DELTA PRIMARY VOLTS 240 DELTA/120 TAP SECONDARY VOLTS MAY BE USED ON A 4 WIRE 480Y/277 VOLT SUPPLY THREE PHASE, 60 HZ |
| Ta-2-81142 | |
| 30b20 | |
| Tp-53315-3s | |
| Tp795223s | |
| Tb-81201 | |
| S-1200 | |
| Dtgb002754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Lug3 | |
| Ta-1-81217 | |
| T253515ss | |
| Dm12420s | |
| Tb-81143-F3 | |
| T179604s | |
| Pt061150005ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T253007ss | |
| Tb-81305-F3 | |
| Tb281212 | |
| Ta-2-81307 | |
| T179609s | |

| | |
|---|---|
| Dtgb008804s | |
| Pl79905 | |
| Ta-2-81003 | TRANSFORMER 250VA |
| Ae01-0750-F3 | |
| Ovp-21 | |
| Ta-2-81213-F3 | |
| Dr3-2420 | |
| T-1-81054 | |
| Tb-61217 | |
| Plc85001 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Pl-77100 | |
| Eia606211 | |
| Tpc533133s | |
| Tp533161s | |
| Tdap3000xm | |
| Dtga0934s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ac-1010 | |
| Tlv50024s | |
| Tdst1500a | |
| Alrb027lwe | |
| Wsa5 | |
| Tp796944s | |
| Tb81004 | |
| Dtgb-0118-4s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tb-81323-F3 | |
| T-2-53518-3s | FOUR WINDINGS |
| Tdmd0750ab | |
| Cps30-5 | |

| | |
|---|---|
| T2527031 | |
| Dm148025s | |
| Ae02-0750-F2 | |
| T-1-81048 | |
| E52283 | |
| T-2-53340-1s | |
| T353546s | |
| Ce040750 | |
| T-2-53675-1s | |
| T253062 | |
| Ce010500 | |
| Et-83334 | |
| Alrc027lwe | |
| Spw56ovp | |
| 70042 | |
| Tdap0750xm | |
| Ae020100 | |
| Dtgb5504s | 550 KVA 460 DELTA PRIMARY VOLTS |
| Ce04-0500-F3 | |
| T-2-53064 | |
| Spw | |
| Dt651h935 | |
| Ta-1-81220-1 | |
| Sps-302428 | |
| Tdom1500xma | |
| T-3-53342-3s | |
| Alrb006tbc | |
| Alrb055tbc | |
| Ta-2-81322 | |
| T-1-37920 | |
| | |

| | |
|---|---|
| Alrc130cbc | |
| Tf279264s | |
| Fs-2-1000 | |
| Cps | |
| T-60801 | |
| Ta-2-81304 | |
| Tb-81306 | |
| Dtha0112s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ta-8-3312 | |
| T-2-53000-8s | |
| Ta-2-54523 | |
| Dm1-24025 | |
| T-53518-3 | |
| Sps-30-24/28a | |
| Tpns00533133s | |
| 0003-303093-01 | |
| T2a795171s | |
| Ce04-0350-F3 | |
| T-1-81064 | |
| Ce06-0500-F3 | |
| Dtha0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-2-53014 | TRANSFORMER 5KVA 240/480V PRIMARY 120/240V SEC |
| T153931 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 X 600 PRIMARY VOLTS , 120/100 SECONDARY VOLTS |
| Mt0100ds | |
| Ta-2-53012-S | |
| Tb-81005-F3 | |
| Ta-2-81323 | |

| | |
|---|---|
| Dthb0514s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| 1015.1289 | |
| Fs31000 | |
| T179631s | |
| Tpnc11533193s | |
| 200b20 | |
| Ae02-0075-F2 | |
| Ce05-0350-F3 | |
| T3793143s | |
| Dtga-72s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Sps50ta-5/12/15 | |
| Lr-7357-10 | |
| Dtfa02204s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tpns01533171s | |
| 750b48h | |
| Cps120-24/28 | |
| T-31962 | |
| T-2-53013-4s | |
| T-2-53144-1s | |
| Tb-69302-F3 | |
| Pt061150007ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T181223 | |
| Ta-2-81217 | |
| Alrc250cbc | |
| Aa51402-117 | |
| Tp-53021-3s | |
| Sa7701321 | |

| | |
|---|---|
| Alrb110cbc | |
| Dtfa0344s | |
| Sps-15-15 | |
| Tf-2-79263-S | |
| Tpc3-53314-3s | |
| Ta-2-8-1197 | |
| T-2a-53309-1s | |
| Ae020350 | |
| Tb-81301-F4 | |
| Ae010050 | |
| Ae02-0500-F3 | |
| Tf279266s | |
| Ae12-0500-F3 | |
| Te2533123s | |
| Ta-81212 | |
| Ta-2-32405 | |
| T-2-53014-4s | |
| 87903012 | |
| Te2530203s | |
| Alrc-130lwe | |
| Ta-81017 | |
| Aa56252-038 | |
| Tp796954s | |
| Ae060150 | |
| Tpns01533161s | |
| Pt061150010ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Wsa4 | |
| Tpns01792714s | |
| Ae12-0050-F2 | |
| Aa56252-117 | |

| | |
|---|---|
| Tb-81009 | |
| Ce020500 | |
| Sls92-12 | |
| Swd-325t-5/12/12 | |
| Kk-10983 | |
| Dtha0754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp533188s | |
| Ta-1-81218 | |
| Tpns01533143s | |
| Dm14810s | |
| Ae06-0150-F2 | |
| T-1-53344-3 | TRANSFORMER 75KVA 480V PRI 240V SEC 3PHASE |
| Tdmd0500xmb | |
| Ta-1-81149 | |
| Ta-2-54537 | |
| Tb83218 | |
| Dtga6604s | |
| Te3533423s | |
| Ce010250 | |
| Dtfa0202s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 230 DELTA PRIMARY VOLTS230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Ae010100 | |
| T153930 | INDUSTRIAL CONTROL TRANSFORMERS , HARSH ENVIRONMENT TRANSFORMERS , SINGLE PHASE, 50/60 HZ , 240 X 480 X 600 PRIMARY VOLTS , 120/100 SECONDARY VOLTS |
| Plc85002 | TRUE-POWER PORTABLE MODELS 95-132 PRIMARY VOLTS120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Tb-32406 | |
| Ta-2-81202 | |
| Alrb600cbc | |

| | |
|---|---|
| Alrc016tbc | |
| 100b48ha | |
| T279748s | |
| Tdgp0250a | |
| Ta-2-69301 | |
| Tp131033s | |
| Pl-112707 | |
| Alrc300cbc | |
| Tc535183s | |
| Tpc3533141s | |
| Spw15-1.5 | |
| Tdlt3000a | |
| Tdgn5000a | |
| Ptba3150022ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Cps300 | |
| Tb181146 | |
| Tf-2-52520-S | (PRICE/EA) EXPORT MODEL , SINGLE PHASE, 50/60 HZ , 190/200/208/220 X 380/400/416/440 PRIMARY VOLTS , 120/240 SECONDARY VOLTS , * CE MARKED. |
| Ta-1-81150 | |
| T-1-13077 | BUCK-BOOST TRANSFORMERS 120 X 240 PRIMARY VOLT 16/32 SECONDARY VOLT SINGLE PHASE, 60 HZ |
| Tpc3533171s | |
| Ce050150 | |
| Ae020150 | |
| T100012s | |
| Ce06-0150-F3 | |
| Tb-81213-F2 | |
| Tpns01533121s | |
| T179203sr | |
| Wsa53 | |

| | |
|---|---|
| Ta-2-81219 | |
| Tp1533213s | |
| T-2-53042-S | |
| Ta-1-81005 | |
| Sws750 | |
| T-3-53314-3s | TRANSFORMER 75KVA 480V PRI 208Y/120V SEC 3PHASE |
| Ce01-0500-F3 | |
| Tb69307 | |
| Ps-63535 | |
| Spw-323d | |
| T-3-53348-3s | |
| Cmt533124s | |
| Wsb3 | |
| Alrb012lwe | |
| Tpc533193s | |
| Ce06-0300 | |
| Ta-81214 | |
| T-53005 | |
| 100b20h | |
| Ta-2-81210-F4 | |
| T-1-53356-3s | |
| A51010206 | |
| Ta-2-81146 | |
| Tp789994s | |
| Ta-2-81241 | |
| Ce020750 | |
| Pl-112603 | |
| Pl79923 | |
| Ti-53343-3 | |
| T2-53170-1s | |
| Ce060150 | |

| | |
|---|---|
| Sps15-5 | |
| Ta-1-81151 | |
| Tlv25012s | |
| 200b24h | |
| Wsa58 | |
| Tdap2000a | |
| Dtkd-045-4s | |
| Dthb0634s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Alrb-008tbc | |
| Spw15-6 | |
| As30331 | |
| Pl-79931 | |
| Dthb0142s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |
| Tf279304s | |
| T2a797104s | |
| Tp1533503s | |
| 30b24ha | |
| Alrb080lwe | |
| T-1-48167 | |
| Spw-40wt | |
| 0001-303093-01 | |
| T2a797094s | |
| Tb-32669 | |
| 120563-001 | |
| T-1-69430 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Spw-12-1.7 | |
| Ta-2-54536 | |

| | |
|---|---|
| Ce030750 | |
| Ce060750 | |
| Tdom2000ac | |
| Tp789884s | |
| Ae02-0150-F3 | |
| Ae03-0500-F3 | |
| T-2-53341-1s | TRANSFORMER 480V 3PHASE 15KVA |
| T-2-52707-1 | |
| T253011ss | |
| Dtga01754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T3527101 | |
| Dmp11502 | |
| T253518ss | |
| T-2-53517-3s | |
| Tf220105s | |
| Tp792734s | |
| Pt061150025ss | PANEL-TRAN ZONE POWER CENTERS 304 STAINLESS STEEL 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| Dtga01454s | |
| Sps-15-24/28 | |
| Ta-2-81309 | |
| Ta-2-81301 | |
| T2a527171 | |
| Alrc027tbc | |
| Sps602428 | |
| T3793363s | |
| Tlva60012sc | |
| Tdlt0250xm | |
| | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS |

| | |
|---|---|
| Dtgb-7-2s | 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Cmt533154s | |
| T-1-53518-3s | |
| Ce020100 | |
| 510227401 | |
| Dtga0344s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 230Y/133 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp531193s | |
| T3533943s | |
| Alrb160lwe | |
| T-1-81066 | |
| T335000153s | |
| Dtga0404s | |
| Ta-60304 | |
| Ae07-0500-F3 | |
| Dtgb-020-2s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 460 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T253065 | |
| 70023 | |
| Tlva30024sc | |
| Ta-83223-F3 | |
| Ta-2-81151 | |
| Tdmd0250xma | |
| T79203sr | |
| Alrc055lwe | |
| T-1-81052 | |
| Alrb480cbc | |
| 0005-101163-01 | |
| Tb-81324 | |
| Tpns01533151s | |

| | |
|---|---|
| 100b20ha | |
| Ptba3150030ls | PANEL-TRAN ZONE POWER CENTERS , , THREE PHASE, 60 HZ , 480 DELTA PRIMARY VOLTS , 208Y/120 SECONDARY VOLTS |
| Gp12250s | |
| T2a797084s | |
| Tdom3000xma | |
| Tdmd0250xmb | |
| Tp533171s | |
| Tdmd1000xmb | |
| Ce01-0150-F2 | |
| Tp79088s | DISTRIBUTION TRANSFORMER EXPORT MODEL 190/200/208/220/240 DELTA PRIMARY VOLTS 400Y/231 SECONDARY VOLTS THREE PHASE, 60 HZ |
| T-2-53114-1s | |
| Tp793694s | |
| Tpns01533193s | |
| Tdom3000xmb | |
| Sps-250-24-28 | |
| Tp789934s | |
| T-3-53043-S | |
| T100024s | |
| Tb32403 | |
| Tb281144 | |
| Fs-3-50 | |
| Ta-2-81144 | |
| L4005 | |
| Hf-75143 | |
| L4015 | |
| Ce02-0250-F2 | |
| Tpns01792744s | |
| Tlv75012s | |
| | PANEL-TRAN ZONE POWER CENTERS STAINLESS STEEL 480 |

| | |
|---|---|
| Ptba3150015ss | DELTA PRIMARY VOLTS 208Y/120 SECONDARY VOLTS THREE PHASE, 60 HZ |
| Tp79085s | |
| Ta-2-81213 | |
| Pt061150015ls | PANEL-TRAN ZONE POWER CENTERS 480 PRIMARY VOLTS 240/120 SECONDARY VOLTS SINGLE PHASE, 60 HZ |
| T-1-53007 | |
| Ta-1-81008 | |
| Tb-81307 | |
| Dtga-7-Ts | |
| T279740s | |
| Dthb-020-Ts | |
| Ta-2-81002 | |
| Ce030100 | |
| Sa4701320 | |
| Dtgb-075-4s | |
| T253517ss | |
| T-2-79369-4s | |
| Tb-83219-F3 | |
| Tdgp0250xm | |
| Spwt-40 | |
| Ce050050 | |
| Tdap1500a | |
| Tdom3000ac | |
| 150c-9122400 | |
| Tpns00533183s | |
| Tb81151 | |
| Wsa8 | |
| Ae06-0750-F2 | |
| Dtha5504s | |
| Dthb0754s | DRIVE ISOLATION TRANSFORMERS AND AC LINE REACTORS 575 DELTA PRIMARY VOLTS 460Y/266 SECONDARY VOLTSTHREE PHASE, 60 HZ |

| | |
|---|---|
| Tb-81201-F4 | |
| 200b48ha | |
| Ta-2-69-307 | |
| Tlv25012sc | |
| Dm14810 | |
| Sps-15-12 | |
| Tb81305 | |
| Drr-15gfi | |
| Ta-83220 | |
| Ac-1100 | |
| Tdst2000a | |
| Tp533158s | |
| Ta-2-53011 | |
| Tlva-15012-S | |
| Cps30 | |
| Tpc3-53317-3s | |
| T-81061 | |
| 99030a145 | |
| PI79906 | |
| Tdgp2000a | |
| T-2a-53328-1s | |
| Ae02-0250-F2 | |
| Ta-1-81326 | |
| Tb32405 | |
| Spw12-6.8 | |
| T-1-53005 | |
| Ln3533443s | |
| Alrb006lwe | |
| T169437 | TRUE-POWER HARDWIRED MODELS 95-132 X 166-228 X 192-264 X 384-528 PRIMARY VOLTS 120/208/240 SECONDARY VOLTS SINGLE PHASE, 60 HZ |

| | |
|---|---|
| T-79804-3s | |
| Tpns02533153s | |
| T2531131s | |
| Ta-1-81000 | |
| Ta-2-81008 | |
| T-181055 | |
| Ta-1-81306 | |
| Tb81020 | |
| Dr1-2405 | |
| T-2-11688 | BUCK-BOOST TRANSFORMERS 120 X 240 PRIMARY VOLT 12/24 SECONDARY VOLT SINGLE PHASE, 60 HZ |
| T-1-37921 | |
| Tpc533143s | |
| Sps30-15 | |
| Pl-79911-G | |
| Tdmd0750ac | |
| Tpc533123s | |