Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Aco

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Aco Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Aco Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
AMMS-0-1-2-0	Universal fire measuring sensor Ceramic measuring surface Output 4 ... 20mA max. 70 C, including clamping ring +++ Incl. junction box "CONBOX VI" for sensor: -Aluminium housing, IP 65 - with integrated calibration interface
580-2101-00012	
AMMS-0-1-2-0	Universal moisture measurement sensor Ceramic measuring surface Output 4 .... 20mA max 70C including clamping ring 9 .... 30VDC IP67 Sensor cable 3m (standard) to the sensor and CONBOX, pluggable on both sides (plug and bush straight) IP68 +++++++ Incl. junction box "CONBOX VI" for sensor: -Aluminium housing, IP65 -with integrated calibration interface (calibration via AMMScontrol)
MOUNTING KIT MOISTURE SENSOR ACO SLOT	ADJUSTABLE 580-2101-00012
AMMS-0-1-2-0	Universal moisture measurement sensor ceramic measuring surface Output 4...20mA max. 70°C, incl. clamping ring Features: - power supply 9...30VDC, - highly wear-resistant ceramic measuring surface - integrated calibration encoder (2-point calibration) - Temperature compensation (electronics) - Standard signal output for humidity (for direct further processing

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	with your PLC, etc.) - Stainless steel housing, IP 67 - Sensor cable 3m (standard), can be plugged into the sensor and CONBOX on both sides (straight plug and socket), IP68 +++++ incl. connection box "CONBOX VI" for sensor: - Aluminum housing, IP 65 - with integrated calibration interface (calibration via AMMScontrol)
AMMS-PC-SOFTWARE	AMMS CONTROL" for commissioning, service and calibration of the sensor; Incl. Configuration cable "AMMS-Cable+" - Operation with standard PC - Diagnostic function with display of the measuring parts, water content (humidity) - Entry of a media-specific calibration curve - up to 10 calibration points - Averaging calculation
R1035HV	Sensor carriage ACO sensor Stainless steel, hard chrome plated with mounting holes and sensor cutout
AMMS-0-1-2-0	Universal moisture measurement sensor ceramic measuring surface Output 4...20mA max. yO^C, incl. clamping ring Characteristics: - power supply 9...30VDC, - highly wear-resistant ceramic measuring surface - integrated calibration encoder (2-point calibration) - Temperature compensation (electronics) - Standard signal output for humidity (for direct further processing with your PLC, etc.) - Stainless steel housing, IP 67 - Sensor cable 3m (standard), can be plugged into the sensor and GONBOX on both sides (straight plug and socket), IP68 +++++ incl. connection box "GONBOX VI" for sensor: -Aluminium housing, IP 65 - with integrated calibration interface (calibration via AMMScontrol)
AMMS-PG-SOFTWARE	"AMMS GONTROL" for Commissioning measurement, sen/ice and calibration tion of the sensor; Incl. Configuration cable "AMMS-Cable+" - Operation with standard PC

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	- Diagnostic function with display of the measuring parts, water content (humidity) - Entry of a media-specific calibration curve - up to 10 calibration points - Averaging calculation
Mms-0-2-2-3	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.