

Air Torque



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Air Torque Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Air Torque T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Pekos Flange Ball Valve Pn40, Dn80, 1.0619	
Ball Valve Dn80 Pn40 Repair Kit	Seal kit for the above ball valve
Ball Dn80, 1.440	
Stem, 1.4401	
Drive Sc00300-5uf07f1022az (At401-S10)	
14142617	"Repair kit only"
SC00150-5,5UF07F1017AZ	1GE31AD-GS17E simple Drive, flange F07F10, double square 17, kl. Spring torque 55.7 Nm at 5.5 bar, version A, with Multifunction display Suitable drive for AT301U S11A
1101.MP.0065P	
5139	
AT 051 DA F04 N 11 DS	
AT 201	
AT 201U S12 A	
AT 201U S12 A F05+F07 N 17DS	
AT 251 U S08 A F05+F07 N 17DS-LFR	

LLT
AT 501U D B F10+F12 N 27D
AT 651U D A F 16 46 DS
AT 651U D A F16 N 46DS
AT 701
AT051U S8B
AT101U DA F05 + F07 N 14 DS
AT201U S10 B F05+F07 N 14D
AT201U S10 B F05-F07 17DS
AT251U S10 B F05-F07 17DS
AT301U S10 B F07-F10 22DS
AT401 S10 A F07-F10 N 22DS LFR
CF 8M 1.4408
CRK-200
CRK-200
CRK-300
CRK-350
CRK-500
DA F07+F10 N 22DS
DR00030UF05F0714AZ 1DD31A0-ES14E
DR00060UF05F0717AZ
DR00150U AZ
DR00150UF07F1017AZ
DR00220UF07F1022AZ
DR00300UF07F1022AZ
DR02000UF1646AZ
ES4G00150LLT
ES4G00220LLT
ES4G00220U
ES4G00600LLT
ES4G02000U

ES4G03000U
MASTFI
PCR3MV-AUF-ZU0502.PROXIBOX.V3
R22/17
SC00015-4UF0411AZ
SC00015-5,5UF0411AZ
SC00030-4,5UF05F0714AZ
SC00060-4,5UF05F0714AZ
SC00060-6UF05F0717AZ
SC00100-4,5UF05F0717AZ
SC00100-4UF05F0717AZ
SC00150-6UF05F0717AZ
SC00300-4UF07F1022AZ
SC00300-5UF07F1022AZ
SC00600-4UF10F1227AZ
SC00600-6UF10F1227AZ
SC00600-6UF10F1227AZ 1LE31A6-JS27E
SC00608-5UF10F1227AZFM
SC03000-5UF1646AZ
SC04000-6UF1646AZ
SC100-6
SC150-4
SC30-6
SO00030-4UF05F0714AZ
SO00060-4UF05F0714AZ
TPFF25EMVAZ
AT 201(200) -CRK-200
AT 251(250) -CRK-250
AT 301U S09 A F07+F10 N17 DS
AT101U DA F05+F07 14DS

AT101U S10 B F05+F07 14DS	
AT201U S10 B F05+F07 17DS	
AT251U S10 B F05+07 17DS	
AT451U S10 A F10+F12 N 27DS	
CRK-600	
ES4G00600U	Spare parts set in special NBR for pneum. Drive DR/SC 00600, temperature range: -40°C/+80°C
SC00030-6UF05F0714AZ	1DE31A6-ES14E single-actuator, flange F05F07, double square 14, small spring torque 13.3 Nm at 6 bar, version A, with multifunction display
DR00100UF05F0717AZ	1FD31A0-ES17E double w. drive, flange F05F07, double square 17, Torque 110 Nm at 6 bar, version A, with multifunction display
451 UHSPFK	repair kit set
SC00600-5UF10F1227AZ	1LE31A5-JS27E simple drive, flange F10F12, double square 27, small. Spring torque 224 Nm at 5 bar, version A, with multifunction display
Limit switch box plastic housing	Type EPE2M01-UL with 2 mechanical limit switches UL make Cherry D45X, AC, IP67 including VDI/VDE stainless steel mounting bridge
Airtorque DR00100	Pneumatic swivel drive 90° Type Airtorque DR00100 execution A double-acting, 6 bar Connection ISO5211 F05-F07/VK17
Airtorque DR00030	Pneumatic swivel drive 90° Type Airtorque DR00030 execution A double acting Connection ISO5211 F05-F07/VK14
SC00060-6UF05F0714AZ	
AT651	Actuator
SC00060-6UF05F0717AZ	1EE31A6-ES17E simple drive, flange F05F07, double square 17, small. Spring torque 26.5 Nm at 6 bar, version A, with multifunction display
DR00220UF07F1022AZ	1HD31A0-GS22E double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with multifunction display
Serial Number : 06484825 - 06484826 - 02136084	Repair kit Gastket
DR00030UF05F0714AZQ	1DD31A0-ES14E-Q double w. drive, flange F05F07, double square 14, Torque 35.2 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
	1ED31A0-ES14E-Q double w. drive, flange F05F07, double

DR00060UF05F0714AZQ	square 14, Torque 69.8 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
DR00100UF05F0717AZQ	1FD31A0-ES17E-Q double w. Drive, flange F05F07, double square 17 parallel, Torque 110 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
DR00150UF07F1016AZBQ	1GD31A0-GL16E-BQ double w. Drive, flange F07F10, square 16 parallel, Torque 160 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow
DR00220UF07F1022AZQ	1HD31A0-GS22E-Q double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
ADH14/12D16	Adapter sleeve square 14 outside / 12 inside sintered steel, steam treated Length 16mm
ADH17/14D17	Adapter sleeve square 17 outside / 14 inside sintered steel, steam treated Length 17mm
ADH22/16	Reduction, square SW 22 mm to square SW 16 mm, 22 mm high
AT101U S08	
DR00150UF07F1022AZBQ	1GD31A0-GS22E-BQ double w. drive, flange F07F10, double square 22, Torque 160 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow + ADH22/16DSVK-E Reduction, double square SW 22mm to square SW 16mm, 22mm high, material: 1.4301 sintered, stainless steel
DR00220UF07F1022AZBQ	double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow
ADH14/12D16.	
ADH17/14D17.	
ADH22/16.	
DR00220UF1022PZN	1HD31P0-HD22E-N double w. Drive, flange F10, square 22, with centering ring, Torque 158 Nm at 6 bar, version P, with multifunction display
PF3NVFAZ - Rotech	ET module P+F SJ3.5-N II 2G Ex ia IIC T6 Gb PTB99 ATEX 2219 X Feedback open+close Vestamid case 120x80x55 with viewing window Terminal plan KPO22N4N without console End position adjustment : color cable gland : ----- ---- B = end position cushioned U = end position undamped BL = M20x1.5 blue SW = M20x1.5 black
	mounted with: Mounting kit ET console ET2, narrow form, 80

ET2OGSA2	x 30, wave height 30, size 2 Rotech
G70515-18	
AT501U S12 A	DN100,PN40)(With pressure switches)
AT251U S12 A	DN20,PN40)(With pressure switches
ES4G00900U	Spare parts set in special NBR for pneumatic drive DR/SC 00900U, Temperature range: -40°C/+80°C
ES4G00100U	Spare parts set in special NBR for pneumatic drive DR/SC 00100U, Temperature range: -40°C/+80°C repair kit
DR00100UF05F0717AZ	1FD31A0-ES17E double-turn drive, flange F05F07, double square 17, torque 110 Nm at 6 bar, version A, with multifunction display drive
ES4G00030U	Spare parts set in special NBR for pneumatic drive DR/SC 00030U, Temperature range: -40°C/+80°C repair kit
ES4G00450U	Spare parts set in special NBR for pneumatic drive DR/SC 00450U, Temperature range: -40°C/+80°C repair kit
ES4G00060U	Spare parts set in special NBR for pneumatic drive DR/SC 00060U, Temperature range: -40°C/+80°C repair kit
SC00015-4UF0411AZNX	1CE31A4-CS11E-NX single-acting drive, flange F04, double square 11, small spring torque 5.3 Nm at 4 bar, version A, short threaded pins instead of regular adjustment screws, adjustment options very limited
DR00060UF05F0717AZ	1ED31A0-ES17E double-threaded drive, flange F05F07, double square 17, torque 69.8 Nm at 6 bar, version A, with multifunction display
ACTUATOR, AT101U S12 A, F05+F07-N-14DS	
ACTUATOR DIAPHGRAM,AIR TORQ,AT551U S08A	
ACTUATOR DIAPHGRAM,AIR TORQU,AT451U S08A	
ACTUATOR DIAPHGRAM,AIR TORQU,AT651U S08A	
ACTUATOR DIAPHGRAM,AIR TORQU,AT501U S08A	
AT101U s12A	
DR00220U AZL	
AKTUATOR AL79 051U-S8A ATEX	
KTUATOR AL79-101-SR F05/14 ATEX	
AT201U-D-A F05+F07-N-17DS	

AT051U-D-A F03+F05-N-11DS	
DR00060UF05F0717AZ	1ED31A0-ES17E double drive, flange F05F07, double square 17, Torque 69.8 Nm at 6 bar, version A, with Multifunction display Equivalent to AT201U DB F05+F07-N-17DS Drives without accessories!
??351u Da F07-F10 N 22 Ds Pneumo-Antrieb	
Pt050 D A F04-N-Ds-11 - , - Dr00015uf0411az	
Es4g00015u	
09057711	
At501 S10 A F10/F12-N-D-27	
At 351d A F07/F10-N-D-2/2	
09057543	
Dn300	
09057540	
Sc00150-6uf07f1017azt	
At45da	
At301u 0aa	
Sc00150-5uf07f1017az	
At251 S10 A F05/F07-N-D-17	
Dr 30 F05-N-D-14a	
At450s08	
At251uda	
1108211592	
At301u Caa	
At401 S10 A F07/F10-N-D22 Lfr Pneumatisches Antrieb	
At 451 Us 08	
Dr00030uf05f0711az	
Dr00030uf05f0714az	
Sc/So 100-4 A F05/F07 17	
Din 17200 Antriebswelle C22	

1108211669	
1108211678	
Er100.90a.G00.C	
09059943	
At201u Da	
At251u S10 B F05-F07 17ds Pneumatisch	
En Aw 6063 (4)	
At250512	
Aedr015ae1/2g	
Sc00150-6uf07f1017az	1GE31A6-GS17E einfachw. Actuator, flange F07F10, double square 17, small Spring torque 60.8 Nm at 6 bar, version A, with Multi-function display
So 150-4 A F07/F10 17ac	
06365739	
09057555	
1108211735	
09059949	
- Repair Kit For Drive At501	
Dn350	
Tpff25emvaz Tcr-Modul.Nbn3-F25f-E8deckel Makrolon,Socket Vestamidanzeige Auf Und Zuohne Konsole	
09057668	
Dr00060uf05f0714az	
687/At050da+s64g007 50mm	
At451 Da F10	
97050138	
95085205	
1108211736	
At104 S08 A F05 14 (S)	
09057620	

Es4g01200u	
Dr00030uf05f0714az (1dd31a0-Es14e)	
At201 D B F05/F07-N-D-14	
At101 Db F04-N-D-14	
Dr00100u Az Pneumatic Actuator	
- Repair Kit For Drive At651	
At101u S10 B Aktuator	
Dr000300uf05f0714az	
Dr00450uf10f1227az	
At051u D A Sn: 10268821	
At501 Daf 12-Y-D-27	
At251u S10 B Aktuator	
- Repair Kit For Drive At551	
1108211670	
At454da	
?? 251(250) -Crk-250	
At301 S10 A F07/F10-N-D-22	
Sc02000-6uf1436az	
So 60-4 A F05/F07 14c	
1108211679	
At201u D A En Iso5211	
At251 U S12 A	
At501u	
Ersatzteile-Set (Crk-350)	
Sc00450-3,5uf10f1227azt	
Norbar43245 - Wrench Testingtool	
06009710	
Sc00060-6uf05f0714az	1EE31A6-ES14E einfachw. Actuator, flange F05F07, double square 14, small Spring torque 26.5 Nm at 6 bar, version A, with Multi-function display
Sc00030 - 6ua ,F05f07 - Y - H- 11x 14 - Aktuator Vana	

Es4g00300u
Es4g00450u
Fn00030
Fn00060
455-Sr.400 Fpm
- Repair Kit For Drive At701
At201u S10 B Aktuator
At350 S12 A
At 101 D B F05/N-D-14
Sc00100 - 6ua ,F05 - Y - H- 11x 14,4 - Aktuator Vana
?? 201(200) -Crk-200
09059942
Aesc060ae3/4g
Es4g00060u
Dr 30 F05-N-D-14 A
Dr00015uf0411az
For At251us09b Repair Kit For At251us09b
4quot; CI600
S0
1108005374
At351u-Db
Dr00150u Az Pneumatic Actuator
- Repair Kit For Drive At201
06521122
09057546
At201u D A, Press Conn. G 1/8
Mastfi
09057887
09057552
Å At301u S12a Mill 01

- Repair Kit For Drive At751
Pt100 S12 A F05/F07-N-Ds-14
460-Sr6.500 Fpm
Adh22/17
1kd31a0-Js27e (Dr00450uf10f1227az)
At201u S10 B F05-F07 17ds Pneumatisch
At101da By Dr00030uf05f0714az (1dd31a0-Es14e)
451hspfk At451
Ä At301u S12a Mill 00
09057573
Es4g00450llt
At104 S08 A F05 14 (Kit)
Es4g00150u
09057624
Ors4g00450s
Tk1a1
Es4g00600u
?Rk-600
Mv3dc24
Es4g00030u
09057939
Dr60
S060-6 Af05f07-N-D-14
Sc 100-4
Sc 00226-6ua-F07-Y-N-17x22,2
Dr00600uf10f1227az
Norbar43222 - Wrench Testingtool
Ä At301u S12a Mill 06
At401

So 150-4	
At251s12	
At104 S08 A F05 14	
Sc00150-5uf07f1017az (1ge31a5-Gs17e)	
S0 450-4 A F10/12 27c	
09057550	
At251us09b Pneumatic Actuator	
Type: At201 512b F05/F07-N-D-17 S/N: 08058793	
Sc00030-4,5uf05f0714az Antrieb Sc00030-4,5uf05f0714az, 1de31ac-Es14e, At101u	
Sr0100-6f0717a	
?? 301u S09 A F07+f10 N17 Ds	
1108211593	
At400 S10 B	
- Repair Kit For Drive At401	
Control Air Flow Restrictor For Pneumatic Actuator Of Atomizing Steam Line. (1)	
Sc00100-6uf0717pz	1FE31P6-FD17E einfachw. Drive, flange F07, square 17, with Centering ring, small Spring torque 44 Nm at 6 bar, version P, with multifunction display
At 0s7050a	
1 Gd31a0-Gs17e	
Es4g04000u	
At501*F10/ F12-N-D-27 Double Acting 0-90?	
At301u S10 B F07-F10 22ds Pneumatisch	
Gd-Alsi8.5cu3.5fe (4) Kolben Uni 5075	
Schd14kbr	
Sc00150 - 6ua ,F05 - Y - H- 11x 14,4 - Aktuator Vana	
Dr00100uf05f0717az	
Es4g10000llt	

[For Dr00100u Az Repair Kit For
Dr00100u Az](#)

[Fn00015](#)

[Es4g00100u](#)

[Es4g00900u](#)

[At251 -Repair Kit For Air Torque](#)

[09057896](#)

[S0 220-4 A F07/10 22](#)

[At201 Da F05-F07-N-D-17](#)

[Gd-Alsi8.5cu3.5fe \(4\) Rechte / Linke
Schutzhaube Uni 5075](#)

[??101u Da F05+f07 14ds](#)

[Sc 00226-6ua-F07-Y-N-17x22,2 -
Aktuator Vana](#)

[Pt300bda](#)