

## Air Torque



Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Air Torque** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Air Torque Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Pekos Flange Ball Valve Pn40, Dn80, 1.0619</a>	
<a href="#">Ball Valve Dn80 Pn40 Repair Kit</a>	Seal kit for the above ball valve
<a href="#">Ball Dn80, 1.440</a>	
<a href="#">Stem, 1.4401</a>	
<a href="#">Drive Sc00300-5uf07f1022az (At401-S10)</a>	
<a href="#">14142617</a>	"Repair kit only"
<a href="#">SC00150-5,5UF07F1017AZ</a>	1GE31AD-GS17E simple Drive, flange F07F10, double square 17, kl. Spring torque 55.7 Nm at 5.5 bar, version A, with Multifunction display Suitable drive for AT301U S11A
<a href="#">1101.MP.0065P</a>	
<a href="#">5139</a>	
<a href="#">AT 051 DA F04 N 11 DS</a>	
<a href="#">AT 201</a>	
<a href="#">AT 201U S12 A</a>	
<a href="#">AT 201U S12 A F05+F07 N 17DS</a>	
<a href="#">AT 251 U S08 A F05+F07 N 17DS-LFR</a>	

<a href="#">LLT</a>
<a href="#">AT 501U D B F10+F12 N 27D</a>
<a href="#">AT 651U D A F 16 46 DS</a>
<a href="#">AT 651U D A F16 N 46DS</a>
<a href="#">AT 701</a>
<a href="#">AT051U S8B</a>
<a href="#">AT101U DA F05 + F07 N 14 DS</a>
<a href="#">AT201U S10 B F05+F07 N 14D</a>
<a href="#">AT201U S10 B F05-F07 17DS</a>
<a href="#">AT251U S10 B F05-F07 17DS</a>
<a href="#">AT301U S10 B F07-F10 22DS</a>
<a href="#">AT401 S10 A F07-F10 N 22DS LFR</a>
<a href="#">CF 8M 1.4408</a>
<a href="#">CRK-200</a>
<a href="#">CRK-200</a>
<a href="#">CRK-300</a>
<a href="#">CRK-350</a>
<a href="#">CRK-500</a>
<a href="#">DA F07+F10 N 22DS</a>
<a href="#">DR00030UF05F0714AZ 1DD31A0-ES14E</a>
<a href="#">DR00060UF05F0717AZ</a>
<a href="#">DR00150U AZ</a>
<a href="#">DR00150UF07F1017AZ</a>
<a href="#">DR00220UF07F1022AZ</a>
<a href="#">DR00300UF07F1022AZ</a>
<a href="#">DR02000UF1646AZ</a>
<a href="#">ES4G00150LLT</a>
<a href="#">ES4G00220LLT</a>
<a href="#">ES4G00220U</a>
<a href="#">ES4G00600LLT</a>
<a href="#">ES4G02000U</a>

<a href="#">ES4G03000U</a>
<a href="#">MASTFI</a>
<a href="#">PCR3MV-AUF-ZU0502.PROXIBOX.V3</a>
<a href="#">R22/17</a>
<a href="#">SC00015-4UF0411AZ</a>
<a href="#">SC00015-5,5UF0411AZ</a>
<a href="#">SC00030-4,5UF05F0714AZ</a>
<a href="#">SC00060-4,5UF05F0714AZ</a>
<a href="#">SC00060-6UF05F0717AZ</a>
<a href="#">SC00100-4,5UF05F0717AZ</a>
<a href="#">SC00100-4UF05F0717AZ</a>
<a href="#">SC00150-6UF05F0717AZ</a>
<a href="#">SC00300-4UF07F1022AZ</a>
<a href="#">SC00300-5UF07F1022AZ</a>
<a href="#">SC00600-4UF10F1227AZ</a>
<a href="#">SC00600-6UF10F1227AZ</a>
<a href="#">SC00600-6UF10F1227AZ 1LE31A6-JS27E</a>
<a href="#">SC00608-5UF10F1227AZFM</a>
<a href="#">SC03000-5UF1646AZ</a>
<a href="#">SC04000-6UF1646AZ</a>
<a href="#">SC100-6</a>
<a href="#">SC150-4</a>
<a href="#">SC30-6</a>
<a href="#">SO00030-4UF05F0714AZ</a>
<a href="#">SO00060-4UF05F0714AZ</a>
<a href="#">TPFF25EMVAZ</a>
<a href="#">AT 201(200) -CRK-200</a>
<a href="#">AT 251(250) -CRK-250</a>
<a href="#">AT 301U S09 A F07+F10 N17 DS</a>
<a href="#">AT101U DA F05+F07 14DS</a>

<a href="#">AT101U S10 B F05+F07 14DS</a>	
<a href="#">AT201U S10 B F05+F07 17DS</a>	
<a href="#">AT251U S10 B F05+07 17DS</a>	
<a href="#">AT451U S10 A F10+F12 N 27DS</a>	
<a href="#">CRK-600</a>	
<a href="#">ES4G00600U</a>	Spare parts set in special NBR for pneum. Drive DR/SC 00600, temperature range: -40°C/+80°C
<a href="#">SC00030-6UF05F0714AZ</a>	1DE31A6-ES14E single-actuator, flange F05F07, double square 14, small spring torque 13.3 Nm at 6 bar, version A, with multifunction display
<a href="#">DR00100UF05F0717AZ</a>	1FD31A0-ES17E double w. drive, flange F05F07, double square 17, Torque 110 Nm at 6 bar, version A, with multifunction display
<a href="#">451 UHSPFK</a>	repair kit set
<a href="#">SC00600-5UF10F1227AZ</a>	1LE31A5-JS27E simple drive, flange F10F12, double square 27, small. Spring torque 224 Nm at 5 bar, version A, with multifunction display
<a href="#">Limit switch box plastic housing</a>	Type EPE2M01-UL with 2 mechanical limit switches UL make Cherry D45X, AC, IP67 including VDI/VDE stainless steel mounting bridge
<a href="#">Airtorque DR00100</a>	Pneumatic swivel drive 90° Type Airtorque DR00100 execution A double-acting, 6 bar Connection ISO5211 F05-F07/VK17
<a href="#">Airtorque DR00030</a>	Pneumatic swivel drive 90° Type Airtorque DR00030 execution A double acting Connection ISO5211 F05-F07/VK14
<a href="#">SC00060-6UF05F0714AZ</a>	
<a href="#">AT651</a>	Actuator
<a href="#">SC00060-6UF05F0717AZ</a>	1EE31A6-ES17E simple drive, flange F05F07, double square 17, small. Spring torque 26.5 Nm at 6 bar, version A, with multifunction display
<a href="#">DR00220UF07F1022AZ</a>	1HD31A0-GS22E double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with multifunction display
<a href="#">Serial Number : 06484825 - 06484826 - 02136084</a>	Repair kit Gastket
<a href="#">DR00030UF05F0714AZQ</a>	1DD31A0-ES14E-Q double w. drive, flange F05F07, double square 14, Torque 35.2 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
	1ED31A0-ES14E-Q double w. drive, flange F05F07, double

<a href="#">DR00060UF05F0714AZQ</a>	square 14, Torque 69.8 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
<a href="#">DR00100UF05F0717AZQ</a>	1FD31A0-ES17E-Q double w. Drive, flange F05F07, double square 17 parallel, Torque 110 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
<a href="#">DR00150UF07F1016AZBQ</a>	1GD31A0-GL16E-BQ double w. Drive, flange F07F10, square 16 parallel, Torque 160 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow
<a href="#">DR00220UF07F1022AZQ</a>	1HD31A0-GS22E-Q double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with multifunction display Structure transverse to the direction of flow
<a href="#">ADH14/12D16</a>	Adapter sleeve square 14 outside / 12 inside sintered steel, steam treated Length 16mm
<a href="#">ADH17/14D17</a>	Adapter sleeve square 17 outside / 14 inside sintered steel, steam treated Length 17mm
<a href="#">ADH22/16</a>	Reduction, square SW 22 mm to square SW 16 mm, 22 mm high
<a href="#">AT101U S08</a>	
<a href="#">DR00150UF07F1022AZBQ</a>	1GD31A0-GS22E-BQ double w. drive, flange F07F10, double square 22, Torque 160 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow + ADH22/16DSVK-E Reduction, double square SW 22mm to square SW 16mm, 22mm high, material: 1.4301 sintered, stainless steel
<a href="#">DR00220UF07F1022AZBQ</a>	double w. drive, flange F07F10, double square 22, Torque 258 Nm at 6 bar, version A, with Multifunction display, with stroke limitation 0°-90° Structure transverse to the direction of flow
<a href="#">ADH14/12D16.</a>	
<a href="#">ADH17/14D17.</a>	
<a href="#">ADH22/16.</a>	
<a href="#">DR00220UF1022PZN</a>	1HD31P0-HD22E-N double w. Drive, flange F10, square 22, with centering ring, Torque 158 Nm at 6 bar, version P, with multifunction display
<a href="#">PF3NVFAZ - Rotech</a>	ET module P+F SJ3.5-N II 2G Ex ia IIC T6 Gb PTB99 ATEX 2219 X Feedback open+close Vestamid case 120x80x55 with viewing window Terminal plan KPO22N4N without console End position adjustment : color cable gland : ----- ---- B = end position cushioned U = end position undamped BL = M20x1.5 blue SW = M20x1.5 black
	mounted with: Mounting kit ET console ET2, narrow form, 80

<a href="#">ET2OGSA2</a>	x 30, wave height 30, size 2 Rotech
<a href="#">G70515-18</a>	
<a href="#">AT501U S12 A</a>	DN100,PN40)(With pressure switches)
<a href="#">AT251U S12 A</a>	DN20,PN40)(With pressure switches
<a href="#">ES4G00900U</a>	Spare parts set in special NBR for pneumatic drive DR/SC 00900U, Temperature range: -40°C/+80°C
<a href="#">ES4G00100U</a>	Spare parts set in special NBR for pneumatic drive DR/SC 00100U, Temperature range: -40°C/+80°C repair kit
<a href="#">DR00100UF05F0717AZ</a>	1FD31A0-ES17E double-turn drive, flange F05F07, double square 17, torque 110 Nm at 6 bar, version A, with multifunction display drive
<a href="#">ES4G00030U</a>	Spare parts set in special NBR for pneumatic drive DR/SC 00030U, Temperature range: -40°C/+80°C repair kit
<a href="#">ES4G00450U</a>	Spare parts set in special NBR for pneumatic drive DR/SC 00450U, Temperature range: -40°C/+80°C repair kit
<a href="#">ES4G00060U</a>	Spare parts set in special NBR for pneumatic drive DR/SC 00060U, Temperature range: -40°C/+80°C repair kit
<a href="#">SC00015-4UF0411AZNX</a>	1CE31A4-CS11E-NX single-acting drive, flange F04, double square 11, small spring torque 5.3 Nm at 4 bar, version A, short threaded pins instead of regular adjustment screws, adjustment options very limited
<a href="#">DR00060UF05F0717AZ</a>	1ED31A0-ES17E double-threaded drive, flange F05F07, double square 17, torque 69.8 Nm at 6 bar, version A, with multifunction display
<a href="#">ACTUATOR, AT101U S12 A, F05+F07-N-14DS</a>	
<a href="#">ACTUATOR DIAPHGRAM,AIR TORQ,AT551U S08A</a>	
<a href="#">ACTUATOR DIAPHGRAM,AIR TORQU,AT451U S08A</a>	
<a href="#">ACTUATOR DIAPHGRAM,AIR TORQU,AT651U S08A</a>	
<a href="#">ACTUATOR DIAPHGRAM,AIR TORQU,AT501U S08A</a>	
<a href="#">AT101U s12A</a>	
<a href="#">DR00220U AZL</a>	
<a href="#">AKTUATOR AL79 051U-S8A ATEX</a>	
<a href="#">KTUATOR AL79-101-SR F05/14 ATEX</a>	
<a href="#">AT201U-D-A F05+F07-N-17DS</a>	

<a href="#">AT051U-D-A F03+F05-N-11DS</a>	
<a href="#">DR00060UF05F0717AZ</a>	1ED31A0-ES17E double drive, flange F05F07, double square 17, Torque 69.8 Nm at 6 bar, version A, with Multifunction display Equivalent to AT201U DB F05+F07-N-17DS Drives without accessories!
<a href="#">AT401S</a>	PNEUMATIC ACTUATOR
<a href="#">??351u Da F07-F10 N 22 Ds Pneumo-Antrieb</a>	
<a href="#">Pt050 D A F04-N-Ds-11 - , - Dr00015uf0411az</a>	
<a href="#">Es4g00015u</a>	
<a href="#">09057711</a>	
<a href="#">At501 S10 A F10/F12-N-D-27</a>	
<a href="#">At 351d A F07/F10-N-D-2/2</a>	
<a href="#">09057543</a>	
<a href="#">Dn300</a>	
<a href="#">09057540</a>	
<a href="#">Sc00150-6uf07f1017azt</a>	
<a href="#">At45da</a>	
<a href="#">At301u 0aa</a>	
<a href="#">Sc00150-5uf07f1017az</a>	
<a href="#">At251 S10 A F05/F07-N-D-17</a>	
<a href="#">Dr 30 F05-N-D-14a</a>	
<a href="#">At450s08</a>	
<a href="#">At251uda</a>	
<a href="#">1108211592</a>	
<a href="#">At301u Caa</a>	
<a href="#">At401 S10 A F07/F10-N-D22 Lfr Pneumatisches Antrieb</a>	
<a href="#">At 451 Us 08</a>	
<a href="#">Dr00030uf05f0711az</a>	
<a href="#">Dr00030uf05f0714az</a>	
<a href="#">Sc/So 100-4 A F05/F07 17</a>	

<a href="#">Din 17200 Antriebswelle C22</a>	
<a href="#">1108211669</a>	
<a href="#">1108211678</a>	
<a href="#">Er100.90a.G00.C</a>	
<a href="#">09059943</a>	
<a href="#">At201u Da</a>	
<a href="#">At251u S10 B F05-F07 17ds</a> <a href="#">Pneumatisch</a>	
<a href="#">En Aw 6063 (4)</a>	
<a href="#">At250512</a>	
<a href="#">Aedr015ae1/2g</a>	
<a href="#">Sc00150-6uf07f1017az</a>	1GE31A6-GS17E einfachw. Actuator, flange F07F10, double square 17, small Spring torque 60.8 Nm at 6 bar, version A, with Multi-function display
<a href="#">So 150-4 A F07/F10 17ac</a>	
<a href="#">06365739</a>	
<a href="#">09057555</a>	
<a href="#">1108211735</a>	
<a href="#">09059949</a>	
<a href="#">- Repair Kit For Drive At501</a>	
<a href="#">Dn350</a>	
<a href="#">Tpff25emvaz Tcr-Modul.Nbn3-F25f-</a> <a href="#">E8deckel Makrolon,Socket</a> <a href="#">Vestamidanzeige Auf Und Zuohne</a> <a href="#">Konsole</a>	
<a href="#">09057668</a>	
<a href="#">Dr00060uf05f0714az</a>	
<a href="#">687/At050da+s64g007 50mm</a>	
<a href="#">At451 Da F10</a>	
<a href="#">97050138</a>	
<a href="#">95085205</a>	
<a href="#">1108211736</a>	
<a href="#">At104 S08 A F05 14 (S)</a>	

<a href="#">09057620</a>	
<a href="#">Es4g01200u</a>	
<a href="#">Dr00030uf05f0714az (1dd31a0-Es14e)</a>	
<a href="#">At201 D B F05/F07-N-D-14</a>	
<a href="#">At101 Db F04-N-D-14</a>	
<a href="#">Dr00100u Az Pneumatic Actuator</a>	
<a href="#">- Repair Kit For Drive At651</a>	
<a href="#">At101u S10 B Aktuator</a>	
<a href="#">Dr000300uf05f0714az</a>	
<a href="#">Dr00450uf10f1227az</a>	
<a href="#">At051u D A Sn: 10268821</a>	
<a href="#">At501 Daf 12-Y-D-27</a>	
<a href="#">At251u S10 B Aktuator</a>	
<a href="#">- Repair Kit For Drive At551</a>	
<a href="#">1108211670</a>	
<a href="#">At454da</a>	
<a href="#">?? 251(250) -Crk-250</a>	
<a href="#">At301 S10 A F07/F10-N-D-22</a>	
<a href="#">Sc02000-6uf1436az</a>	
<a href="#">So 60-4 A F05/F07 14c</a>	
<a href="#">1108211679</a>	
<a href="#">At201u D A En Iso5211</a>	
<a href="#">At251 U S12 A</a>	
<a href="#">At501u</a>	
<a href="#">Ersatzteile-Set (Crk-350)</a>	
<a href="#">Sc00450-3,5uf10f1227azt</a>	
<a href="#">Norbar43245 - Wrench Testingtool</a>	
<a href="#">06009710</a>	
<a href="#">Sc00060-6uf05f0714az</a>	1EE31A6-ES14E einfachw. Actuator, flange F05F07, double square 14, small Spring torque 26.5 Nm at 6 bar, version A, with Multi-function display
<a href="#">Sc00030 - 6ua ,F05f07 - Y - H- 11x 14 -</a>	

<a href="#">Aktuator Vana</a>
<a href="#">Es4g00300u</a>
<a href="#">Es4g00450u</a>
<a href="#">Fn00030</a>
<a href="#">Fn00060</a>
<a href="#">455-Sr.400 Fpm</a>
<a href="#">- Repair Kit For Drive At701</a>
<a href="#">At201u S10 B Aktuator</a>
<a href="#">At350 S12 A</a>
<a href="#">At 101 D B F05/N-D-14</a>
<a href="#">Sc00100 - 6ua ,F05 - Y - H- 11x 14,4 - Aktuator Vana</a>
<a href="#">?? 201(200) -Crk-200</a>
<a href="#">09059942</a>
<a href="#">Aesc060ae3/4g</a>
<a href="#">Es4g00060u</a>
<a href="#">Dr 30 F05-N-D-14 A</a>
<a href="#">Dr00015uf0411az</a>
<a href="#">For At251us09b Repair Kit For At251us09b</a>
<a href="#">4quot; Cl600</a>
<a href="#">S0</a>
<a href="#">1108005374</a>
<a href="#">At351u-Db</a>
<a href="#">Dr00150u Az Pneumatic Actuator</a>
<a href="#">- Repair Kit For Drive At201</a>
<a href="#">06521122</a>
<a href="#">09057546</a>
<a href="#">At201u D A, Press Conn. G 1/8</a>
<a href="#">Mastfi</a>
<a href="#">09057887</a>
<a href="#">09057552</a>

<a href="#">Ä At301u S12a Mill 01</a>
<a href="#">- Repair Kit For Drive At751</a>
<a href="#">Pt100 S12 A F05/F07-N-Ds-14</a>
<a href="#">460-Sr6.500 Fpm</a>
<a href="#">Adh22/17</a>
<a href="#">1kd31a0-Js27e (Dr00450uf10f1227az)</a>
<a href="#">At201u S10 B F05-F07 17ds</a> <a href="#">Pneumatisch</a>
<a href="#">At101da By Dr00030uf05f0714az</a> <a href="#">(1dd31a0-Es14e)</a>
<a href="#">451hspfk At451</a>
<a href="#">Ä At301u S12a Mill 00</a>
<a href="#">09057573</a>
<a href="#">Es4g00450llt</a>
<a href="#">At104 S08 A F05 14 (Kit)</a>
<a href="#">Es4g00150u</a>
<a href="#">09057624</a>
<a href="#">Ors4g00450s</a>
<a href="#">Tk1a1</a>
<a href="#">Es4g00600u</a>
<a href="#">?Rk-600</a>
<a href="#">Mv3dc24</a>
<a href="#">Es4g00030u</a>
<a href="#">09057939</a>
<a href="#">Dr60</a>
<a href="#">S060-6 Af05f07-N-D-14</a>
<a href="#">Sc 100-4</a>
<a href="#">Sc 00226-6ua-F07-Y-N-17x22,2</a>
<a href="#">Dr00600uf10f1227az</a>
<a href="#">Norbar43222 - Wrench Testingtool</a>
<a href="#">Ä At301u S12a Mill 06</a>

<a href="#">At401</a>	
<a href="#">So 150-4</a>	
<a href="#">At251s12</a>	
<a href="#">At104 S08 A F05 14</a>	
<a href="#">Sc00150-5uf07f1017az (1qe31a5-Gs17e)</a>	
<a href="#">S0 450-4 A F10/12 27c</a>	
<a href="#">09057550</a>	
<a href="#">At251us09b Pneumatic Actuator</a>	
<a href="#">Type: At201 512b F05/F07-N-D-17 S/N: 08058793</a>	
<a href="#">Sc00030-4,5uf05f0714az Antrieb</a> <a href="#">Sc00030-4,5uf05f0714az, 1de31ac-Es14e, At101u</a>	
<a href="#">Sr0100-6f0717a</a>	
<a href="#">?? 301u S09 A F07+f10 N17 Ds</a>	
<a href="#">1108211593</a>	
<a href="#">At400 S10 B</a>	
<a href="#">- Repair Kit For Drive At401</a>	
<a href="#">Control Air Flow Restrictor For Pneumatic Actuator Of Atomizing Steam Line. (1)</a>	
<a href="#">Sc00100-6uf0717pz</a>	1FE31P6-FD17E einfachw. Drive, flange F07, square 17, with Centering ring, small Spring torque 44 Nm at 6 bar, version P, with multifunction display
<a href="#">At 0s7050a</a>	
<a href="#">1 Gd31a0-Gs17e</a>	
<a href="#">Es4g04000u</a>	
<a href="#">At501*F10/ F12-N-D-27 Double Acting 0-90?</a>	
<a href="#">At301u S10 B F07-F10 22ds Pneumatisch</a>	
<a href="#">Gd-Alsi8.5cu3.5fe (4) Kolben Uni 5075</a>	
<a href="#">Schd14kbr</a>	
<a href="#">Sc00150 - 6ua ,F05 - Y - H- 11x 14,4 - Aktuator Vana</a>	
<a href="#">Dr00100uf05f0717az</a>	

<a href="#">Es4g10000Ilt</a>
<a href="#">For Dr00100u Az Repair Kit For Dr00100u Az</a>
<a href="#">Fn00015</a>
<a href="#">Es4g00100u</a>
<a href="#">Es4g00900u</a>
<a href="#">At251 -Repair Kit For Air Torque</a>
<a href="#">09057896</a>
<a href="#">S0 220-4 A F07/10 22</a>
<a href="#">At201 Da F05-F07-N-D-17</a>
<a href="#">Gd-Alsi8.5cu3.5fe (4) Rechte / Linke Schutzhaube Uni 5075</a>
<a href="#">??101u Da F05+f07 14ds</a>
<a href="#">Sc 00226-6ua-F07-Y-N-17x22,2 - Aktuator Vana</a>
<a href="#">Pt300bda</a>