

Amf

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Amf Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Amf T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Model-04862554	DIN 6340-M24
159426	
334185	
371088	
372821	
372839	
375592	
375618	
380902.1000	
392241	
40147	
40154	

40162
40170
40188
40220
40238
41285
426494
427344
428730
44354
44362
44370
44388
44396
44404
44412
44727
44735
44743
44750
44768
44776
44784
44792
456400
482471
482497
48264
48280
492058

50427
51821
52233
52241
52258
52266
52274
52290
52308
52316
52324
52340
52407
52415
52423
52431
52449
52506
52514
52522
54767
54809
551715
551716
551717
551718
551719
551720
552552
552698
553335

553338
553339
553340
553342
553343
553344
553353
553441
553446
553447
553448
554198
554214
554215
554216
554298
554299
554300
554821
554822
554823
554824
554825
554878
554879
554880
554881
554882
554883
554884

[554885](#)

[554886](#)

[554887](#)

[554888](#)

[555061](#)

[555062](#)

[555063](#)

[555064](#)

[555065](#)

[555066](#)

[555067](#)

[555083](#)

[555084](#)

[555085](#)

[555170](#)

[555171](#)

[555172](#)

[555175](#)

[555176](#)

[555177](#)

[555178](#)

[555182](#)

[555183](#)

[555184](#)

[555185](#)

[557104](#)

[557105](#)

[557107](#)

[557111](#)

[558436](#)

562016
56697
56713
56721
63842
6430S-140
66530
67942
68007
68999
6925-18-2
6951KP-33-21
6951KP-33-22
6991-40
70094
70110
70334
70409
70417
70433
70557
70573
70615
70623
70631
70912
70961
70979
71100
71126
71134

[71290](#)

[71639](#)

[71746](#)

[72413](#)

[72447](#)

[72496](#)

[72520](#)

[72561](#)

[72637](#)

[72652](#)

[72744](#)

[72777](#)

[72785](#)

[72793](#)

[72967](#)

[72991](#)

[73031](#)

[73106](#)

[73239](#)

[73270](#)

[73296](#)

[73304](#)

[73312](#)

[73502](#)

[73510](#)

[73569](#)

[73585](#)

[73619](#)

[73627](#)

[73676](#)

73957
74005
74187
74203
74252
74260
74278
74286
74294
74302
74310
74328
74336
74344
74351
74369
74377
74385
74450
74468
74500
74518
74542
74559
74567
74674
74682
74880
74971
75150
75168

75176
75192
75200
75218
75226
75234
75242
75259
75267
75275
75358
75366
75374
76695
76745
76794
76844
78501
79145
79525
79582
79756
80044
80127
80317
80325
80861
80879
81109
81224

[81331](#)

[81349](#)

[81612](#)

[81620](#)

[81638](#)

[81646](#)

[82123](#)

[82156](#)

[82172](#)

[82230](#)

[82347](#)

[82354](#)

[82412](#)

[82552](#)

[82578](#)

[82586](#)

[82594](#)

[82875](#)

[82883](#)

[82982](#)

[82990](#)

[83006](#)

[83014](#)

[83022](#)

[83030](#)

[83048](#)

[83055](#)

[83063](#)

[83105](#)

[83634](#)

[83642](#)

[83659](#)

[83808](#)

[83816](#)

[83824](#)

[83832](#)

[83840](#)

[84749](#)

[84822](#)

[84855](#)

[84871](#)

[84889](#)

[84954](#)

[84962](#)

[84970](#)

[84988](#)

[84996](#)

[85001](#)

[85480](#)

[85977](#)

[86009](#)

[86504](#)

[88328](#)

[88369](#)

[88930](#)

[89094](#)

[89193](#)

[89250](#)

[89276](#)

[90001](#)

[90019](#)

90027
90068
90134
90142
90159
90167
90175
90183
90191
90209
90225
90233
90241
90258
90266
90274
90282
90290
90308
90316
90324
90332
90340
90357
90365
90373
90381
90399
90407
90423

90449
90456
90464
90480
90506
90514
90522
90530
90548
90563
90571
90589
90597
90613
90639
90662
90670
90696
90712
90787
90829
90886
90902
90910
90928
91280
91330
91348
91397
91405

91413
91421
91439
91447
91462
91470
91488
91496
91504
91512
91520
91538
91546
91553
91561
91579
91595
91611
91637
91645
91652
91660
91686
91702
91710
91728
91736
91744
91793
91835
91843

91850
91868
91876
91884
91892
91900
91959
92007
92056
92072
92080
92098
92106
92114
92122
92130
92148
92155
92163
92171
92189
92197
92239
92247
92254
92262
92270
92288
92296
92304

[92312](#)

[92338](#)

[92346](#)

[92353](#)

[92361](#)

[92379](#)

[92395](#)

[92403](#)

[92411](#)

[92429](#)

[92437](#)

[92445](#)

[92452](#)

[92460](#)

[92478](#)

[92486](#)

[92494](#)

[92502](#)

[92544](#)

[92585](#)

[92601](#)

[92627](#)

[92635](#)

[92668](#)

[92676](#)

[92809](#)

[92817](#)

[92825](#)

[92833](#)

[92841](#)

92858
92866
92874
92882
92916
92924
92932
92940
92957
92973
93062
93070
93088
93096
93104
93112
93179
93195
93211
93229
93237
93245
93252
93260
93328
93336
93427
93435
93443
93450
93542

93609
93617
93625
93633
93641
93658
93666
93674
93682
93690
93708
93716
93849
93856
93864
93880
93906
93914
93922
93930
93948
94045
94060
94086
94089
94094
94102
94128
94136
94144

94151
94201
94235
94250
94268
94276
94284
94292
94318
94359
94367
94524
94540
94680
94698
94706
94714
94755
94763
94771
94821
94839
94847
94854
94862
94870
95000
95026
95034
95042

95067
95075
95083
95133
95141
95166
95182
95208
95224
95349
95364
95380
95406
95422
95448
95455
95521
95547
95562
95588
95620
95638
95646
95653
95661
95679
95687
96008
96016
96024
96032

98012
98038
98046
98053
98061
98475
98517
98525
98533
98541
98558
98566
98582
98616
98632
98665
99002
99010
99028
99036
99044
99051
99069
99077
99085
99119
99127
99135
99143
99168

99259
99267
99275
99283
99309
99325
99333
99341
99358
99366
99374
99382
99507
99515
99523
99531
99564
99572
99614
99622
99630
99648
99655
99663
99671
99689
99705
C5671-72553
DIN70852
ER32

90324	Vertical clamp 6803 size 2 Execution: Galvanized and passivated, with open holding arm and angle foot. more ergonomic, oil-resistant 2-component handle with a large palm rest. Safety clamp with finger protection and loss protection for the pressure screw. Including pressure screw M6x35 Technical specifications: Max holding force: 1.2 kN
90332	Vertical clamp 6803 size 3 Execution: Galvanized and passivated, with open holding arm and angle foot. more ergonomic, oil-resistant 2-component handle with a large palm rest. Safety clamp with finger protection and loss protection for the pressure screw. Including pressure screw M8x45 Technical specifications: Max holding force: 2.5 kN
90027	Vertical clamp 6800 size 2 Execution: Galvanized and passivated, with open holding arm and horizontal foot. Ergonomic, oil-resistant 2- Component handle with large hand rest. Safety clamp with finger protection and loss protection for the pressure screw. Including pressure screw M6x35 Technical specifications: Max holding force: 1.2 kN
552968	Clamping module K20.3, pneumatic with two inductive sensors locking control Execution: Clamping module: stainless steel with hardened piston, cover and bearing surface. Flange housing: stainless steel. The clamping module is in the closed state form-fitting and self-locking locked. The query of the locking control is done by inductive sensors, it can the open and closed status are queried. Technical specifications: collection and Closing force: 17 kN Holding force: 55 kN repeatability <0.005mm Opening pneumatic: min. 4.5 bar Connection: G1/8 Support surface: ø 138 mm Housing / height: ø 175 / 53 mm Sensors: inductive, connector S8 Cable Length: 150mm
303222--	Catch screw size 20 Technical data: Thread: M12 Total length: 54 mm
303149	Clamping bolt K20 for catch screw M12 Execution: K20 zero point clamping bolt. Stainless steel, hardened.
303156	Clamping pin size 20 for M12 catch screw Execution: Size 20 sword tension bolt. Stainless steel, hardened
303149	Clamping pin size 20 for M12 catch screw Execution: Size 20 zero point clamping bolt. Stainless steel, hardened.
303164	Clamping pin size 20 for M12 catch screw Execution: Size 20 undersize pull-studs. Stainless steel, hardened.
303222	Size 20 catch screw Technical specifications: Thread: M12 Total length: 54mm
Order nr 552968	Clamping module KP20.3, pneumatic with two inductive sensors for locking control Execution: Clamping module: stainless steel with hardened piston, cover and bearing surface. Flange housing: stainless steel. When closed, the clamping module is form-fitting and self-locking locked. The locking control is queried by inductive sensors, es can the open and closed status are queried. Technical specifications: collection and Closing force: 17 kN Holding force: 55 kN

	Repeat accuracy < 0.005 mm Opening pneumatic: min. 4.5 bar Connection: G1/8 Support surface: ø 138 mm Housing / height: ø 175 / 53 mm Sensors: inductive, connector S8 Cable Length: 150mm
552968 No:6104L(Amf)	
552968	Clamping module KP20.3, pneumatic with two inductive sensors Locking control Execution: Clamping module: stainless steel with hardened piston, lid and Support surface. Flange housing: stainless steel. When closed, the clamping module is form-fitting and self-locking locked. The locking control is queried by inductive sensors can be opened and closed status can be queried. Technical data: collection and Closing force: 17 kN Holding force: 55 kN Repeatability < 0.005 mm Opening pneum.: min. 4.5 bar Connection: G1/8 Support surface: ø 138 mm Housing / height: ø 175 / 53 mm Sensors: inductive, plug S8 Cable length: 150mm
554939	Clamping bolt size 20 for Catch screw M16
554928	Catch screw size 20 Technical data: Thread: M16 Total length: 63mm
552967	Clamping module KP10.3, pneumatic with two inductive sensors Locking control Execution: Clamping module: stainless steel with hardened piston, lid and Support surface. Flange housing: stainless steel When closed, the clamping module is form-fitting and self-locking locked. The locking control is queried by inductive sensors can be opened and closed status can be queried. Technical data: collection and Closing force: 8 kN Holding force: 25 kN Repeatability < 0.005 mm Opening pneum.: min. 5 bar Connection: G1/8 Support surface: ø 112 mm Housing / height: ø 142 / 48 mm Sensors: inductive, plug S8 Cable length: 150mm
554936	Clamping bolt size 10 for Catch screw M10 Execution: Size 10 zero point clamping bolt. Stainless steel, hardened.
554927	Catch screw size 10 Technical data: Thread: M10 Total length: 41mm
558051	Clamping module KP5.3, pneumatic with two inductive sensors Locking control Execution: Clamping module: stainless steel with hardened piston, lid and Support surface. Flange housing: stainless steel. When closed, the clamping module is form-fitting and self-locking locked. The locking control is queried by inductive sensors can be opened and closed status can be queried. Technical data: collection and Closing force: 1.5 kN Holding force: 13 kN Repeatability < 0.005 mm Opening pneum.: min. 5 bar Connection: G1/8 Support surface: ø 78 mm Housing / height: ø 110 / 42 mm Sensors: inductive, plug S8 Cable length: 150mm
562192	Clamping bolt size 5 for catch screw M8 Execution: Zero point clamping bolt size 5. Stainless steel, hardened.
554926	Catch screw size 5 Technical data: Thread: M8 Total length: 29mm

554927	Catch screw size 10 Technical data: Thread: M10 Total length: 41mm
554936	Clamping bolt size 10 for Catch screw M10 Execution: Size 10 zero point clamping bolt. Stainless steel, hardened.
552967	Clamping module KP10.3, pneumatic with two inductive sensors Locking control Execution: Clamping module: stainless steel with hardened piston, lid and Support surface. Flange housing: stainless steel When closed, the clamping module is form-fitting and self-locking locked. The locking control is queried by inductive sensors can be opened and closed status can be queried. Technical data: collection and Closing force: 8 kN Holding force: 25 kN Repeatability < 0.005 mm Opening pneum.: min. 5 bar Connection: G1/8 Support surface: ø 112 mm Housing / height: ø 142 / 48 mm Sensors: inductive, plug S8 Cable length: 150mm
552968	Clamping module KP20.3, pneumatic with two inductive sensors for locking control Design: Clamping module: stainless steel with hardened piston, cover and support surface. Flange housing: stainless steel. When closed, the clamping module is positively and self-lockingly locked. The locking control is checked by inductive sensors, the open and closed state can be checked. Technical data: Pull-in and locking force: 17 kN Holding force: 55 kN Repeatability < 0.005 mm Opening pneumatic: min. 4.5 bar Connection: G1/8 Support surface: ø 138 mm Housing / height: ø 175 / 53 mm Sensors: inductive, S8 connector Cable length: 150 mm
303222	Catch screw size 20 Technical data: Thread: M12 Total length: 54 mm
303149	Clamping bolt size 20 for catch screw M12 Version: Size 20 zero point clamping bolt. Stainless steel, hardened.
303222-	Catch screw size 20 Technical data: Thread: M12 Total length: 54 mm
303164-	Clamping bolt size 20 for Catch screw M12 Execution: Size 20 undersize clamping bolt. Stainless steel, hardened.
273177	Pressure screw with ball, serrated 7110DF Size 10
Pull-Stud 554939	
Engagement Screw 554928	
90050 Clip	
90035	
430041	
71183 Spanneisen	
72587	
Nr. 6951 Kp-22-22	

80234 Backen
71100 Grip Curved 26x200 Mm
6991-20
82933
93047_0_31,5 Niederhalter
323451
72579 Wagenheber 6430 S-320
75721
375315 Ruser For T-Slot 18 Mm Imp.
82883 Scheiben Din 6340 M20
72413 Schraubbock Mit Flacher Auflage
6490-73031 Low Clamping Jaws
93534
71936
P/N: 93229 Type: 6832/2
41152
90043
Spannmodul K10, Mechanisch 546085
80044 508
92619
70391
84806
84814
72579
52191
81109 Bolts.
80028
41160 Scharnierstift80 -1258m6
94151 Schubstangenspanner Mit Rotem Handgriffnr. 6841
72710

82453
72553 Atlas 72553 Screw Jack 100-140 Mm High
Valve Stufing Box Packing Of Slinding Shaft Pos No:2599 01
93021 6830-2 Horizontale Spannvorrichtung
82644
92650
6925-18-2 Cylinder67868
6370earla-K40
72587 Atlas 550 Mm Screw Jack
85712
81224 Screw For T-Slots (10.9. / 8.8.) Included
82636
Amf-Stirnadscheibe-Pos-Nr-9-Material-Ck45-F3;R-Zellenradschleuse-Ers20-006-09-Istanbul-Turkiye
6203zn-02-003-427344
Order No. 53140
2599-09
305375
68437 , 327999
80036 Backen
25121509
72447 Wagenheber Schraube Amf 6400-300 190-300
91314
80218
94623
80333
6497-1 ?????? ??? ?????????????? ???????
93831

40238 318 4-6 Machine Wrench Drillsemi-Automatic Drift Formorse Cones
93021 Horizontale Landschaft.Lippen- Nr. 6830 (Bestellnummer 93021)
82909
60145
70177 Spanneisen
41277
92643
70193 Spanneisen
6430s-140 Atlas-Schraubbock Mit Gegenmutter
82768
51896
70540
85555
82230 6331-M12
82586 Sechskantmutter Mit Bund Din6331 M20
90019 Die Vertikale Landschaft.Mund-Nr 6800 (Bestell-Nr. 90019)
81687
374827
375340
90555
73585 Spanneisen, Gerade 7110gIx Gr. 20-1
82610 Sechskantmutter Mit Bund Din 6331,M24
72553
53082
Dse 6020
7110ft-16-1

74963 Stufenlos Einstellbare Spannpratze
327239
6841-0
91454
40998
R10-T1-X2-S3.2k
372490
550257
74690
Amf54767
95059
375390
374553
80101
79608
76737
62596
81513 Stiftschrauben Din 6379 M20x200 Mm
6490-72991 Low Clamping Jaws
41012 Scharnierstift40 - 804m6
82743 Extended Nut M24
84756
51888
41137 Scharnierstift40 - 806m6
Amf 6803-3 / 90332
2599-05
73353
Am550259
85738

Valve Casing Seal Case Pos.No:2599_10
79533
90894
90753
67868
80705
51839
74963
82883 6340-M20 Washer
72819
6203zn-02-001~427302
85506
90431
2599_07
92569 6842pk-5
41137
Amf 94300
Amf6811p8 Spannvorrichtung
94110
80721
41152 Scharnierstift80 -1257m6
82701
71290 6316v-14
6203zn-02-002~427328
94334
H375340
327999
Order.No. 41061
6926d Grã246;Ã223;E 125- 001
41012
90829 ? 6810p

6951 F-11-22
29000861
6203zn-02-002-427328
Order No. 53157
374827 Closing Links With Spring Plug
375315 Rusher For T-Slot 14 Mm Imp.
82727
72405
80044 Backen
41277 Scharnierstift125-2008m8
81471
41160
52217
71290 6316v-14 Gebogene Aufliegt, Mitverstellbarem Tragring Schraubenut 14, N 28-56
41095
81570
Din70852
87791
85084
94565
90027 Vertikale Spannvorrichtung
40998 Scharnierstift18 - 403m4
303198
(?48?1,5) Din70852
40899
304519
85001 Stiftschrauben Din 6379 M20x500 Mm
90878

320549
80069
84988 Din 6379 Setting Pin(M20x125)
Amf 93021
82156 Sechskantmutter Mit Bund Din 6331,M20
303180
25121530
52183
Nr. 6951 Kp-22-21
73957 Spannfinger Kurze Gebogene U-Bild
80861 787-M12x12x 80
T Nut
82776
6844-5
72405 Schraubbock Mit Flacher Auflage
71951
61168
82164
84343
84871 Din 6379
81570 Din 6379 M24x160 Stud
6951??-33-21 Cylinder327239
87734
87627
53181
554198 Kraftspanner 7600-49kn M20x22
6203zn-02-003~427344
81273
72967 Clamps.
Horizontal clamp 6830 size 3 Execution: Galvanized and

93039	passivated, with open holding arm and horizontal foot. Ergonomic, oil-resistant 2- Component handle with large hand rest. Loss protection for the pressure screw. Including pressure screw M8x45 Technical specifications: Max holding force: 2.5 kN
348391	
82453 Din 6330b-M24	
74971 Amf Clamp	
72397	
81349 Din 6379	
82487	
41004	
85480 Din 6379	
Einbau-Spannmodul Gonzales 1000 305201	
426882	
73213	
85043 Din 6379 M24x400 Stud	
374728	
82149 Flat Nut M16 82149	
Amf6842pk-5 Spannvorrichtung	
72389	
6844ni	
22911112	
82149	
70417 Amf-70417 Grip Withstep Teeth	
Spur Wheel Pos. No. 3.1	
51847	
6540g Cnc	
82727 Amf-82727 Extensionnut	
6951fp Grã246;Å223;E 11-22	
Spannmodul K20, Mechanisch Mit 4-Fach Indexierung 535633	
41020 Scharnierstift40 - 805m6	

327247
52209
70383
72447 Schraubbock Mit Flacher Auflage
87627 Spannkettensatz Komplett
322032
93021
2599 08
71639 Accessories And Parts.
Spannmodul Flanschversion K20,Pneumatisch 423988
23231032
93013 6830-1 Horizontale Spannvorrichtung
72405 Wagenheber Schraube Amf 6400- 70 50-70
68007 Zylinder 6925d-40-2
85563
74005 Spannfinger Langen Gebogenen U-Bild
40220 318 1-3 Machine Wrench Drillsemi-Automatic Drift Formorse Cones
80895
94318 Horizontal Clamping Device
70607
72397 Schraubbock Mit Flacher Auflage
6370earla10
63818
29000860
374959
41004 Scharnierstift18 - 404m4
72439

81513
Spur Wheel Pos. No. 3.1 For Amf- Rotary Feeder Zrs 500 X 630
374868
80085 T-Slot Dryer
6830 Groã223;E 3 / 93039
93203
87585
82909 Washers for clamping tools Steel, tempered (350 + 80 HV30)
159426 Dried M16x28 " Amf / M16x28
93211 Horizontale Landschaft.Mund-Nr 6832 (Bestellnummer 93211)
82909 Extended Nut M24
40154 Bohrinsele Drift
82883 Scheibe M20 Din 6340
94714 Verschlussspanner Horizontal Mit Rotem Handgriffnr. 6848h
24913333
41087
303578
6540h Cnc
72397 Wagenheber Schraube Amf 6400-50 38-50
82453 M24 Washer
6951??-33-22 Cylinder327247
90050
41079
84962 Stiftschrauben Din 6379 M18x315 Mm
6991
375584
309860 Screw To The Milling Cutter For Mandrel F 22mm Imp.

73106 14mm Aufliegt
6942kk
Pos No: 8 Ck45
550260
7110n-16-1 Clip
550259
41145 Scharnierstift80 -1256m6
Amf-Stirnadscheibe-Pos-Nr-8-Material-Ck45-F3;R-Zellenradschleuse-Ers20-006-08-Istanbul-Turkiye
84996 Stiftschrauben Din 6379 M20x315 Mm
51912
6991-40 Rotational Device323451
80101 Dryer For T-Slots With 28 Mm Thread
374793
C5671-72553 Atlas-Schraubbock Mit Gegenmutter
6925d-18-1
69450
6951 Kn-22-21
80903
81596 Din 6379 M24x250 Stud
73346
93849 Heavy Hook Type Toggle Clamp Size 4
85514
430066
375350
Nr. 6991-40
75614 Dichtungssatz
Spur Wheel Pos. No. 3

374785
84954 Stiftschrauben Din 6379 M18x125 Mm
6540k Cnc
99499
85787
41020
94243
80085
80663
52225
6490 ?????? ??? ?????????? ???????, ??????? „bulle“ (?12-14) (2 ??)
27341546
85050
85670
85035 Din 6379 M24x100 Stud
81521
6848h-94714 Clip
92569
56820
322040
H375390
41145
6942kk-45
426908
83907
41129
84996 Din 6379 Setting Pin(M20x315)
2599-10
309860 Screw To The Milling Cutter For Mandrel F 32mm Imp.

80051
309860 Screw To The Milling Cutter For Mandrel F 27mm Imp.
72397 Heber
82537
51854
76687
80879 787-M12x12x125
2599-03
Pos No: 9 Ck45
Schrauben Fur T-Nuten Din 787 M24x28x200 Mm
303206
6800 Amf 90035
41285 Scharnierstift125-20010m8
25378342
82180 Mounting Pin (12.9) Din 6379 M16x80 / Din 6379 M16x80
309860 Screw To The Milling Cutter For Mandrel F 16mm Imp.
6970d-085-60
92320
70912 Gabelspanneisen 6315gn Gr. 18 X 250
93013
6203zn-02-001-427302
73221
303230
6490 ????? ???? ??????? ???????, ??????? „bulle“ (?16-18) (2 ??)
85035
89086
6820f Grã246;Å223;E 3
72413 Wagenheber Schraube Amf 6400-

100 70-100
Spur Wheel Pos. No. 3 For Amf- Rotary Feeder Zrs 500 X 630
22964049
72405 Heber
327908, 6951kp
374801
80168 Backen
6844-3
51904
85092
72421
H375355
90035 / 1
Order No. 41095
90217
92387
303636
82479
82925
82743
82875 Scheiben Din 6340 M18
348417
70094 Grip 26x200 Mm
84988 Stiftschrauben Din 6379 M20x125 Mm
82610
72645
82180
83626
Amf52225
Order.No. 53132

85977 Stiftschrauben Din 6379 M20x400 Mm
85043
93039 Horizontal Clamping Device
99549
6364d-250x250-11
82156 6331-M20 Hexagon Nut Withshoulder Bag
93328_0_16 Niederhalter
93047
85662
18217004
71746 Accessories And Parts.
92890
75648
82586 Sechskantmutter Mit Bund Din6331 M18
25121519
94334 Horizontal Clamping Device
85571
46524
70201
87601
70532
2599-01
81596
94300
95604
375380
Valve Stufing Box Packing Of Slinding Plate Pos No:2599 03
76786

[6835b-3](#)

[309680](#)

[81679](#)

[63909](#)

[158907](#)

[72413 Heber](#)

[92684](#)

[93955](#)

[No6842pk 92569](#)

[71209 Spanneisen](#)

[41038](#)