Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Amot

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Amot Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Amot Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
4bodf11001-00-Del	Amot 3-way temperature control valve type B Nominal size: 4 "(100mm) Valve type: BO with flanges Housing material: Ductile iron BS 2789 grade 420/12 Connections: ANSI 150lbs RF flanges Element Code: 1096X110 / 43 ° C (38-47 ° C) No element with leakage Speccode DEL: element leak test mandatory, has to be ordered separately, flanges ANSI B16.5 150 lbs RF, stainless steel tag (please advise engraving when ordering)
Temperature Control Valve	
Temperature Switch-TS1, Type: 4140, 83-104/Set	Point 103 deg C,
Temperature Switch-TS2, Type: 4140, 83-104/Set	Point 95 deg C
3BRDF11507-00-BLX	AMOT 3- Way Thermostatic valve type B Nominal Bore: 3" (80 mm) Valve type: BR with Flange and Manual Override Housing material: Ductile Iron BS 2789 Grade 420/12 Connection: Flanged ANSI 150lbs RF Sealings: Nitrile Element Code: 2433X115/46° C (40-50° C) Type approval Bureau Veritas - details accord. to BV type approval certificate Speccode BLX: Foundry cert. 3.1 mandatory according to specification, 1 cert per valve in need, has to be ordered separately, Flange ANSI 150 lbs RF
2BRDF11507-00-BLX	AMOT 3- Way Thermostatic valve type B Nominal Bore: 2" (50 mm) Valve type: BR with Flange and Manual Override

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Housing material: Ductile Iron BS 2789 Grade 420/12 Connection: Flanged ANSI 150lbs RF Sealings: Nitrile Element Code: 2433X115/46° C (40-50° C) Type approval Bureau Veritas - details accord. to BV type approval certificate Speccode BLX: Foundry cert. 3.1 mandatory according to specification, 1 cert per valve in need, has to be ordered separately, Flange ANSI 150 lbs RF
3BOCB18501-E2-AA	AMOT 3-way Temperature control valve type B
2 1/2BOCB16001-E2-AA	AMOT 3-way Temperature control valve type B Valve nominal bore: 2 1/2" (65 mm) Valve type : BO with flanges Housing material: cast iron Port connection: Flanged ND 10 Element Code: 1096E160/71° C (68-78° C) 2 elements with leak hole 1.6 mm Bureau Veritas type approved - details accord. to BV type approval certificate
4BRCB17007-00-AZA	Amot 3-way Type BR temperature controller Nominal size: 4 "(100mm) Valve type: BR (with emergency manual adjustment) with flanges Housing material: gray cast iron Connections: Flanges ND 10 Item Code: 2433X170 / 77 ° C (74-83 ° C) No elements with leakage holes Bureau Veritas type-examination - details according to BV type-examination certificate AZA = incl. Foundry certificate 3.1
CERT-UK-1005-FOUNDRY 3.1	
4140CK1E12AA0-EE	AMOT single stage Pressure switch type 4140C Set point: unset bar - if the free of charge presetting of the set point ex factory is requested, please advise set point when ordering. , Microswitch type K Standard finish Conduit Thread: PG 13,5

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pressure connection: 1/8" BSPTr Pressure Range: 0,28-3,45 bar falling 0,48-3,72 bar rising
4140CK1E12AA0-EE	AMOT single stage Pressure switch type 4140C Set point: unset bar - if the free of charge presetting of the set point ex factory is requested, please advise set point when ordering. , Microswitch type K Standard finish Cable Bonnet PG 13.5 Pressure connection: 1/8 "BSPTr Pressure Range 2: 3.45 - 6.89 bar falling 3.66 - 8.34 bar rising
EA10017S220A-BMF	For AMOT temperature control valve Model GEF Electric actuator Model : EA Size/ Nominal torque: 100/ 100Nm Shaft connection: 17mm square Operating voltage: 220V Extras: 4-20mA electronic positioner with position feedback
46770X151-BMF	Housing for 4G valve, viton and bronze
06GGHDBS12P10200-AA	
1 1/2EFCB11001-0-AA	
1 1/2ELCT11001-0-AA	
1 1/2ELCU11001-0-AA	
1 1/2EMCF11007-0-AA	
1/2CMCU10001-0-AA	
1092	
1096E130	
1096X057-SPR	
1096X100-SPR (x100)	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1096X105-SPR (X105)	
1096X105-SPR, 105F	
1096X165-SPR	
1096X175-SPR	For AMOT Temperature controller Type B Thermostat element 1096X175 Average control temperature: 79°C (77-85°)
1096X175	
1096x175SPR	
11007L001	
11009L001	
1182	
12GEFDBA032-AA	
1CMAU15001-0-AA	
1CMCU11001-0-AA	
2 1/2BOCB09501-E2-AA	
2 1/2BOCB11001-00-AA	
2 1/2BOCB12001-E2-AA	
2 1/2BOCB17001-00-AA	
2.580CB130-00-AA	
20124X601	
207L001	
21/2BOCB10501-00-AA	
21338X001	
2400D16J3-AA	
2433P110	
2433X095-SPR	SPARE ELEMENT ASSEMBLY 95F (35C) CONTROL TEMP.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2433X115-SPR	
2433X170	
26101AIN-AA	
2BCSJ17001-00-AA	
2BFBB12005-00-AA	
2BRCB 17007 – OO-AA	
2BRDC10007-00-AA	
3/4CMAU11082-D-AA	
33BRCB17507-00-AA	
3555I001	
380CB16501-00-AA	
3BOCB16001-00-AA	
3BOSH13003	
3BRCB17007-00-AA	
3GEFCBA032-CBL	
4140CK1011AA0-EE	
4140CK1011AAO-E	
4140CK1D11AA0-EE	
4140CR1F11AA0-EE	
4140D R3P00CE3-EE	
4140DH1E00EE5-AEA	
4140DK1D00CE3-EE	
4140DK1D00CE4-EE	
4140DK1E00CB3-EE	
4140DK1E00CE3-EE	
4140DK1E00CM1-EE	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4140DK1H00CE1-EE	
4140DR1V00CG5-EE	
4140E-H1C00CB3-EE	
4140EH1E00CC4-EE	
4140EK3P00CD4EE	
4140TK1E00E4-EE	
4155A120D-ACW	
41773X006	
41788 ASM	
4254M01R6AA00N-AA	
4261D,3"	
4261D,4"	
4261M05A172-AA	
43406L035	
44039L002	
4418F-6-E-8-X-G-04-AA	
4418FBE4XR00-CXI	
45317X	
46342X151	
46342X205	
46342X251	
46342X252	
46342X401	
46342X404	SEAL KIT - 4BRB, 4BRC, 4BRD, NITRILE Inculde: 1183 ORING - BUNA - BLACK EA 4 358 O RING Nitrile EA 4

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	OMMB00096 SEAL KIT INFO SHEET EA 1 46943L002 GASKET - 4B - NITRILE EA 1 761 O RING BUNA N EA 4
46342X505	Viton seal kit for AMOT 3-way regulator Type BM/BR Viton seal kit 5", consisting of: 6 x O-ring 1183L002 6 x O-ring 358L001 1 x housing seal 47132L002 (for valves up to approx. I/2010) 6 x O-ring 761L001 as housing seal (for valves from approx. II/2010)
46342X604	
46342X404	
47961X106	
47981L014	
48713X002	
49818L225	
4BOCB13001-00-AA	
4BRCB12007-00-AA	
53709L001	
5736	
5BRCB16507-00-AA	
5BRDC1100700BWY	
5BRDC11507-00-AA	
66280X2	
676L125	
6BRCB09507-00-AA	
6GEFCBA023-AA	
6GEFCBA031-AA	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
80318X062	
80319X062	
8071D000D-AA	Type 8071D000DAA Panel Montage Inputs : 1= PT100 2= not fitted Outputs: 1= SSR 2= not fitted Communication: Comms not fitted Direction: Direct action
8071D120D-AA	
81964X201	
81964X205	
82046X210	
82334X101	
82382X006	
8253M131AK-AA	
8412114	
8412I14	
9585L001	
9778C110D	
99708891206	
99708891207	
99708891218	
CLD-100	
D121S-AP	
EA 100	
EA20017S2200-BMF	
ES0200.MID04A.22NO	
ESD AMOT-4057	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
MODEL B , ILCSH50286400107	
PN: 43406L040,MODEL: 6GPDCBF O M-AA SN: E50760-001, REF: 20	
PN: 43615L001, MODEL: 6GPDCBF O M-AA SN: E50760-001, REF: 10	
PN: 46457L220, MODEL: 6GPDCBF O M-AA SN: E50760-001, REF: 8	
RO50S-120 01	
Ser No: 4231/10	
TYA432-45 50A	
82046X210	ACTUATOR, PNEUMATIC FS200, SPARE Spare Pneumatic Actuator incl. Positioner suitable for mode of operation anticlockwise reverse acting or clockwise direct acting
226.0147-150-039	3-way temperature controller DN 150 with 3 round flange connections and 8 interchangeable tube slides with expansion thermostat 237.0122-039- 507 (nickel plated) Temperature range 39 - 50°C Seal set NBR Housing made of EN-GJL 250 Flange connection according to EN 1092-2 Shape B dimensioned and drilled according to: PN 16 Nominal width: 150 mm Any installation position With emergency manual adjustment to mechanical adjustment of tube slider to any Position in case of failure of the thermostat
SVX394	X-VALVE SOLENOID 24V 3" MICROSWITCH MANUAL RESET / CLOSE Orifice: 3" (76mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Energized when switched off

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
HAX-314	
HAX-309	hose connector 3" for 3" X-valve
HAX-523	Chalwyn hose connection Type HAX-523 from 5" (127mm) to 6" (152mm)
4140CK1E12AA0-EE	AMOT single stage Pressure monitor Type 4140C Set: 4.2 bar (F) Micro switch type K standard design Cable entry PG 13.5 Pressure connection: 1/8" BSPTr Pressure range 2: 3.45 - 6.89 bar falling 3.66 - 8.34 bar increasing
SVX594	
3BRCB17007-00-AA	AMOT 3-way Type B temperature control valve Orifice: 3" (80mm) Valve type: BR (with manual override) with flanges Housing material: cast iron Connections: Flanges ND 10 Item Code: 2433X170/77°C(74-83°C) No elements with leak holes Bureau Veritas type-approved
8060A12-AA	For AMOT Thermostatic Valve Type G 3-wire PT 100 Temperature Sensor Conduit connection M20 Installation Thread: 1/2" BSP TR
SVX394	X-VALVE SOLENOID 24V 3" MICROSWITCH MANUAL RESET / CLOSE Orifice: 3" (76mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Energized when switched off
HAX-319	For valves with 76mm (3") diameter

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Transition piece from 76 mm (3") to 102 mm (4") outer diameter
8BOCB13501-00-AA	AMOT 3-way temperature controller type B.
SVX594	Air inlet shut-off valve Type SVX-594 Orifice: 5" (127mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Energized when switched off
SVX394	X-VALVE SOLENOID 24V 3" MICROSWITCH MANUAL RESET / CLOSE Orifice: 3" (76mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Energized when switched off
SVX384-	X-VALVE SOLENOID 12V 3" MICROSWITCH MANUAL RESET / CLOSE
HAX-513-	For 127 mm (5") valves diameter
HAX-314	Transition piece from 76 mm (3") to 89mm (3.5")
HAX-319	For valves with 76mm (3") diameter Transition piece from 76 mm (3") to 102 mm (4") outer diameter
CSD-400	Chalwyn tow rope D valve model D29, D30 and D41- 400mm long
CSD-300	Chalwyn pull cord to D valve 300cm long
RTD-200	RTD-200 T-pull handle
SERVIS KIT 46342X8 L/O 8BO NITRILW	
SERVIS KIT 46342X8 L/O 8BO NITRILW	
VALVE 3mm 90-100°C GASKET HT/OI	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4140CK3P41AA0-EE	Type 4140C single stage unset Micro switch type K Corrosion protected Cable entry PG 13.5 Pressure connection: 1/8" BSPTr Pressure range 1: 0.28-3.45 bar falling 0.48-3.72 bar increasing
4140CK1E11AA0-EE	AMOT single stage Pressure monitor Type 4140C ***Upon receipt of the order, we need the end point in increasing or decreasing, alternatively this will be sent unadjusted*** Micro switch type K standard design Cable entry PG 13.5 Pressure connection: 1/8" BSPTr Pressure range 1: 0.28-3.45 bar falling 0.48-3.72 bar increasing
1096X160-SPR	Type B temperature controller Thermostatic element 1096X160 Control temperature: 71°C (68-78°)
4BRCB17007-00-AZA	Amot 3-way Temperature controller type BR Orifice: 4" (100mm) Valve type: BR (with manual override) with flanges Housing material: cast iron Connections: Flanges ND 10 Item Code: 2433X170/77°C(74-83°C) No elements with leak holes Bureau Veritas type-approved - details according to BV type-approval certificate AZA = incl. foundry certificate 3.1
CERT-UK-1005-FOUNDRY	Foundry certificate BSEN 10204-3.1 per valve is 1 Foundry Certificate necessary
Ultrasonic level switch COMPAGNIA TECNICA MOTORI	SPA 2433X195 Thermostatic Control Valve Temperature Element Block 6BRRJ1950700DDB Material: Brass/Steel Drawing_Product: APPENDIX N. 6_N.A. SPIR:3000-CTMS41230001-

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	P11-00001-00_01_2
6BRRJ19507-00-DDB	Thermostatic control valve Manufacturer: AMOT Model: 6BRRJ19507-00-DDB Size: 6 = 6" Type: BR = manual override Material: R = 316 stainless steel outer parts Connection: J = ASME 150 lb Control temperature: 195 = 195°F Thermocouple Type: 07 = Buna N/Nitrile Orifice Dimensions: 0 = None Number of Holes: 0 = None Customer Specific Requirements: DDB
6BRRJ12007-00-DDB	Thermostatic control valve Manufacturer: AMOT Model: 6BRRJ12007-00-DDB Size: 6 = 6" Type: BR = manual override Material: R = 316 stainless steel outer parts Connection: J = ASME 150 lb Control temperature: 120 = 120°F Thermocouple Type: 07 = Buna N/Nitrile Orifice Dimensions: 0 = None Number of Holes: 0 = None Customer Specific Requirements: DDB
Ring set COMPAGNIA TECNICA MOTORI SPA 46342X604	Service Ring KIT Material:NITRILE Drawing_item:Appendix N. 7_7,9,17 SPIR:3000-CTMS41230001-P11-00001-00_01_2
6BRRJ11507-00-DDB	Thermostatic control valve Manufacturer: AMOT Model: 6BRRJ11507-00-DDB Size: 6 = 6" Type: BR = manual override Material: R = 316 stainless steel outer parts Connection: J = ASME 150 lb Control temperature: 115 = 115°F Thermocouple Type: 07 = Buna N/Nitrile Orifice Dimensions: 0 = None Number of Holes: 0 = None Customer Specific Requirements: DDB
4BP1J1104800-FFS	Thermostatic control valve Manufacturer: AMOT Model: 4BP1J11048-0-0-FFS Size: 4 = 4" Type: BP = Stainless steel B series special valve with manual override Material: 1 = 316 stainless steel outer parts Connection: J = ANSI B16 .34 Class 150 Control Temperature: 110 = 110°F Heater Type: 48 Port Dimensions: 0 = N/A Number of Ports: 0 = N/A Customer Specific Requirements: FFS
4BOCF14002-D4-AA	AMOT 3-way Type B temperature control valve As an alternative to the complete control valve, we offer you the corresponding thermostat elements and the sealing kit in items 2 1 and 2 2. . Orifice: 4" (100mm) Valve type: BF with flanges Housing material: cast iron Connections: Flanges ANSI 125lbs Element Code: 1096P140/60°C (57-66°C) Nickel plated elements Gasket material: Viton 4 elements with leak hole 3.2 mm Type-approved by Bureau Veritas - detail according to BV type-

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	approval certificate
1096P140D	For AMOT temperature controller type B Thermostatic element 1096P140 Plated version Average control temperature: 60°C (57-66°C) with 3.2 mm leak hole
46342X402	Gasket set Viton complete for AMOT controller Type 4BO consisting of: 1 x housing seal No. 46943L002 (for valves up to approx. 1/2010) 4 x O-Ring #1183L002 Viton 4 x O-ring No. 761L001 as housing seal for valves from approx. II/2010)
SVX-594	Chalwyn air inlet shutoff valve Type SVX-594 Orifice: 5" (127mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Energized when switched off
SVX384	X-VALVE SOLENOID 12V 3" MICROSWITCH MANUAL RESET / CLOS Orifice: 3" (76mm) Version with electric solenoid 12 V DC with micro switch + manual shutdown Energized when switched off
HAX-314	Transition piece from 76 mm (3") to 89mm (3.5")
HAX-513	For 127 mm (5") valves diameter
HAX-304	hose connector 2.3/8" (60mm)
4BOCB09501-00-AA	AMOT 3-way temperature control valve type B Orifice: 4" (100mm) Valve type: BO with flanges Housing material: cast iron Connections: Flanges ND 10 Element Code: 1096X095/35°C (29-41°C)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	No element with leak hole Bureau Veritas type-approved - details according to BV type-approval certificate
1096X095-SPR	For AMOT Type B temperature controller As an alternative to the complete valve in item 1 1, we offer you the usual spare parts in items 2 1 - 2 4. . Thermostatic element 1096X095 Average control temperature: 35°C (29-41°)
46342X401	Seal kit nitrile complete for AMOT controller Type 4BO consisting of: 1 x housing seal No. 46943L002 (for valves up to approx. 1/2010) 4 x O-ring #1183 4 x O-ring No. 761 as housing seal (for valves from approx. 2/2010)
9585L002	For AMOT temperature controller type BR/BM as well as BO,BF (current design, made in UK)
44039L002	For AMOT Type B temperature controller Flange gasket 4" MET 2/3 Part No.: 44039L002
4BRCB09507-00-AA	AMOT 3- Way Thermostatic valve Type B Valve nominal bore: 4" (100mm) Valve type : BR (Manual Override) with flanges Housing material: cast iron Port connection: Flanged ND 10 Element Code: 2433X095/ 35°C(29-41°C) No elements with leak hole Bureau Veritas type approved - details accord. to BV type approval certificate
1096X160-SPR	Thermostat element 1096X160 Control temperature: 71°C (68-78°)
7002 Swing Gate Air Shut Off	(Cummins QSK50)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
7002 Swing Gate Air Shut Off (Cummins QSK50)	
F1421000228413 FUEHLER4102J04 79	4102J04-04174-AMU (79°FUEHLER4102J04 79 4102J04-04174-AMU (79°C) MANUFACTURER PART NO: 4102J04-04174-AMU
F1320000185129 AMOT TEMP. WITH VALVE M14X2	FUSEROD 323MAMOT TEMP. VALVE M14X2 WITH FUSEROD 323M MANUFACTURER PART NO: 4103DA20A-174-BLF
F1421000228412 TEMPERATURE SENSOR TYP	4102J18-18174-AMUTEMPERATURE SENSOR TYP 4102J18-18174-AMU S.A. MANUFACTURER PART NO: 4102J18-18174-AMU
4BRCB09007-00-AA	AMOT 3-way Temperature control valve type B Nominal width: 4" (100mm) Valve type: BR (with emergency manual adjustment) with flanges Housing material: gray cast iron Connections: flanges ND 10 Element Code: 2433X090/32°C (27-35°C) No elements with leakage holes Bureau Veritas type-tested
4BRCB17007-00-AZA	Amot 3-way Temperature controller type BR Nominal width: 4" (100mm) Valve type: BR (with emergency manual adjustment) with flanges Housing material: gray cast iron Connections: flanges ND 10 Element Code: 2433X170/77°C(74-83°C) No elements with leakage holes Bureau Veritas type tested - details according to BV type certificate AZA = incl. foundry certificate 3.1
2433X195-SPR	Temperature controller type BM/BR Thermostat element 2433X195 Average control temperature: 91°C (87-98°)
1096X145-SPR	Temperature controller type B Thermostat element 1096X145 Control temperature: 63°C (60-69°)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3BOCF13001-B2-AA	THERMOSTATIC VALVE
LO THERMOSTATIC VALVE DN150	AMOT(with thermostatic element) (SAE 40) (Code:130 Control Temp: 54 °C) DN150
LO THERMOSTATIC VALVE DN200	AMOT(with thermostatic element) (SAE 40) (Code:130 Control Temp: 54 °C) DN200
HT THERMOSTATIC VALVE DN150	AMOT(with thermostatic element) (Code: 180 Control Temp: 82 °C) DN 150
LT THERMOSTATIC VALVE DN150	AMOT(with thermostatic element) (Code: 100 Control Temp: 38 °C) DN 150
SVX594 SHUT-OFF VALVE	Nominal width: 5" (127 mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Live when switched off
SVX394 SHUT-OFF VALVE	X-VALVE SOLENOID 24V 3" MICROSWITCH MANUAL RESET / CLOSE Nominal width: 3" (76 mm) Version with electric solenoid 24 V DC with micro switch + manual shutdown Live when switched off
47961X103	Service Kit für AMOT 3-Way Temperaturregler Type 3GEF, 3GPD Service kit consisting of: 1 piece 43419L002 pin 2 pieces 43635L002 Viton O-ring 1 piece 43636L002 Viton O-ring 2 pieces 46457L016 bearings
1096X160-SPR	For AMOT temperature controller type B Thermostat element 1096X160 Control temperature: 71°C (68-78°)
1096X130-SPR	For AMOT temperature controller type B Thermostat element 1096X130 Control temperature: 54°C (51-60°)
Thermostat Valve No.	3363E160, 160 Deg F | (Thermostat Valve No. AMOT 3363E160, 160 Deg F)
46342X604	Nitrile seal kit complete for AMOT regulator

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	type 6BR/BM consisting of: 9 x O-ring 1183 9 x O-ring 358 1 x housing seal 47733 for valves up to approx. end of 2010 9 x O-ring 761 as housing seal for valves from approx. 2011
2433X110-SPR	For AMOT Temperature controller type BM/BR Thermostat element 2433X110 Average control temperature: 43°C (38-47°)
ASP001-180-00	Wax thermostat 79-88°C Wax thermostat 79-88°C Third party spare part Replaces: AMOT 1096X180 AMOT 47536X180 and Thermoreg/MVA 2001A-180 Setpoint: 180°F/82°C Temperature range/Working range: 79-88°C Allowed tolerance: ± 1.5 °C
1096X180-SPR	For AMOT Temperature controller Type B Thermostat element 1096X180 Control temperature: 82°C (79-88°)
2433X100-SPR	Thermostat element 2433X100 Average control temperature: 38°C (34-42°)
THERMOSTATIC VALVE	SEAL KIT, PN: 46342X505, SN: E00084876-1
HAX-314	Transition piece from 76 mm (3") to 89mm (3.5")
HAX-319	For valves with 76mm (3") diameter Adapter from 76 mm (3") to 102 mm (4") outer diameter
SVX594 SHUT-OFF VALVE	
3BOCF13001-B2-AA	THERMOSTATIC VALVE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1096X115-SPR	For AMOT Temperature controller Type B Thermostat element 1096X115 Control temperature: 46°C (40-50°)
5435X130	Temperature controller Type E thermostat element 5435X130 Middle Control temperature: 54°C (49-60°C)
4140CR3S41AA0-EE	QUOTE PART NUMBER AMOT Single-stage pressure switch Type 4140C Microswitch Type R Micro switch: High Vibration/Shock resistant with gold plated contacts Corrosion-protected cable entry PG 13.5 Pressure connection: 1/8" BSPPL Pressure range 1: 0.34 - 4.27 bar
2800D002-AA	AMOT Safety and shut-off device type 2800 Housing: Aluminium, black anodized, front shaft Pressure connection: 1/4" NPT With reset lock Set to 0.7 bar (f)
47224X	GP valve Pneumatic postioner F10 No 47224X
4140CK1V11AA0-EE /	AMOT Single-stage pressure switch type 4140C SET: 2BAR (F) Microswitch Type K standard version cable entry PG 9 Pressure connection: 1/8" BSPTr Pressure range 1: 0.28-3.45 bar falling 0.48-3.72 bar increasing
EA10017S2200-BMF	ELECTRIC ACTUATOR EA100 220VAC
4475B031-AA	
4457A011K1DAB	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4110B2U20F-AA	
2800D002-AA,	AMOT Safety and Storage device type 2800 Housing: aluminum, black anodized, front shaft Pressure connection: 1/4" NPT With reset lock Set to 0.7 bar (f)
3BOCF18001-E2-AA	
08GGHD2S12FBAAA-AA	
4475B031-RBN	
4457A011K1-DAB	
4110B2220F-AA	AMOT speed Monitoring valve type 4110
3BOCF18001-E2-AA-	
2800D002-AA-	AMOT Safety and Storage device type 2800
20100D130-0-ACB	
82434X001	EA/EB100 ACTUATOR LID - 'O' RING (BAGGED) 1 Stück 43564L001 O-Ring Nitrile
82434X003	1k POTENTIOMETER WIRED 'EA' (BAGGED)
82434X009	Capacitor. 6uF (Bagged)
83448X080	Service Kit for GGE Valve - 08GGH Service kit for GGE valves 08GGH consisting of: 1 piece 43603L002 O-ring Viton 1 piece 43602L002 O-ring Viton 1 piece 43607L002 O-ring Vition 2 pieces 43611L002 O-ring Viton 1 piece 43600L002 O-ring Viton 1 piece 43564L001 O-ring Nitrile 1 piece 43423L045 Spirol Pin 1 piece OMMGG00293 Service Kit Manual
EA10017S220A-BMF-	For AMOT

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Temperature control valve Model GEF Electric actuator Model: EA Size/Nominal torque: 100/100Nm Shaft connection: 17mm square Operating voltage: 220V Extras: 4-20mA electronic positioner with position feedback
8060A12-AA-	For AMOT Temperature control valve type G 3-wire PT 100 temperature sensor Cable entry: M20 Screw-in thread: 1/2" BSP TR
TEMPERATURE SENSOR-8060A12-AA	
8200B11H2-AA	SER. NO: R2832 SETTING: 5320HZ (R) RANGE: FSD 6000 HZ
1672E1F1-AA-	PRESSURE SENSING VALVE
1672E3F1-AA	AT THE POINT OF ORDER WE WILL NEED THE SET POINT IN RISING OR FALLING ALTERNATIVELY THE SWITCHES WILL BE PROVIDED UNSET 1672E Pressure sensing valve - NPT Threads, Range 50 - 300 PSI (F) - Seal material Buna
1672E3F1-AA-	AT THE POINT OF ORDER WE WILL NEED THE SET POINT IN RISING OR FALLING ALTERNATIVELY THE SWITCHES WILL BE PROVIDED UNSET 1672E Pressure sensing valve - NPT Threads, Range 50 - 300 PSI (F) - Seal material Buna
1672E3F1-AA--	AT THE POINT OF ORDER WE WILL NEED THE SET POINT IN RISING OR FALLING ALTERNATIVELY THE SWITCHES WILL BE PROVIDED UNSET 1672E Pressure sensing valve - NPT Threads, Range 50 - 300 PSI (F) - Seal material Buna
1 1/2EFCF18001-0-AA	1.5EFCF 3WAY THERM VALVE - 180F
1 1/2ELCT14001-0-AA	1.5ELCT 3WAY THERM VALVE - 140F Thermostatic valve Type E - Valve size: 1 1/2" - Model type: EL - Threaded connections - Material: Cast iron - Threaded NPT ANSI B2.1 - Control

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Temperature SW1 140 - Standard Element - Leak hole: None
2230C120G240FN-AA	2-WAY TEMP. SENSING VALVE TEMPERATURE VALVE NPT Installation & Port Threads Seal material Viton 1-3/8", 34.9mm install depth Calibrated to 240 Deg F
2230C120E185FN-AA	2-WAY TEMP. SENSING VALVE TEMPERATURE VALVE NPT Installation & Port Threads Seal material Viton 1-3/8", 34.9mm install depth Calibrated at 185 F
2185L102	ORIFICE,ALUM,NPT,0.8 MM - 2185L102
4155A220E-AA	SENSOR - TEMP Temperature valve - Installation BSP (T),Port BSP (T),std finish - Seal material: Viton - Element extension: 1.03" / 26mm
4143A001-AA	DIFFERENTIAL PRESSURE VALVE, STANDARD, ATEX APPROVED
1096X110-SPR	SPARE ELEMENT ASSEMBLY 110F (43C)
1096X095-SPR-	SPARE ELEMENT ASSEMBLY 95F (35C) CONTROL TEMP.
3BRBC10007-00-AA	
3BRCB10717-00-AA	3BRCB10717-00-AA - THERMOSTATIC VALVE
shaft	
CERT-UK-1000-2.1	CERT-UK-1000-2.1
2433X170-SPR	SPARE ELEMENT ASSEMBLY 170F (77C) CONTROL TEMP.
5BRC B170 07 00-AA	For 6 elements
3BRCB/C	For 2 elements
46011X290	CONV. KIT,33, 5, 6 AND 8BO TO BR, CODE 07
46342X304	SEAL KIT - 3BR, NITRILE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
46011X190	CONV. KIT,2-4BO TO BR, CODE 07
Thermostat element	Operating temperature range: 72-80 °C Amot is the thermostat element used within the valve control mechanism.
3142-5D-258	SET: 35C thermostatic valve core
2433X120-SPR	SPARE ELEMENT ASSEMBLY 120F (49C) CONTROL TEMP.
46342X404-	SEAL KIT - 4BRB, 4BRC, 4BRD, NITRILE
2433X115-SPR-	SPARE ELEMENT ASSEMBLY 115F (46C) CONTROL TEMP.
2433X130-SPR	SPARE ELEMENT ASSEMBLY 130F (54C) CONTROL TEMP
SVX394-	X-VALVE SOLENOID 24V 3" MICROSWITCH MANUAL RESET/CLOSE no cable and handle
HAX-507	HOSE ADAPTOR 4 1/4" FOR 5" X VALVE
SVX-591	X-VALVE SOLENOID 24V 5" NO MICROSWITCH POWER TO SHUT
47981I026	
4140ck1v11aa0-Ee	AMOT Single step pressure switch type 4140C set point: 2.0 bar (F) Microswitch type K Standard finish Conduit thread: PG 9 Pressure connection: 1/8" BSPTr Pressure Range 1: 0,28-3,45 bar falling 0,48-3,72 bar rising
4140dk1e00ce2-Ee	
2433x095	
46342x301	
1672E1F1-AA	1672 PNEUMATIC PRESSURE SENSING VALVE

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1125X120	ASSY - ELEMENT - 120F
4634x401	
4500d	
Mpd2rt5p1	
2bfcb11001-00-Aa	
4140er1e00ce2-Ee	
4140dk1e00cg4-Ee	single step Temp. switch Type 4140D
4140dr1v00cg3-Ee	AMOT Single Step Temperature switch Type 4140D Set: 80 ° C rising Microswitch type R standard design Cable gland: PG 9 Sensor protection sleeve 80 mm with thread 3/4 "BSPPI Temperature range 3: 66 - 87 ° C
47981l028	
3/4cmat17006-0-Aa	
4057d029k1aa	
4420eh4f02	
2brcb 17007 ? Oo-Aa	
47981l031	
4123c2110ba-Aa	AMOT Air start valve Manuel and Electrical Solenoid Valve line connection : Flanges to ND 40 DIN 2503 Pilot thread : 1/4" BSP Tr Vent thread : 3/8" Manuel operator position : Standart Coil voltage : 24 V DC Standart housing to IP43
2bcsj11001-00-Aa	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2 1/2bobf07511-00-Aa	
4140cr1e31aa0-Ee	
41773x006 6ged/Gpd	
1096x130-Spr	
4140ck1e11a0-Ee - Set: 2 Bar (F)	
58x4 1183	
3brcc09507-Oo-Aa	
80244x043b	
3/4cmau13001-0-Aa	
8012d050r0009r301	
4140dk1e00ce4-Ee	
1.5-Bocu-10001-00	
1125x130	
4110b3320f-Aa	
1096x175-Spr	
5brdf13007-00-Ahr	
3-Way Control Valve	
4140e-K1e00ce2-Ee	
5736 9h C27 29,5 Degree ,Three Way,Check Valve	
4140e120400aik-Ba	
Part No: 46457l025, Model: 6gpdcbf Ã216; M-Aa Sn: E50760-001, Ref: 6	
1096x140-Spr	For AMOT Thermostatic valve model B Thermostatic element 1096X140 regulating temperature: 60°C (57-66°C)
4140ck1e31aa0-Ee	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4140dk1e00cb2-Ee	
49260l002 Rev4	
11079l001	
4057d083k2-Aa	
308/255	
Model : 2-1/2boc-105-01 - , - 2 1/2bocc10501-00-Aa	
8060a12-Aa	
11080l001	
9113x001	
805947	
4420e4h4g2	
4429	
6410790	
47981l033	
1096x110	
8064c00-Aa	
P/N: 2 1/2bocc10501-00-Aa	
46342x201	
162/114	
4bocf14002-D4-Aa	
2433x075	
4140dk1e00ce1-Ee	
Pn: 43406l040,Model: 6gpdcbf Ã216; M-Aa Sn: E50760-001, Ref: 20	
47581l001	
4140ck1e12aa0-Ee - Set: 4 Bar (F)	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2 1/2bocb11001-F2-Aa	
26101ain-Aa	
9128x001	
P/N 1096x130-E	
1096x185-Spr	
2230c120e096cnaa	
4140 Dk1h00ce3ee	
1/2elcu11001-A-Aa	
1096x150	
49259x Rev	
4057d022h1-Aa	
2brrc075-07-00-Aa	
4140ck1e12aa0-Ee - Set: 5 Bar (F)	
49592x	
1205	
4140er1e00ce2-Aeq	
1096x-140/60	
Pn: 46457l220, Model: 6gpdcbf Ã216; M-Aa Sn: E50760-001, Ref: 8	
49261x A14805-008	
80243x043	
4140fkieiiaao-Ee	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.