

## Anton Paar

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye  
içi kapı teslim fiyat  
ve teslim s¼resi  
içeren teklifimizi  
almak için  
**info@yursat.com.tr**  
e-posta adresine  
başvuru yapabilir ya  
da ayrıntılı bilgi için  
+90 224 240 03 04  
numaralı  
telefonumuzdan  
bizlere  
ulaşabilirsiniz.  
**Anton Paar**  
Markası, tedarik  
s¼resi için l¼tfen  
bizimle iletişime  
geçiniz.

*Firmamız Anton Paar  
T¼rkiye Distrib¼t¼r¼ veya  
temsilcisi deęildir. Firmamız  
sipariŐ durumunda,  
belirtilen ¼r¼nlerde sadece  
Orjinal ve yeni ¼r¼n teklifi  
sunmaktadır. Bu sitede  
g¼sterilen Özel marka adları  
ve ticari markalar ilgili  
sahiplerinin  
m¼lkiyetindedir, talep  
durumunda  
kaldırılmaktadır.*





¼r¼n	Açıklama
<a href="#">102337</a>	
<a href="#">102338</a>	
<a href="#">10790</a>	
<a href="#">12225</a>	
<a href="#">13881</a>	
<a href="#">152876</a>	
<a href="#">158511</a>	

<a href="#">158514</a>
<a href="#">161029</a>
<a href="#">161030</a>
<a href="#">161031</a>
<a href="#">16772.</a>
<a href="#">168520</a>
<a href="#">177013-5</a>
<a href="#">17814</a>
<a href="#">187711</a>
<a href="#">192954</a>
<a href="#">193856</a>
<a href="#">194978</a>
<a href="#">2723</a>
<a href="#">2724</a>
<a href="#">2738</a>
<a href="#">322754</a>
<a href="#">45450</a>
<a href="#">45498</a>
<a href="#">50814</a>
<a href="#">6427</a>
<a href="#">65085</a>
<a href="#">6521</a>
<a href="#">6522</a>
<a href="#">6535.</a>
<a href="#">6541</a>
<a href="#">66238</a>
<a href="#">6922</a>
<a href="#">74012</a>
<a href="#">75451</a>
<a href="#">75451, 90278017, AT</a>
<a href="#">77953</a>
<a href="#">77957</a>
<a href="#">8413. 90278017. AT</a>
<a href="#">84138 DMA 35</a>
<a href="#">87451</a>
<a href="#">88085</a>

<a href="#">89035</a>	
<a href="#">9116</a>	
<a href="#">92970</a>	
<a href="#">97031</a>	
<a href="#">CC27/QC-LTD (20645)</a>	
<a href="#">C-CC27/QC-LTD (18669)</a>	
<a href="#">DMA 35N</a>	
<a href="#">spare part for Carbo 2100 CO 2-Transducer</a>	
<a href="#">DENSITY MODULE FOR LIQUIDS</a>	179349
<a href="#">SVM 2001</a>	SMART VISCOSIMETER 105000   90278990   AT (1) Dynamic viscosity: 0.2 to 30,000 mPa·s Kinetic viscosity: 0.2 to 30,000 mm <sup>2</sup> /s Density: 0 to 3 g/cm <sup>3</sup> Temperature range: +15 to +100 °C
<a href="#">P00115</a>	Anton Paar Installation P00115   90279000   AT This service includes: Install the device according to the manufacturer's instructions. All work carried out by a qualified Anton Paar Employee or a qualified Anton Paar employee
<a href="#">393138</a>	AP Connect STANDARD 393138   85234990   AT Software for paperless laboratory data management. One-time license (including minor updates); Instrument combinations are licensed individually. Captures and displays measurement data from Anton Paar instruments as well as from devices of other manufacturers. (via instrument adapter). Scalable: connects up to 100 instruments per installation. Supports data export to PDF, XLS, and CSV; JSON available via REST API. Task lists. enable remote start of measurements on supported instruments. Central SQL-Database for all laboratory data (Express version included); (Full SQL version recommended for long-term operation). Multi-user access with role management and Active Directory Integration. Suitable for desktop or server installation. Compatible with current Microsoft Windows and Windows Server versions Operating systems. An email address is required to receive the license ticket.
<a href="#">74557</a>	Temperature Sensor 0-100C for MKT 50 (includes cable)
<a href="#">Mpds 1100</a>	
<a href="#">Pnr 12</a>	
<a href="#">Irda Usb Adapter Lcs-8141 88085</a>	
<a href="#">69280</a>	RTD sensor for MKT 50 d=2mm, l=500mm
<a href="#">Dma-35n</a>	PORTABLE DENSITY METER 1.5V BATTERY
<a href="#">E/A Karte Mpds 5</a>	
<a href="#">135023</a>	
<a href="#">Dprn427sinlin</a>	( COPY P/N: 18918 )DENSITY SENSOR LIQUID W/INLINE PUMP 5 HASTELLOY
<a href="#">Dprn 427 Ht Tantal Handle With Care Ptes Intelligence Included</a>	
<a href="#">Xsample 22</a>	
<a href="#">45750</a>	
<a href="#">83640</a>	

<a href="#">Mpds 5 Mit Cpu</a>	
<a href="#">11244</a>	
<a href="#">96010</a>	
<a href="#">Dma35-87451</a>	
<a href="#">80784630</a>	SENSOR FOR DENSITY AND SOUND VELOCITY
<a href="#">Dma 5000m</a>	
<a href="#">6923</a>	
<a href="#">Ap-Q100</a>	SPRT 100 Ohms, Quartz Sheath, d=7.5, l=480
<a href="#">I/O Card M Pds5 E/A C48pd01-E</a>	
<a href="#">Drying Cartridge</a>	
<a href="#">26878</a>	Bench MilliKelvin-Thermometer (-260 to +962 deg. C)
<a href="#">Carbo It 510 // 9701365</a>	
<a href="#">87451</a>	
<a href="#">Dma-35</a>	METER (84138)
<a href="#">Carbo 510</a>	
<a href="#">104135</a>	
<a href="#">49703</a>	
<a href="#">49384</a>	
<a href="#">88784</a>	
<a href="#">95470</a>	SPRT 100 Ohms, Metal Sheath, d=6, l=480
<a href="#">88785</a>	
<a href="#">104463</a>	
<a href="#">84339</a>	PRT Switch Box for MKT 50 (8 Channel)
<a href="#">P00436</a>	
<a href="#">9701045</a>	
<a href="#">172072</a>	Handheld Precision Thermometer (0 to 100 deg. C)
<a href="#">93662</a>	
<a href="#">11242</a>	
<a href="#">Transportkoffer Dma 35 88506</a>	
<a href="#">Dma35</a>	
<a href="#">Dprm-427-S-Inline-Pump-5</a>	DENSITY SENSOR LIQUID W/INLINE PUMP 5 HASTELLOY
<a href="#">Mpds 5 24vdc 60w</a>	
<a href="#">45500</a>	
<a href="#">Dma 4500</a>	
<a href="#">Dma 4500 M</a>	
<a href="#">97721</a>	

<a href="#">69281</a>	RTD sensor for MKT 50 d=2mm, l=300mm
<a href="#">Hvt50</a>	
<a href="#">T18918</a>	SENSOR
<a href="#">Alcolyzer</a>	
<a href="#">Carbo It 510 // 9701374</a>	
<a href="#">84138</a>	DENSITY METER
<a href="#">Dpm 427 Ht Hastelloy C276</a>	
<a href="#">11243</a>	