

## Aopen

Garanti: 12 ay  
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.  
**Aopen** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Aopen Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*



| Ürün                           | Açıklama                                                                                                                                           |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">790p07900050</a>   | AOPEN, FULL SYSTEM, 15 TOUCH , HIGH PERFORMANCE COMPLETE SYSTEM, P790-15CS, C2D 1G 160GB NOS, WATER AND DUST RESISTANT, RUGGED METAL HOUSING       |
| <a href="#">Fsp250-60gtw</a>   | Power Supply                                                                                                                                       |
| <a href="#">791.Dee00.0050</a> | AOPEN, FS DEX5350 I5 CPU 4G MEM 128GB SSD WIN7E 64BIT, FAN LESS                                                                                    |
| <a href="#">P3701p</a>         | AOPEN, DIGITAL MEDIA PLAYER WITH SOFTWARE, MULTIPLE DISPLAYS SUPPORT, 3 YEAR WARRANTY, MOQ 4                                                       |
| <a href="#">791.De600.00k0</a> | AOPEN, FS DE67-HA, I7CPU 4G 320G, WS7E                                                                                                             |
| <a href="#">91.Wtg00.0010</a>  | AOPEN, CHROMEBASE COMMERCIAL 22 AIO, PCT 10 TOUCH, IP54 1920X1080, CELERON N2930 1.83GHZ TURBO QUAD CORE, 4GB, CHROME OS, WIFI AND BLUETOOTH, VESA |
| <a href="#">791.Ade00.7120</a> | AOPEN, FS DE7000 T9600 4G 320G HDD WIN7E, SCALA IMAGE                                                                                              |
| <a href="#">791mp600bub0</a>   | AOPENDIGITAL ENGINEMP65-DU FSI3-2350M250 GB2GWIN 7 PRO                                                                                             |

|                                |                                                                                                                      |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <a href="#">Nex-De7000</a>     | A-OPEN DE7000 DIGITAL MEDIA ENGINE CONFIGURED 2.2GHZ T6600 2GB, 250GB, NVIDIA, WIN 7 PRO OS                          |
| <a href="#">791.Mp600.B1d0</a> | AOPEN, MEDIA PLAYER, FS MP67-3220 I3 CPU 2G 250G NOOS                                                                |
| <a href="#">De7000-42a1</a>    | AOPEN, DIGITAL ENGINE, DE7000-42A1, T4500, DDR3 SOD 2G, 32GB SSD, WIN 7 EMBEDDED                                     |
| <a href="#">790.P0790.01n0</a> | AOPEN, FULL SYSTEM, 21.5 TOUCH, HIGH PERFORMANCE COMPLETE SYSTEM, P790-21C, C2D 1G 160GB WINDOWS 7 PRO 64            |
| <a href="#">791.Dea00.A010</a> | AOPEN, FS DE5100I I5CPU 4G 320G, NO OS                                                                               |
| <a href="#">791ade017330</a>   | A-OPENDIGITAL ENGINEVIDIATURNKEY SOLUTIONOPENSIGNAGE OS-70DDYNASIGN LE SYSTEM                                        |
| <a href="#">91.De801.A420</a>  | AOPEN, MIN ORDER QTY 16, DIGITAL ENGINE DESKTOP COMPUTER                                                             |
| <a href="#">De7000-T231p</a>   | AOPEN, FS DE7000 T6670 2G 320G HD W7P                                                                                |
| <a href="#">De67-7431e</a>     | AOPEN, DE6700 (BAREBONE), INTEL I7 CPU 3.4GHZ, 4GB MEMORY, 320GB HDD, WINDOW 7 EMBEDDED OS                           |
| <a href="#">791ade717a10</a>   | AOPEN, TURNKEY SOLUTION, TK7000DL, DYNASIGN, DIGITAL MEDIA PLAYER WITH SOFTWARE, DYNASIGHT LE VERSION                |
| <a href="#">791.O0001.0010</a> | A-OPENFULL SYSTEMXC MININVIDIAINTEL CORE 2 DUOWITH 3-YEAR WARRANTY                                                   |
| <a href="#">790p07900190</a>   | P790-15CS, FULL SYSTEM, 1GB MEMORY, 160GB HARD DISK, CORE 2 DUO, 1.66 GHZ, GMA 950, WITH STAND MONITOR 15, WIN 7 PRO |
| <a href="#">91.Wt300.F730</a>  | AOPEN, ETILE 19 SLIM SERIES ALL-IN-ONE, SPEAKER, 1.3M CAMERA, FS WT19M- INTEL B980 CPU, 4G MEMORY, 320G HDD, NO OS   |
| <a href="#">De7000-T6600</a>   | A-OPENINTEL MOBILE CORE 2 DUO T66002.2 GHZ PROCESSORNVIDIA GEFORCE 9300                                              |
| <a href="#">791de60000b0</a>   | DE67-HA, I5-2520M, 320GB, 4G, WIN 7 PRO VIDEO WALL PC                                                                |
| <a href="#">De7000-9431e</a>   | AOPEN, DE7000 (BAREBONE), INTEL CORE 2 DUO T9600 2.8GHZ, 4GB MEMORY, 320GB HDD, WINDOWS 7 EMBEDDED OS                |
| <a href="#">91.Wt201.Th10</a>  | AOPEN, 21.5 TOUCH AIO, WT22M-RH BARESYSTEM                                                                           |
| <a href="#">De5100-32a1e</a>   | AOPEN, FS DE5100 I3CPU 2G 32G SSD WS7E, 3 YR WARRANTY                                                                |
| <a href="#">791.Ded00.A1a0</a> | AOPEN, FS DE3250 4G MEM 64G SSD W7E 64 BITS, FAN LESS, MOQ 4                                                         |
| <a href="#">Oem-De7000</a>     | AOPEN, CDW BUNDLE, DE7000                                                                                            |
|                                | DIGITAL SIGNAGE BUNDLE, 1X3 MENU BOARD, 3 NEC V422,                                                                  |

|                                 |                                                                                                                                              |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Bdl-Ds-Aopnec</a>   | AOPEN DE7000/DYNASIGN 1X3 MENU BOARD SOFTWARE, CABLES AND CHIEF MENU BOARD MOUNTING SYSTEM FOR EAS                                           |
| <a href="#">731mp600bab0</a>    | AOPENDIGITAL ENGINEP65-D FSI3-2350M4GWIN 7 PRO                                                                                               |
| <a href="#">P790-21cfs</a>      | AOPEN, AIO P790-21C INTEL C2D, 1.66GHZ, 2GB MEMORY, 160GB HDD, WINDOWS 7 PRO 21 INCH TOUCH, IP65                                             |
| <a href="#">791ade717a40</a>    | FAOPEN, TURNKEY SOLUTION TK7000DP, DYNASIGN PRO, DIGITAL MEDIA PLAYER WITH SOFTWARE, CUSTOMIZABLE DIGITAL SIGNAGE SOLUTION                   |
| <a href="#">De5100-52a1e</a>    | AOPEN, FS DE5100 I5CPU 2G 32G SSD WS7E, 3 YR WARRANTY                                                                                        |
| <a href="#">791de60000c0</a>    | AOPEN, DIGITAL ENGINE, DE67-HA FS, CPU I7-2620M, 320 GB, 4G, WIN 7 PRO                                                                       |
| <a href="#">791ade0070h0</a>    | AOPENDIGITAL ENGINEDE7000 FST6400320 GB2GWIN 7 PRO                                                                                           |
| <a href="#">791.Dea800.A0c0</a> | AOPEN, FS DE6100 R464L 4G 320G HDD WIN7E, SCALA IMAGE                                                                                        |
| <a href="#">791.Ade71.7a60</a>  | AOPEN, TURNKEY TK711P2 MENU SOLUTION, 1X2 SCREEN                                                                                             |
| <a href="#">791.De771.0010</a>  | AOPEN, VALUE ADDED TK39MX2 3G MOBILITY PLAYER WITH MODEM MANAGEMENT SW                                                                       |
| <a href="#">791.Ade00.7010</a>  | AOPEN, FS DE7000 T6670 2G 320G WS7E                                                                                                          |
| <a href="#">791.Ade71.7aj0</a>  | AOPEN, NTAKE VALUE, A MENU BOARD SOLUTION WITH EASY TO USE TEMPLATE, NO MONTHLY MAINTAINANCE FEE, X2 SCREENS                                 |
| <a href="#">91.Wt300.F750</a>   | AOPEN, ETILE 19 SLIM SERIES ALL-IN-ONE, SPEAKER, 1.3M CANERA, FS WT19M- INTEL 3120M CPU, 4G MEMORT, 320G HDD, NO OS                          |
| <a href="#">91.Wt600.Fb10</a>   | AOPEN, FS WT22M-FB N2930 4G 64G SSD SPK, NO CAM/VESA KIT/OS PCT TOUCH, FAN LESS                                                              |
| <a href="#">P3701pw</a>         | AOPEN, DIGITAL MEDIA PLAYER WITH SOFTWARE, MULTIPLE DISPLAYS SUPPORT, 3 YEAR WARRANTY , WIFI KITS                                            |
| <a href="#">790p07900010</a>    | AOPEN, FULL SYSTEM, 21.5 TOUCH, HIGH PERFORMANCE COMPLETE SYSTEM, P790-21C, C2D 1G 160GB NOS, WATER AND DUST RESISTANT, RUGGED METAL HOUSING |
| <a href="#">791.Ade71.7ag0</a>  | AOPEN, NTAKE PRO, A MENU BOARD SOLUTION WITH EASY TO USE TEMPLATE, NO MONTHLY MAINTAINANCE FEE.X4 SCREENS                                    |
| <a href="#">De5100-3231w</a>    | AOPEN, FS DE5100, I3 CPU 2G MEMORY 320G HDD, WINDOWS 7 HOME WIFI CARD AND ANTENNA                                                            |
| <a href="#">791.Dea00.A160</a>  | AOPEN, FS DE5100I I7 CPU 8G MEM 320G HDD WIN7E, SCALA IMAGE                                                                                  |
|                                 | AOPEN, MEAN BOARD SOLUTION , SUPPORT 1X2 SCREEN, 1                                                                                           |

|                                |                                                                                                                                                |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Tk711p3</a>        | YEAR WARRANTY, MOQ 8 BUILT IN WIFI                                                                                                             |
| <a href="#">790p07900020</a>   | AOPEN, FULL SYSTEM, FS I7-2620M 320GB4G, MP67-D, NO OS, COMPLETE SYSTEM WITH INTEL VPRO, AMT 7.0, INTEL WIDI WIRELESS DISPLAY TECHNOLOGY       |
| <a href="#">791ade717a2</a>    | AOPEN, TURNKEY SOLUTION, TK7000IS, INTERACTIVE TURNKEY FOR MOBILE PROXIMITY MARKETING, ISIGN SOFTWARE                                          |
| <a href="#">791wt200th30</a>   | AOPEN, ALL-IN-ONE, TOUCH SOLUTION, 21.5, WT22M-RH FS, AIO, I3-2330M, 320G, 2G, WIN 7 PRO                                                       |
| <a href="#">791.S0001.0010</a> | A-OPENFULL SYSTEMDIGITAL ENGINEINTEL CORE 2 DUOWITH 3-YEAR WARRANTY                                                                            |
| <a href="#">De7000-T2a1</a>    | AOPEN, FS DE7000 C2D CPU 2G 32G SD WS7E, INTEL CORE 2 DUO PROCESSOR T6670                                                                      |
| <a href="#">De5100-54b1e</a>   | AOPEN, FS DE5100, INTEL CORE I5CPU, DDR3 SOD 4G, 60G SSD WINDOWS 7                                                                             |
| <a href="#">791.Ade71.7aa0</a> | AOPEN, TK711P3 MENU BOARD SOLUTION, SUPPORTS 1X3 SCREENS, WIFI                                                                                 |
| <a href="#">791.De800.A4i0</a> | AOPEN, FS DE6140 R464 8G MEM 500G HDD W7P 64 BITS                                                                                              |
| <a href="#">791.Ade71.7a70</a> | AOPEN, TURNKEY TK711P3 MENU SOLUTION, 1X3 SCREENS                                                                                              |
| <a href="#">790p07900030</a>   | AOPEN, FULL SYSTEM, 17 TOUCH, HIGH PERFORMANCE COMPLETE SYSEYEM , P790-15AS, N270 1G 160GB NOS, WATER AND DUST RESISTANT, RUGGED METAL HOUSING |
| <a href="#">790p07800010</a>   | AOPEN, FULL SYSTEM, 12 TOUCH, HIGH PERFORMANCE COMPLETE SYSTEM, P780-12A, N270 1G 160G NOS, WATER AND DUST RESISTANT, RUGGED METAL HOUSING     |
| <a href="#">91wt100t150</a>    | A-OPEN, WARM TOUCH, 19 INCH ALL IN ONE, DUAL CORE INTEL 1.6 GHZ, 2GB RAM, 160 GB HDD, 5 WIRE RESISTIVE TOUCH, BLACK                            |
| <a href="#">791.Dea71.5050</a> | AOPEN, PROFESSIONAL TK59MX2 3G MOBILITY PLAYER WITH MODEM MANAGEMENT SW                                                                        |
| <a href="#">791.Ade71.7af0</a> | AOPEN, NTAKE PRO WITH WIFI, A MENU BOARD SOLUTION WITH EASY TO USE TEMPLATE, NO MONTHLY MAINTAINANCE FEE.X4 SCREENS                            |
| <a href="#">791wt200th90</a>   | AOPEN, ALL-IN-ONE, TOUCH SOLUTION, 21.5, WT22M-RH FS, AIO, I5-2520M, 320G, 2G, WIN 7 PRO                                                       |
| <a href="#">De3250s-22be</a>   | AOPEN, FS DE3250S 4G MEM 64G SSD W7E 64 BITS, FAN LESS                                                                                         |
| <a href="#">91.De800.A4a0</a>  | AOPEN, FS DE6140 R464L 4G 320G HDD NOOS, SUPPORT UP TO 4 SCREEN                                                                                |
| <a href="#">De6100-443p</a>    | AOPEN, DISCONTINUED, REFER TO DE6140-483E, FS DE6100, R464L CPU, 4G MEMORY, 320 G HDD, WINDOW 7 PRO 64 BIT OS, SUPPORTS UP TO 3 SCREENS        |

|                                |                                                                 |
|--------------------------------|-----------------------------------------------------------------|
| <a href="#">790.P0790.0040</a> | A-OPENALL-IN-ONEFULL SYSTEMINTEL 945 GME                        |
| <a href="#">791.Dea00.0010</a> | AOPEN, FS DE5100 I5CPU 4G 320G WS7E                             |
| <a href="#">791.H0001.0010</a> | A-OPENFULL SYSTEMXV MININVIDIAINTEL CORE 2 DUOWITH<br>WINDOWS 7 |
| <a href="#">791.Ade00.70k0</a> | AOPEN, FS DE7000 T6670 2G 320G HD, WINDOWS 7 PRO                |