

Ashcroft



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ashcroft Markası, tedarik sresi iin lfthen bizimle iletiŐime geiniz.

Firmamız Ashcroft Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
45=1279=s=s=04=l=16br=x=os=de	ASHCROFT® Duragauge® Model 1279 Process manometer according to ASME B40.100 Grade 2A accuracy (0.5%) Micrometer adjustable pointer Patented Duratube™ Bourdon tube Safety housing made of black phenolic resin with unbreakable partition 45 nominal size 4 1/2 "(115 mm) 1279 Duragauge process manometer S Material measuring system stainless steel 316L S safety housing, no filling 04 Process connection 1/2 NPT outside L Connection position at the bottom X With the following additional options: OS overload stop in the pointer mechanism DE product documentation in German Measuring range: main scale 0/16 bar
45=1279=s=s=04=l=25br=x=os=de	ASHCROFT® Duragauge® Model 1279 Process manometer according to ASME B40.100 Grade 2A accuracy (0.5%) Micrometer adjustable pointer Patented Duratube™ Bourdon tube Safety housing made of black phenolic resin with unbreakable partition 45 nominal size 4 1/2 "(115 mm) 1279 Duragauge process manometer S Material measuring system stainless steel 316L S safety housing, no filling 04 Process connection 1/2 NPT outside L Connection position at the bottom X With the following additional options: OS overload stop in the pointer mechanism DE product documentation in German Measuring range: main scale 0/25 bar
D1-P-07 A/B	Operating pressure 4,63 bar and max design pressure 16 bar and PS set pressure is 1 bar. You can request for pressure switch setting range 0 to 69 bar. Endverbleib: Trkei
D2-P01 A/B	Operating pressure 4,76 bar and max design pressure 16 bar and PS set pressure is 1 bar. You can request for pressure switch setting range 0 to 69 bar. Endverbleib Trkei
50/450CD	Endverbleib: Turkey
10=1008=S=L=04=L=25BR	
100=P5500=S=L=15=L=0P4MP=X=GR=EA=EN	
100=T5500=S=D=15=0-3500/0-250=PSI/BAR=X=LL=CS	
100=T5500=S=L=04=L=1500	
1005	
1008	
1008 50-1008-S-02-B-0/10bar-UC	
1008 63-1008-S-L-02-B-0/160bar-GR-UC	
1009 35-1009-SW-L-02-B-0/250bar-GR-UC	
100-T5500-S-L-15-L-0/90PSI-X-GR-CS	

1130
1377 45-1377-A-S-02-B-0/10bar
1377 45-1377-S-S-02-B-0/400bar
1377 45-1377-S-S-02-B-0/40bar
160=T6500=P=L=04=L=10BR=X=YW=GV=OS=MP=NH=CD5=C4=EN
160-T5500-S-L-04-L-0P6MP-X-GV-SG-NH-C4-EN
25=1009=AW=L=02=L=0/300PSI=X=CS
25=1009=SW=L=02=L=0/100=PSI=X=CS
25=1009=SW=L=02=L=0/160=PSI=X=CS
25=1009=SW=L=02=L=0/3000=PSI=X=CS
25=1009=SW=L=02=L=0/4000=PSI=X=CS
25=1009=SW=L=02=L=0/60=PSI=X=CS
25=1009=SW=L=02=L=0/6000=PSI=X=CS
25=1009=SW=L=02=L=0/700=PSI=X=CS
30=3089=S=D=02=L=0=0P4BR
30=3089=S=D=02=L=0=04BR
30=EI=60=R=025=0_100C=
30=EI=60=R=060=0_100C=
35=W=1005=P=H=02L=0/300=PSI=CS=XUL
35-W1005-02L-XUL
45=1009=S=L=04=L=1000
45=1009=S=L=04=L=2000
45=1279=S=S=04=L=1500
45=1279=S=SL=04=L=2000
5=1009=SW=L=02=L=0/3500=PSI=X=CS
50=EE=070=E=108=0/150=C
50=EI=060=L=060=0/100=C=X=NH
50=EL=60=E=090=0_300C=X=CS=YW
50=EL=60=E=150=0_300C=X=CS=YW
5008
60=1379=S=SL=04=L=1600=kPa=X=C4=NH
60=1379=S=SL=04=L=40000=kPa=X=C4=NH
60=1379=WW=SL=09=L=0/2500=kgf/cm2=X=GR=C7
60=2462=S=S=04=L=10BR=X=C7=LL=SG=C4=EN
60=2462=S=S=04=L=250BR=X=C7=LL=SG=C4=EN
60=2462=S=S=04=L=400BR=X=C7=LL=SG=C4=EN
60=2462=S=S=04=L=60BR=X=C7=LL=SG=C4=EN
600B=04=B]=X=SG
63=5008=S=L=02=B=-30/0INHG=X=CS=GV
75=W=0162=0=S=M=260=C=
9810
B4=20=B=600=PSI=IP=06=X=FS=NH
B4=24=S=100=PSI=IP=16=JM=X=FS=MD=NH
B4=24=S=1000=PSI=IP=16=JM=X=FS=MD=NH
B4=32=T=15=IP=25=JM=FS=EN

DG25=5=1=N=1=M04=L=XX=BAR=X=C4	
E 50=EE=070=E=108=MM=0/150=C	
LPDN4KKV25100	
T5500 100-T5500-S-L-04-B-0/250bar-GR-UF	
T5500/T6500	
T7-64-T05-030-2T7=64=T05=030=20_95C=X=K3=FS0/95-Mit-UL-K3	
T5500	
ASHCROFT® Duragauge® Model 1379	45=1379=S=S=02=B=600#=_ Process gauge according to ASME B40.100 Accuracy Grade 2A (0.5%) Micrometer adjustable pointer Patented Duratube™ with welded-tube construction Solid front cast aluminum case, black epoxy coated 45 dial size 4 1/2" 1379 Duragauge process pressure gauge S Material of wetted parts stainless steel 316L S Solid front case, no filling 02 Process connection 1/4 NPT male B Connection location back no other options Range: Main scale 0/600psi
ASHCROFT® Duragauge® Model 1279	45=1279=S=S=02=L=200#=_ Process gauge according to ASME B40.100 Accuracy Grade 2A (0,5%) Micrometer adjustable pointer Patented Duratube™ with welded-tube construction Solid front phenolic case, black 45 Dial size 4 1/2" 1279 Duragauge process pressure gauge S Material of wetted parts stainless steel 316L S Solid front case, no filling 02 Process connection 1/4 NPT male L Connection location lower no other options Range: Main scale 0/200 psi
ASHCROFT® Duragauge® Model 1279	45=1279=S=S=04=B=60#=_ Process gauge according to ASME B40.100 Accuracy Grade 2A (0,5%) Micrometer adjustable pointer Patented Duratube™ with welded-tube construction Solid front phenolic case, black 45 Dial size 4 1/2" 1279 Duragauge process pressure gauge S Material of wetted parts stainless steel 316L S Solid front case, no filling 04 Process connection 1/2 NPT male B Connection location back no other options Range: Main scale 0/60 psi
SWITCH FARK BASINC DP ASHCROFT RANGE:7,5 KPA	CAT NO:BDSN4KB25 XFSHX
ASHCROFT® Duragauge® Model 1379	60=1379=S=S=04=L=6000#=_X=C7=6B=EN Process gauge according to ASME B40.100 Accuracy Grade 2A (0,5%) Micrometer adjustable pointer Patented Duratube™ with welded-tube construction Solid front cast aluminum case, black epoxy coated 60 Dial size 6" 1379 Duragauge process pressure gauge S Material of wetted parts stainless steel 316L S Solid front case, no filling 04 Process connection 1/2 NPT male L Connection location lower X With following options: C7 PED declaration of conformity 6B Cleaned for gaseous Oxygen or other strong Oxidizing agents EN Product documentation in English Range: Main scale 0/6000 psi
T5500/T6500	ASHCROFT® Chemical Unit Gauge Model T5500/T6500 100=T6500=S=L=04=L=4BR=X=AJ=ATEX=GV=SG=EN Bourdon tube pressure gauge according to EN 837-1 class 1 Overload range 1.3 times 100 nominal size 100 mm T6500 stainless steel Bourdon tube pressure gauge Safety version, housing with unbreakable partition, blowable rear wall and safety glass Degree of protection IP66 & IP67 (filled) or IP66 (unfilled) S Meter material 316L stainless steel L Housing filled with liquid 04 Process connection 1/2 NPT male L Connection position below X With the following additional options: AJ Calibrated to Grade 2A accuracy (0.5%) ATEX ATEX approval CE UKCA Ex II 2G Ex h IIC T6...T1 Gb X and CE UKCA Ex II 2D Ex h IIIC T85°C...T450°C Db X Permissible ambient temperature: according to Tx and filling liquid GV case filling with silicone oil SG safety glass window EN Product documentation in English Measuring range: main scale 0/4 bar
35=W1005P=H=02=L=300#=_X=UL=CS	ASHCROFT® Commercial Pressure Gauge Model 1005 Pressure gauge according to ASME B40.100 Accuracy Grade B (3-2-3%) Power-Flex™ movement and True Zero™ indication 35 Dial size 3 1/2" W1005P Commercial pressure gauge, case ABS black H Socket material brass Tube material bronze 02 Process connection 1/4 NPT male L Connection location lower X With following options: UL UL listed, for further information please refer to bulletin CSG-3 and CG-15P CS Dial with dual range Range: 0/300 psi CS: psi/kPa Customer Article: 1005
30 HG 60 PSI	NO:14 PART NO: 75033 1 ASHCROFT 1008 SERİ PR-GLIB 1538 GOLD LB MNG GOLD LIBERIA) KNELSON
Ashcroft inc. 250-3074 Gauge	
B4=20=B=N15IW_15IW=IP=06=FS=C4=EN	Pressure Switch Model B4 Pressure switch with watertight enclosure Casted aluminum case, epoxy coated Protection IP66/NEMA 4X Setpoint repeatability 1% B4 Pressure switch model B4 20 Microswitch element SPDT narrow deadband, 15 A 250 VAC; 0,4 A 120 VDC B Actuator seal Buna-N IP Industrial design, protection IP66 06 Process connection 1/2 NPT male and 1/4 NPT female FS Factory adjusted setpoint C4 Individual certified calibration chart EN Product documentation in English Range: -15/15 in.H2O / -37,5/37,5 mbar FS: Please advise in case of order .
	Switches for industrial use Aluminum housing, coated with epoxy resin Degree of protection IP66/NEMA 4X switching accuracy 1% B4 pressure switch model B4 20 micro switch SPDT with small reset valve 15A 250VAC; 0.4A 120VDC B

B4=20=B=N15IW_15IW=IP=06=FS	MICRO SWITCH SPDT WITH SMALL RESET VALUE, 15A 250VAC, 0.4A 120VDC D Diaphragm material Buna-N IP industrial version protection class IP66 06 Process connection 1/2 NPT male / 1/4 NPT female FS Switching point set at the factory Measuring range: -15/15 in.H2O / -37.5/37.5 mbar FS: 90% inc
1511103.01.001	
B420B	
PRESSURE TRANSDUCER - SERİ NO: 0090202040	G2 UPC: 888064687036
CXLdp	
Pressure Gauge 0-30 psi 1/4" NPTM LOWER CON	
1/4" stainless, back mount, NPT connection, glycerin, 0-30 bar manometer	
1/4" stainless back mount, gas thread, glycerin 0-10 bar manometer	
1/4" stainless back mount, gas thread, glycerin 0-5 bar manometer	
9022244	RF pressure gauge 213.53.063 G 1/4" back, 0 - 16 bar Housing with triangular front ring, CrNi-St. Filling medium: Glycerin 99.7% Measuring system: copper alloy connection G 1/4 rear class 1.6
9022007	RF pressure gauge 213.53.063 G 1/4" bottom., 0 - 16 bar Housing with triangular front ring, CrNi-St. Measuring system: copper alloy connection G 1/4 bottom class 1.6
T6500	GAUGE,PRESSURE,0-10BAR,ASHCROFT,
100-S5500-9-200-R-4000-CS2-50N-L-0/300-XC-XAVS-XSG-XTM-XUC	
100-S5500-9-200-R-4000-CS2-50N-L-0/500-XC-XAVS-XSG-XTM-XUC	
#451279-S-SL-04L-XNH-XPD-100#	
#50-EI-60-E-060-XSG-XNH-0/250°F	
OCT 2012	8978
T6500	GAUGE, PRESSURE, 0-10BAR, ASHCROFT, T6500 (Pressure Gauge Range: 0-10 bar
T5500 PD02 V01-2V	160=T5500=S=L=04=L=400BR=X=ATEX=GV=OS=SM=MP=SG=MO=NH1=C3=MQ=C4=HY=W2=EN=TR 04=PD02=A=ST=50=X=MO=C3 50=V01=2V=A=SS=50=X=MO=C3
00454DG	GAUGE 16 BAR LOWER MOUNT 10T5500SL15L16BR
SABF27990	
2084	MANOMETER 1 BAR 2084 DIGITAL TEST Ashcroft 1 Bar model 2084 Digital Test Gauge
85-1082-Ps-02I-30psi	8.5" Test Gauge 30 psi
600a-01-Co1-L09-Al	Duratemp Thermometer
45-1188ss-04lxsgosnh250mbar	4.5"Pressure Gauge, 250mBar, Wire Tag, Safety Glass, Overload Stop
Dxldp	
Ldsn4-K-B-25-30psid	Pressure Switch, 30PSID
30-2086-Sd-02I-800	Precision Digital Test Gauge 800PSI
Bia In	
85-1379-Back	
60-1082ps-02b-1500psi	6"Test Gauge, 1500PSI
100=t5500=s=d=04=l=100mpa=x=cs=da=nh=en	
Certificate Of Origin	
851082as04b-30psi	8.5" Test Gauge 0-30PSI
85-1010-Lower	
45-2174sd-02I-2000psi-Xbl	4.5" Digital Industrial Gauge 5000 psi
Xl3mb242stp5iw	Pressure Transmitter 0.05 Inch Water Column
35=1009=sw=l=02=l=0 /10=bar=gr	
Lm869	Low Pressure Piston Assembly

Type 300	
B7-32-S-X06-60psi	Pressure Switch, 60PSI
Typ 2084	
Xl5mb242stp25iw	Pressure Transmitter, .25"WC
85-1082ps-04l-5000psi	8.5"Pressure Gauge, 5000PSI 1/2"NPT, Lower, Monel Tube
30-2274sd02l-100p-Ao-U2-Bk	3" Digital Industrial Gauge 100 psi
60-1010-Lower	
45-2074-Sd-02l-3000psi-BI	4.5" Digital Industrial Gauge 3000 psi
Type 206	
85-1082as-04l-200psi	8.5" Test Gauge 200 psi
45-1279-Ss-04l-Xsg-Xnh/0-10 Bar	
16-5503-02l/04l >=10ã	
85-1010s-04l-3000psi	8.5"Pressure Gauge, 3000PSI, Dry 1/2"NPT, Lower, 316SS
63=1008=s=l=02=l=700kp=x=gr=cs	
50-1008s-Lower	
Lp=d=n4=gq=b=0/100=psi=25=k3	
50ei60e180 50/400 F 10/200 C (J00466)	
60-1379-Ssl-04b-1000kpa	6" Duragauge Pressure Gauge 1000 kPa
60-1220-02l	
45-1150-Lower	
20-1032s-75lxc4mqnhsg100psi	2"Pressure Gauge, 100PSI Mat.ID, SS Tag, Safety Glass
851082as02l100ps	8.5" Test Gauge 100 psi
45-2174sd-04lxb1/1bar	4.5"Pressure Gauge, 1bar, 1/2"NPT Backlight, Lower
851082as02l60psi	8.5" Test Gauge 60 psi
85-1082-X70ay-Lower	
45-2074-Sd-04l-300p	4.5" Digital Industrial Gauge 300 psi
16-T5500 02l/04l	
100=a3b=070=e=150=0 150c=_=nh=en	
Type45-1279ss-04l	
45-2174sd-04l-2000psi-Xblbk	4.5" Digital Industrial Gauge 2000 psi
60-1339-Back	
12ddg	
16-5509-02l/04l <=5#	
Gc51-7-F02-42-Cd-100psig	Pressure Transmitter 100 psig
452274sd02l300p	4.5" Digital Industrial Gauge 300 psi
30-2084-Sd-02l-Xb1-15psi	3" Digital Test Gauge, 15PSI
851082as2l150ps	8.5" Test Gauge 150 psi
25-1009-Aw-02l-300	
B76807xnhchtm-1000psi	Pressure Switch 1000psi, 1/2nptF SStag, ChainedCover, PipeMount
30-2084-Sd-02l-30"hg	3" Digital Test Gauge 30 in/hg
A2x-A-M02-42-C2-1500psig	Pressure Transducer, 1500PSIG 1/4"NPTM, 3'Leads
851082ps02l1500p	8.5" Test Gauge 1500 psi
60-1082ps-04l-2000psi	6" Test Gauge 2000 psi
Type 1327cm	
160=t6500=s=d=04=l=0/10=bar	
851082ps02l600ps	8.5" Test Gauge 600 psi

031002p302100psi	0.3" Test Gauge 000 psi
45-1189-Lower	
Type 500	
Lpdn4kkv25100 Druckschalter Ashcroft Nema 4 Der L-Serie	
Ix5f0242stp25iwl	
30-2086-Sd-02l-0-140kg/Cm2	3" Digital Test Gauge 0-100KG/CM2
Type 208	
30-2086-Sd-02l-30	Precision Digital Test Gauge 30PSI
30-2274-Sd-02l-Xao-2k	3" Digital Industrial Gauge 2000 psi
A2zam0242d03000psi	Pressure Transmitter 3000 psi
16-5503-02l/04l <=5#	
Series B400, B700 Xpk Xpm Xta Xtm Xud	
45-2074-Sd-04l-15v-BI	4.5" Digital Industrial Gauge VAC TO 15PSI
Gc527f0242cd4iwl	Re-Rangeable Pressure Transmitter, +/-4"W.C.
E 50=ee=070=e=108=mm=0/150=?	
Dx-5-F01-42-St-25iwl	Pressure Transducer +/-25.00"H2O
Aqs-2da30psig W/Fm Approval	Pressure Module 0-30 PSIG
30-2086-Sd-02l/-1to+1kg/Cm2	3" Digital Test Gauge -1 to 1 KG/CM2
45-1188-Ss-02l-Xnh-35kpag	4.5" Bellows Gauge 35 kpag
Am2-RT1	ATE-2 RTD Temp Module, Pt100, Ni 120, Cu 10, Ohms probe types
Type 1305d	
50e160e120 0/250 F-20/120 C(J00706)	
25=1009=sw=l=02=l=0/6000=psi=x=cs Manometer	
85-1082-Ps-02l-3000psi	8.5" Test Gauge 3000 psi
100=a3b=072=e=100=0 400c= _nh=en	
85-1082ps-04l-10000psi	8.5"Pressure Gauge, 10K PSI 1/2"NPT, Lower, Monel Tube
60-1082-Ps-02l-3000psi	6" Test Gauge 300 psi
Dn80=df _En=s=s=04t=pn10=b=ck=mo=en	
85-1082-Ps-02l-200psi	8.5" Test Gauge 200 psi
60-1009sl-02bxff-3000psi	6"Pressure Gauge, 3000PSI, FF 1/4"NPT, Back
100=t5500=s=d=04=b=0p4mpa=x=ff=cs=nh=da=en	
45-1082ps-02l-Xc4-5000psi	4.5"Pressure Gauge, 5000PSI 1/4"NPT, Lower, Monel, Cal.Cert.
Npi-N4-D-L-S02-300	Electronic Pressure Switch 300 psi
Series B400, B700 Xg6 Xjk Xnn X06	
85-1082ps-04l-100psi	8.5"Pressure Gauge, 100PSI 1/2"NPT, Lower, Monel Tube
60-1082ps-02b-2000psi	6"Solid Front Test Gauge, 12K PSI, 1/4"NPT, Back
B7-64-T-Xcn06-200psi	Pressure Switch 200PSI
B4=32=t=15=ip=25=jm=fs=en	
600a=01=c11=b01=a1=107=bs=x=nh	
85-1082ps-02l-1000psi	8.5" Test Gauge 1000 psi
Type 82	
Aqs-2/0-1000"h2o/.05%/Fm	Pressure Module, 0-1000" H2O
63=1008=s=l=02=l=0/60=psi=gr=cd4	
45-1082-X70ay-Lower	
100=a3b=070=e=350=0 100c= _nh=en	
60-1082ns-04l-Xc4-5000psi	6" Test Gauge 5000 psi

Bimetal-Thermometer Modell A100=am=l=070=e=185=0_120c= _=en	
Ashcroft174; All Stainless Steel Pressure Gauge T5500	
60-1082ps-02l/160bar	6" Test Gauge 160 bar
45-1009-Lower	
20w1005p-Back	
20w1005s-Lower	
302274sd02lxu1a0bl300p	3" Digital Industrial Gauge 12-36VDC
25=1009=sw=l=02=l=0/100=psi=x=cs Manometer	
30-2086-Sd-02l-0-6kg/Cm2	3" Digital Test Gauge 0-6 KG/CM2
85-1082-Ps-02l-0/250kg/Cm2	8.5" Test Gauge, 0/250KG/CM2
Type 102	
100=t5500=s=d=04=l=0p6mpa=x=cs=nh=da=en	
45-1132sd-25l-Xnh-5psi	4.5"Pressure Gauge, 5PSI, Dry 1/4"NPTF/M, Lower
45-1188ss-02l-10psi/20"hg	4.5" Bellows Gauge 10psi/20"HG
Edelstahlmanometer45=1009=s=04=b=600kp=x=uc	
30-2084-Sd-02l-30psi	3" Digital Test Gauge 30 PSI
30-2086-Sd-02l-0-250kg/Cm2	3" Digital Test Gauge 0-250KG/CM2
B4=24=s=400=_	ASHCROFT® pressure switch model B4 Pressure switch for industrial use Housing made of aluminum, epoxy resin coated Degree of protection IP66 / NEMA 4X UL approval with deposit NKPZ.E34743 Switching accuracy 1% Standard process connection 1/4 "NPT inside B4 pressure switch model B4 24 SPDT microswitches for general use, 15A 125/250/480 Vac, ½A 125 Vdc, ¼A 250 Vdc, 6A 30 Vdc S Diaphragm and connection made of stainless steel 316L no additional options Measuring range: 400 psi
Npi-N4-I-V-S02-Xea-100psi	Pressure Switch, 100PSI, 4-20mA 1/4"NPTM, 250VAC
Gc517f0242cd150#G	Re-Rangeable Pressure Transmitter, 150PSI
851082as02l400ps	8.5" Test Gauge 400 psi
T7=64=t05=030=20_95c=x=k3=fs	
Tqc527f0242cn400iw	Pressure Transmitter 0-400" H2O
21/2" Sizes	
Attached Liste Prise	
50=ei=060=l=060=0/100=?=x=nh Bimetal-Thermometer	
60-1082ps-02b-300psi	6" Test Gauge 300 psi
16-5509-02l/04l >=10ã	
Aqs-2, 0-150psig, 0.05%	Pressure Module, 0-150PSIG
45-1188ss-04l-Xsgnh-25bar	4.5"Pressure Gauge, 25bar, Wire Tag, 1/2"NPT, Lower, Safety Glass
B768xnhchtm07/1000psig	Pressure Switch, 1000psiG SSTag, ChainCover, PipeMt, 1/2nptF
Hpi-14q-4554	Pressure Sensor, 0-400"H2O Gauge, 0.05% FS
60-1038a-Back	
Type 330	
10-5503-02l/04l <=5#	
Kxd420501/9	
Xl3mb242st3iw	Pressure Transducer, 3"Water
30-2084-Sd-02l-Vac	3" Digital Test Gauge VAC
Xl3mb242st1iwl	Pressure Transmitter 1.00
T7=64=t05=030=110_190c=x=k3=fs Temperaturschaltermodell T7	
Hpi-14q-4554 0.025%	Pressure Sensor, 0-400"H2O Gauge, 0.025% FS
Aqs-1/0-150"h2o/.06%	Pressure Module. 0-150"H2O

45-1279ps-02l-30000psi	4.5" Duragauge Pressure Gauge 30, 000 psi
45-2174-Sd-02l-Xblbk-20k	4.5" Digital Industrial Gauge 20, 000 psi
60-1082ps-02l-600bar	6" Test Gauge 600 BAR
851082ps02l10000	8.5" Test Gauge 10000 psi
45-2074-Sd-02l-60psi	4.5" Digital Industrial Gauge 60 psi
25w1005-Lower	
Aqs-1, 0-100"h2o, 0.06%a	Pressure Module 0-100"H2O
851082as02l30/150	8.5" Test Gauge 30" Hg/150 PSI
Ixldp-3-Fo2-42-St-10iw	Pressure Transmitter, 10" Water
85-1082-Ps-02l-150psi	8.5" Test Gauge 150 psi
Type 103	
851082as02l30/30	8.5" Test Gauge 30" Hg/30 PSI
85-1082-Ps-02l-0/10kg/Cm2	8.5" Test Gauge, 0/10Kg/Cm2
30-2032-Sd-15l-60psi	3" Digital Sanitary Gauge 60 psi
25=1009=sw=l=02=l=0/160=psi=x=cs Manometer	
Sw-Pi-59	
851082as02l30"hg	8.5" Test Gauge 30" Hg Vac
20w1005p-Lower	
Aqs-2, 15psivac, 0.1%	Pressure Module, 15PSI Vacuum
Type 702	
600a-04-C38-B01-A1-L09-Bs	4.5"Thermometer, 0-120C, FlushMnt Rear Connection, 12"Ext.Bulb
60-1082ps-04l-1000psi	6"Pressure Gauge, 1000PSI Monel Tube, 1/2"NPT, Lower
Ltsn4j00027x2c100f	Temperature Switch, 100F
Ppan7hv25/400psi	Epoxy Coated, Explosion Proof Pressure Switch, 400psi
T5500	Pressure Gauge 0-300 Bar
60-1377-Back	
Ppt1, 200"h20, 0.1%a	Low Pressure Sensor 200"H2O,
Gc517f0242cd/150psig	Pressure Transmitter, 150PSIG
35-1133sd-25s-Xtm-50mmh2o	3.5" Differencial Pressure Gauge 50mm H2O
Gc527f0242cd400iw	Re-Rangeable Pressure Transmitter, 0-400"W.C.
85-1082as-02l-30/30	8.5"Solid Front Test Gauge 30"Hg/30PSI
60-1082ss-04b-1500psi	6" Test Gauge 1500 psi
600a-02c27b01a1l07ce	600A-02 Duratemp Thermometer 6", B01 Bulb, SS, 20' Line
T4-25-T10-030xbx/-40/16c	Temperature Switch, -40 to 16C 10'Line, SS Bushing
Type 201	
Xldp	
85-1082-Ps-02l-30hg/400psi	8.5" Test Gauge, 30HG/400PSI
Aqs-2/0-10psig/.025%	Pressure Module, 0-10PSIG,
85-1082as-02l-30"hg	8.5"Solid Front Test Gauge 30"Hg
88-41412/Hw	
60-1010-Back	
100-T5500-S-L-15-L-0/90psi-Gr-Cs 100-T5500-S-L-15-L-0/90psi-Gr-Cs	
60-1082-Ps-02l-5k	6" Test Gauge, 5000PSI
45-2074-Sd-02l-300psi	4.5" Digital Industrial Gauge 300 psi
Cx4f01421iw	

45-1188-Ss-Pd-04l-Xnh-60kpa	4.5" Bellows Gauge 60 kPa
Gc527f0242cd8iw	Re-Rangeable Pressure Transmitter, 0-8"W.C.
Aqs-Rt1 W/Fm Approval	RTD Interface Module with FM Approval
Dx7f0142st3iwxdlpv	Pressure Transmitter, 1/8"NPTF Spool Cal, 4-20mA, LED Status
45-2274-Sd-04l-60v	4.5" Digital Industrial Gauge VAC to 60 psi
45-1038a-Back	
85-1082ps-04l-40kg/Cm2	8.5" Test Gauge 40Kg/Cm2
Sw-Pi-54	
100=ai=060=e=288=0_60c=_=en	
1259	
100=t5500=s=l=15=l=0/90=psi=x=gr=cs	
30-2084-Sd-02l-100bar	3" Digital Test Gauge, 100BAR,
45-1377-Back	
T5500 Manometer 0-0.1 Mpa	
600h-45c60b08a1l07xnhxsg-Bu	4.5"Gas Actuated Thermometer, 20'Line, SS Tag, SafetyGlass, 300C
Type 108	
Xl3mb242st2p5iw	Pressure Transmitter, 2.5"W.C
Apa=n4=1=h=00mh=s=01=1=0/30	
60-1125-Lower	
45-1379-Back	
Edelstahlmanometer45=1009=s=04=b=4000kp=x=uc	
16=w=400mm=90=st=385=sl	
85-1082-Ps-02l-5000psi	8.5" Test Gauge, 5000PSI
60-1188-Lower	
16-5509-02l/04l <=5ã	
Edelstahlmanometer45-1009-S-04-B-1000-Kpa-Uc	
Lpan4js07xg9/15psi	Epoxy Coated Pressure Switch 15psi, HD, Sealed, 1/4nptF
63 1008a-Lower-Dry	
30-2084-Sd-02l-Xb1-100psi	3" Digital Test Gauge, 100PSI
10 1008al-Back-Filled	
10-1008s-Back	
Gtsn4-G-Oo027-Xfs-100f	Temperature Switch, 0-100F
100=n5500=s=d=04=l=600mmw=_	
85-1010-Back	
Cx4f014210iwl	
35-1032s	
63-1008s-Back	
Gc527f0242cd8iwl	Re-Rangeable Pressure Transmitter, +/-8"W.C.
Cx=4=f01=42=1kpa	
Npi-N4-D-L-S02-Xea-200	Pressure Switch, 200PSI
Gc517f0242cd50#&Vacg	Re-Rangeable Pressure Transmitter, -15 to 50PSI
85-1220-04l	
60-2462-04l	
45-2074-Sd-02l-160p	4.5" Digital Industrial Gauge 160 psi
Gc517f0242cd30#&Vacg	Re-Rangeable Pressure Transmitter, -15 to 30PSI

K1-3-M02-Hm/0-300psi	Pressure Transducer, 0-300PSI 1/4"NPTM, 4-20mA
45-1188-Ss-04I-10	4.5" Belows Gauge 10 psi
Kxd42050	
60-1082ps-02I-25bar	6" Test Gauge 25 bar
Gc517f0242cd50#G	Re-Rangeable Pressure Transmitter, 50psi-G
30-2084-Sd-02I-Xb1-30psi	3" Digital Test Gauge, 30PSI
85-1082-Ps-02I-0/60kg/Cm2	8.5" Test Gauge, 0/60Kg/Cm2
Gc51-7-F02-42-Cg-500psi	Pressure Transmitter, 500PSI 1/4"NPTF
Npi-N4-D-L-S02-3000psi	Pressure Switch, 3000PSI
Tqc517f0242cn7500#G	Pressure Transmitter 0-7500 PSIG
30-2032-Sd-15I-600psi	3" Digital Sanitary Gauge 600 psi
T7-64-705-030-2t7=64=t05=030=20_95c=x=k3=fs0/95-Mit-UI-K3 Temperaturschaltermodell T7	
Type 107	
Tqc517f0242cd50#G	Pressure Transmitter 0-50 PSIG
45-1032s	
B720sxx3xfs 100#Psig, Set@45	Pressure Switch 100 psig
25-1009xfw-Back	
60-1220-Back	
Dg25=5=1=n=1=m02=l=0/60=bar=c4	
Km11=050=mg4=42=m1=250bar=g=_	
Edelstahlmanometer45=1009=s=l=04=b=10000kp=x=uc=gr	
Ppt2biapsi15a	Pressure Sensor, 0-15PSIA, 0.1%
30-2084-Sd-02I-Xb1-500psi	3" Digital Test Gauge, 500PSI
04=v02=m=ss=50=pn420	
45-1020-Lower	
Ppt2, 200psig, 0.05%	Pressure Indicator, 200PSIG 0.05%
Tqc527f0242cd40iwl	Pressure Transmitter H2O
45-2074sd-02I-1500psi	4.5"Digital Industrial Gauge 1500PSI
45-1009-Back	
30-2084-Sd-02I-2000psi	3"Digital Test Gauge, 2000PSI
A2x-A-M04-05-C2-2000psig	Pressure Transmitter, 2000PSIG,
45-1279-Ss-02I-Xsg 0/2 Bar	
Aqs-Rt1	RTD Interface Module
T724t20-030-Xfsnh/20-95c	Temperature Switch, 20-95C (FS)60C Decr., Blank Tag
60-1082ps-02I-30psi	6" Test Gauge, 30 PSI
85-1082-Ps-02I-30hg/300psi	8.5" Test Gauge 30HG/300 PSI
Type 205	
45-2274-Sd-02I-30psi-B1bk	4.5" Digital Industrial Gauge 30 psi
85-1082as-04I-1000kpa	8.5" Test Gauge 1000 kPa
45-1017-Back	
100=ae=070=e=200=0_150c=_=nh=en	
Ix-5-F02-42-St-2iwl-Xfm	Pressure Transducer +/-2.00"WC
15w1005-Lower	
63=5008=s=l=01=b=10br=x=yw=qv=cs=sg=nh	
Aqs 200 30"hg/ 10%	Pressure Module 0-30"hg

Aqs-2/0-30 kgf/cm²	Pressure module, 0-30 kg
15w1005p-Lower	
12-1010-Lower	
Series B400, B700 Xbp Xbx Xch Xc8 Xcn	
35-1009-Back	
85-1082ps-02l-1400kpa	8.5" Test Gauge 1400 kPa
Lpan4-Js07-Xg9-15psi	Pressure Switch, 15psi
30-2074sd-02l-3000psi-Xfm	3" Digital Industrial Gauge 3000 psi
85-1187-Back	
35w1005-Lower	
25500 Manometer 0-0.1 Mpa	
Type 100	
45-1010-Back	
40-1008s-Lower	
B7-24-S-Xch-X07-200psi	Pressure Switch 200psi Chained Cover, 1/2FM Press.Conn
25=1009=aw=02=l=0/300psi=x=cs	
85-1082-Ps-02l-800psi	8.5" Test Gauge 800 psi
85-1082-As-02l-Xc4-20psi	8.5" Test Gauge 20 psi
851082ps02l3000p	8.5" Test Gauge 3000 psi
B732bxcng3k3nhmd/14bar	Pressure Switch, 14 Bar, ATEX Belleville, SS Tag, Metric
15w1005-Back	
45-2074sd-02l-5000psi-Xbl	4.5" Digital Industrial Gauge 5000 psi
60-1082ps-04l-600psi	6" Pressure Gauge, 600psi Monel Tube, 1/2npt Lower
60=1379=ww=sl=09=l=0/2500=kgf/Cm2=?=gr=?7	
Gc30	
302274sd02lxbk1000psi	3" Digital Industrial Gauge 1000 psi
160-T6500	
30=ei=60=r=025=0_100c=_	
Series B400, B700 Xg7 Xg8 Xg9 Xhs Xhx	
1566932_2y	
85-1082as-02l-400psi	8.5"Solid Front Test Gauge 400PSI
Aqs-2, 0-30psi, .025%	0-30PSI
85-1082ps-02l-25bar	8.5" Test Gauge, 0-25 BAR
20w1005s-Back	
63=1008=s=02=b=1mp=x=ff=cs=6b	
10-5503-02l/04l >=10ã	
Einheitsmanometer100=t5500=s=d=04=l=1600kpa=x=aj=os=sg=nh=en	
B768sx0760psi	Pressure Switch, 60PSI, 1/2FM Connection, Dual Switch Element
45-1188ss-04l-Xnh-5psi	4.5"Pressure Gauge, 5PSI 1/2"NPT, Lower, Wire Tag
30-2274sd-02lxao-200#	3" Pressure Gauge, 200 psi Digital, 4-20mA Output, 1/4nptLow
20w1001t-Xff-Back	
T7=64=t05=030=20_95c=x=k3=fs Temperaturschalter Modell T7	
T-720-T10-030-Cen4	
85-1082-Ps-02l-0/16kg/Cm2	8.5" Test Gauge, 0/16Kg/Cm2
45-1082-Xty-Lower	
85-1082-As-02h-150psi	8.5" Test Gauge 150 psi

45-2074-Sd-02I-3000psi	4.5" Digital Industrial Gauge 3000 psi
Dx-3-F01-42-St-P25iw	Pressure Transducer 0.25"H2O
25w1007p-Lower	
85-1082ps-02I-10bar	8.5" Test Gauge, 0-10 BAR
60-1379ss-04b-15000psi	6"Pressure Gauge, 15K PSI, Dry 1/2"NPT, Back
60-1189-Lower	
45-2074-Sd-04I-20k	4.5" Digital Industrial Gauge 20, 000 psi
Series B400, B700 X07 X6b X9f Ayy Xd2	
85-1220-02I	
45-1188ss-Pd-02I-0/4kpag	4.5" Bellows Gauge 0-4000 PAG
60-1379-04I	
Xq3 Sw-Pi-58	
85-1082as-02I-300psi	8.5"Solid Front Test Gauge 300PSI
85-1082-As-02b-60psi	8.5" Test Gauge 60 psi
Edelstahlmanometer45=1009=s=04=b=400kp=x=uc	
85-1377-Back	
Dx-3-F01-10-St-P05iwI	Pressure Transducer
45-1279-Ssh-04I-Xsg-Xnh/0-4.0 Bar	
85-1082ps-02I-4bar	8.5" Test Gauge 4 bar
Ppt-2, 0-1000psig, .1%	Pressure Sensor, 0-1000PSIG,
30-2086-Sd-02I-0-40kg/Cm2	3" Digital Test Gauge 0-40 KG/CM2
Ppan7hv25/100psi Type 320	Epoxy Coated, Explosion Proof Pressure Switch, 100psi
10 1008a-Lower-Dry	
100=t6500=s=d=04=l=0/250=bar	
Edelstahlmanometer45-1009-S-04-B-6000-Kpa-Uc	
Aqs-TcI	Temperature Interface Module
160=t6500=s=d=04=l=n1_1p5br=x=ep=mo1=en	
Aqs-1ca100inwcd	Pressure Module 0-100"H2O
Aqs-2/0-500"h2o/0.05%	Pressure Module 0-500" H2O
45-2074-Sd-04I-200p	4.5" Digital Industrial Gauge 200 psi
T720ts040xk3xfs See Descrip	Pressure and Temperature Switch
35w1005p-Back	
851082as02I200ps	8.5" Test Gauge 200 psi
Aqs-2/0-1000"h2o/.05%	Quick Select Pressure Module
Aqs-1+/- 25 In H2o 0.1%	Pressure Module +/-25" H2O 0.1% FS
Dg2531n1m02I3000psixc4	2.5"Pressure Gauge, 3000PSI 1/4"NPTM, Cal.Cert.
30-2084-Sd-02I-5000psi	3" Digital Test Gauge 5000PSI
T764ts06020/95ccen4jlfjs	Temperature Switch, Range:20/95C
60-1082-X70ay-Back	
85-1379-02I	
302089sd02I5000	
XI-3-F02-42-St-1iwI-Xce	Pressure Transmitter +/- 1.00"H2O
85-1082as-04I-100psi	8.5" Test Gauge 100 psi
25w1005-Back	

25-1009-Back	
Aqs-2 0-300psig 0.05%	Pressure Module 300 psig
851082ps02l800ps	8.5" Test Gauge 800 psi
Aqs-2/0-300"h2o/.05%/Fm	Pressure Module, 0-300"H2O
60-1082ps-02l/6bar	6" Test Gauge 6 bar
30-2086-Sd-02l-5	Precision Digital Test Gauge 5PSI
20w1005-Lower	
Edelstahlmanometer45=1009=s=04=b=n100_150kp=x=uc	
85-1082-Ps-04l-600_Kg/Cm2	Test Gauge 8.5" 600 KG/CM2
100-S5500-10-90mm-B-50-R-50/650-C-Gv	
851082as02l300ps	8.5" Test Gauge 300 psi
16-T6500_02l/04l	
B4-32-T-İp-25-Jm-Fs	
Duralife Pressure Gauge 1009 According To Asme B40.100 Accuracy Grade 1a	
85-1082-Ps-02l-0/25kg/Cm2	8.5" Test Gauge, 0/25Kg/Cm2
Fgf4w2011643	
Aqs-2 0-1000psi 0.1% Acc	1, 000 PSI
Km11	
İx-5-F02-42-St-5İw-Xfm	Pressure Transducer 5"H2O
Gc517f0242cd1500#G	Re-Rangeable Pressure Transmitter, 1500PSI
Edelstahlmanometer45=1009=s=04=b=1000kp=x=uc	
45-2074-Sd-04l-1500psi-Ayfm	4.5" Digital Industrial Gauge 1500 psi
Aqs2-50psig-0.05%a	Pressure Module 0-50 psig
30-2274-Sd-02l-1000pxu1bl	3" Digital Industrial Gauge 1000 psi
Dx7f0142stp5İwİxdİpv	Pressure Transmitter, 1/8"NPTF Spool Cal, 4-20mA, LED Status
50ei60e060_0/250_F_-20/120_C_(J00705)	
60-1038a-Lower	
35-1009-Lower	
63-1008s-Lower	
60-2462-Back	
60=1009=s=l=04=l=25br=x=gV=pd=da	
45-2074-Sd-04l-15000psi	4.5" Digital Industrial Gauge 15000 psi
Apsrbdhb02	SWITCH PRESSURE 27 PSI 250VAC 5A
45-2074-Sd-04l-8000psi	4.5" Digital Industrial Gauge 8000 psi
Ashcroftã174; Bimetal Thermometer Model A	
45-1279-Back	
Type 106	
85-1082ps-04l-600kg/Cm2	Solid Front Test Gauge, 600Kg/ CM2, "K"Monel
45-1082-Xty-Back	
160=t6500=p=l=04=l=10br=x=yw=gV=os=mp=nh=cd5=c4=en_Chemie-Einheitsmanometer Modell T5500/T6500	
45-1009xff-Back	
Tgc527f0242cn4İwl	Pressure Transmitter H2O
60-1082-X70ay-Lower	
35w1005-Back	

100=t6500=s=d=04=l=0/40=bar	
30-2274sd-02l-Xen-20000psi	3" Digital Industrial Gauge 20, 000 psi
50=ee=070=e=108=0/150=? Bimetall-Thermometer	
100=ae=070=e=150=0_150c=_=nh=en	
85-1188-Lower	
Gc517f0242cd5000#G	Re-Rangeable Pressure Transmitter, 5000PSI
60=1379=s=sl=04=l=40000=kpa=x=?4=nh_601379ssl04lx	
Dx-3-F01-42-St-1iw-Xpv	Pressure Transducer
Gc517f0242cd1000#G	Re-Rangeable Pressure Transmitter, 1000PSI
851082as02l30psi	8.5" Test Gauge 30 psi
45-1339-Back	
Series_B400,_B700_Xfm_Xfp_Xfs_Xg3_Xg5	
Dx3-F01-42-St-P1iw	Pressure Transmitter
25w1001t-Xff-Back	
Gc527f0242cd20iwI	Re-Rangeable Pressure Transmitter, +/-20"W.C.
Ppt-2, 200psig, 0.05%	Pressure Sensor, 200PSIG, 0.05%
85-1082ps-02l-600psi	8.5" Test Gauge 600 psi
60-2462-02l	
Ppdn7qgt25-0-150"h20	Pressure Switch w/ Explosion House
16-5503-02l/04l >=10#	
Am22biginhg/30a	ATE-2 Pressure Module, 0-30"Hg Gauge +/- 0.1%FS
85-1379-04l	
Ptd=n7=gg=10=a7=030=n20_40c=x=fs Multifunktions-Temperaturschaltermodell Pt	
45-2074s-02l-600psi-Xbl	4.5" Digital Industrial Gauge 600 psi
Ppt1badinwc25a	Pressure Sensor, 0-25"H2O, 0.1%
Xl3f0215st15iwxx1	Pressure Transmitter
Ppt-2, 200psig, 0.1%	Pressure Sensor, 200PSIG, 0.1%
851082as02l15psi	8.5" Test Gauge 15 psi
45-1220-04l	
Aqs-2/0-100psig/0.05%	Pressure Module 0-100PSIG
45-1279-Ss-04l-Xsg-Xnh/0-4 Bar	
Cx4f014225iw	
Gc527f0242cd20iw	Re-Rangeable Pressure Transmitter, 0-20"W.C.
5=1009=sw=l=02=l=0/3500=psi=x=cs Manometer	
Type_207	
Ashcroft Manometer 35-W1005-02l-Xul (0...300 Psi/2000 Kpa,D=3,5 1/4" Npt Unten)	
85-1082as-02l-150psi	8.5"Solid Front Test Gauge 150PSI
Sw-Pi-77a	
100=t5500=s=d=04=l=16mpa=x=cs=nh=da=en	
60-1082-Ps-10000psi	6" Test Gauge 10000 psi
60-1187-Back	
Ppdn7ppbxfsle30psi	Pressure Switch, 30PSI
451377ss02bxnh_0_4 Bar_0_60 Psi	
G2=7=mek=rm=qn=6000	

Kx-7-M04-15-C1-3000	Pressure Transducer 3000 psi
Type 200	
851082ps02l2000p	8.5" Test Gauge 2000 psi
50-1008s-Back	
45-2074-Sd-02l-5000psi	4.5" Digital Industrial Gauge 5000 psi
25=1009=sw=l=02=l=0/3000=psi=x=cs Manometer	
25=1009=sw=l=02=l=0/4000=psi=x=cs Manometer	
Tqc527f0242cn20iwl	Pressure Transmitter H2O
85-1188-Back	
85-1082ps-02l-1.6bar	8.5" Test Gauge 1.6 bar
50=w=250=mm=2=h=t=260=sl=x=nf	
Npi-N4-D-V-S02xea-300psi	Electronic Pressure Switch 300PSI, 1/4"NPTM, 250VAC, SPDT
10-5503-02l/04l <=5ã	
Type 312	
Kxd 42050	
35-W 1005 P-02l-Xul	
Einheitsmanometer100=t5500=s=d=04=l=10000kpa=x=aj=sg=nh=en	
85-1082-Ps-02l-60psi	8.5" Test Gauge, 60PSI
Dx7f0142st5iwxdlpv	Pressure Transmitter, 1/8"NPTF Spool Cal, 4-20mA, LED Status
10-5509-02l/04l >=10ã	
Dx7f0142stp5iwxdlpv	Pressure Transmitter, 1/8"NPTF Spool Cal, 4-20mA, LED Status
12-1010s-04l-40bar	12" General Service Gauge 40 bar
A2x==a=m02=42=c4=3000 Psi=g	
B4=24=s=60=	ASHCROFT® pressure switch model B4 Pressure switch for industrial use Housing made of aluminum, epoxy resin coated Degree of protection IP66 / NEMA 4X UL approval with deposit NKPZ.E34743 Switching accuracy 1% Standard process connection 1/4 "NPT inside B4 pressure switch model B4 24 SPDT microswitches for general use, 15A 125/250/480 Vac, 1/2A 125 Vdc, 1/4A 250 Vdc, 6A 30 Vdc S Diaphragm and connection made of stainless steel 316L no additional options Measuring range: 60 psi
45-2274sd-04l-1000psi	4.5"Digital Press.Gauge, 1000PSI 1/2"NPT, Lower, Line Power 12-36V
Type 204	
60-1379-Back	
Analog Test Gauge 1082	
45-1188-Ss-04l-60iw	4.5" Bellows Gauge 60" H2O
100=a3b=070=e=200=0_200c= _nh=en	
1305	
45-2074-Sd-02l-1500p-BI-Av	4.5" Digital Industrial Gauge 1500 psi
Aqs2ciqpsi30a_783029082485	Pressure Module 30PSIG, .05%
85-1082-Ps-02l-0/100kg/Cm2	8.5" Test Gauge, 0/100Kg/Cm2
31/2" Sizes	
Gc527f0242cd4iw	Re-Rangeable Pressure Transmitter, 0-4"W.C.
Ppt2, 0-1000mmhg, .05%	Pressure Sensor, 0-1000MMHG
B7-61-S-Xch-X07-100psi	Pressure Switch, 100psi Chained Cover, 1/2FM Press.Conn
D4-22-X6b-100psid	
45-1279psi-04l-30k	4.5" Duragauge Pressure Gauge 30, 000 psi
Tqc527f0242cd80iw	Pressure Transmitter 0-80" H2O
60-1082ns-02h-3000nsi	6" Test Gauge 3000 nsi

45-2174sd-04l-2000psi-Xbl	4.5" Digital Industrial Gauge 2000 psi
85-1082-Ps-02l-30hg/100psi	8.5" Test Gauge, 30HG/100PSI
45-2074-Sd-02l-100psi	4.5" Digital Industrial Gauge 100 psi
4080a-S-04l-0/60-3/27psi	PNEUMATIC TRANSMITTER RANGE-0/60PSI TRANS.3-27PSI
85-1082-Ps-02l-15psi	8.5" Test Gauge, 15PSI,
45-1188ss-02l-80"wc	4.5"Pressure Gauge, 80"WC 1/4"NPT, Lower, Bellows
Type 202	
100=am=071=e=160=0_100c= _nh=en Tag-No. : 13in-Ti-183,13is-Ti-183	
25w1005p-Lower	
45-2074-Sd-04l-2k	4.5" Digital Industrial Gauge 2000 psi
12-1010s-02l-Xvs-0-40kg/Cm2	12" General Service Gauge 0-40kg/cm2
600b-02-Ar-Xnh	Thermometer 5/750 Deg.F Gas Actuated, SS Tag
851082ps02l5000p	8.5" Test Gauge 5000 psi
302274sd02lxb1000psi	3" Digital Industrial Gauge 1000 psi
Aqs-2, -15/30psi, .05%	Pressure Module, -15 to 30PSI
85-1010as-04l-100bar/Psi	8.5" Pressure Gauge, 100Bar/Psi SS T&S, 1/2npt Lower
45-1188-Ss-04l-1000mmh2o	4.5" Bellows Gauge 1000 mm H2O
B7-24-V-X07-Fs-Nh-Cn-Md-3k	Pressure Switch, 3000 PSI
45-2074sd-04l-20000#Xc4	4.5"Digital Pressure Gauge 20K PSI, 1/2"NPT, Lower
85-1082-Ps-02l-0/6kg/Cm2	8.5" Test Gauge 0/6Kg/Cm2
60-1082ps-04l-Xay-40bar	6" Test Gauge 40 bar
45-1379-04l	
100=a3b=072=e=150=0_500c= _nh=en	
Type 104	
85-1082-Ps-02l-1/0kg/Cm2	8.5" Test Gauge, -1/0 Kg/Cm2
45-2074sd-02l-2000psi-Xbl	4.5" Digital Industrial Gauge 2000 psi
Ppt-2, 0-150psig, .1%	Pressure Sensor, 0-150PSIG, .1%
Xl3mb242stp25iwl	Pressure Transmitter, +/-0.25"WC Compound, 1/4"Barbed Conn.4-20mA
85-1010s-04l-1000psi	8.5"Pressure Gauge, 1000PSI, Dry 1/2NPT", Lower, 316SS
Kjt1420500/1	
Type 303	
100=a3b=070=e=300=0_100c= _nh=en	
100=a3b=070=e=150=0_100c= _nh=en	
100=ae=070=e=150=0_120c= _nh=en	
B4=24=s=1000=psi=ip=16=jm=x=fs=md=nh_B424vfxm-100	
100=a3b=072=e=63=0_100c= _nh=en	
20w1005-Back	
Sw-Pi-28b	
100=a3b=070=e=100=0_100c= _nh=en	
85-1082-Ps-02l-30hg/200psi	8.5" Test Gauge, 30HG/200PSI
45-2074-Sd-04l-Xbl-1000psig	4.5" Digital Industrial Gauge 1000 psi
45-1082-Ps-02l-Xc46b-4000	4.5" Test Gauge 4000 psi
Dx-3-F01-42-St-25iwl	Pressure Transducer +/-25"H2O
6-20_000_Psi/ N-N4	

10_1008a-Back-Dry	
35-1009xfw-Lower	
T7=31=t05=030=20/95=c=cen6=jm=bx	
Type_101	
45-1009xuc	
Dg2531l1m02l100brxc4	2.5" Pressure Gauge, 100 Bar .25%, 1/4nptM, Digital
Ldtn4-Kk-05-A7-030	Temperature Switch, Dual Narrow DeadBand, 5"Remote Mount Length
Dg=25=3=1=l=0=na=mg2=l=_X=c4=16br	
Ppt2, 0-5psig, 0.1%	Pressure Sensor 0-5PSIG
30-2086-Sd-02l-20psi	3" Digital Test Gauge 20 psi 2-PSI 30-2086-SD-02L-20PSI
100=t5500=s=d=04=l=0p1mpa=x=cs=nh=da=en	
Sw-Pi-30e	
T7=64=t05=030=110_190c=x=k3=fs	
63_1008al-Back-Filled	
Pddn7-Gg-B-25-Xk3-30"h2o	Pressure Switch, 30"H2O
10-T6500_02l/04l	
85-1082ps-04l-2000psi	8.5"Pressure Gauge, 2000PSI 1/2"NPT, Lower, Monel Tube
45-1188ss-04l/0-150"h2o	4.5" Bellows Gauge 150" H2O
10-T5500_02l/04l	
Type_301	
100=t5500_Kf=s=d=04=l=1mpa=x=cs=m2200=da=nh=en	
Sw-Pi-57	
16-5509-02l/04l >=10#	
T7-24-Ts-040-Xcn-150-260f	Explosion-proof Temperature Switch
85-1082-Ps-02l-100psi	8.5" Test Gauge. 100PSI
45_12789_As_04l	
Modell_1084	ASHCROFT® compact precision manometer 30 = 1084 = 02 = L = S = _ = 15 # Grade 2A accuracy (0.5%) Housing material stainless steel Mirror scale and cutting pointer with nylon case 30 size 3 "(76 mm) 1084 compact precision manometer S Material measuring system stainless steel 316L 02 Process connection 1/4 NPT outside L Connection position below no additional options Measuring range: main scale 0/15 psi
45-1009-Sw-04l-Xsg-0-60 Bar	
60-1379ssh-04lXlInhsg15psi	6"Press.Gauge, 15PSI, Dura+, SS Tag, 1/2"NPT, Lower, Safety Glass
25w1005m-Xrg-Lower	
Einheitsmanometer100=t5500=s=d=04=l=6000kpa=x=aj=sg=nh=en	
85-1082ps-02l-160bar	8.5" Test Gauge 160 bar
1279_45=1279-S-SI-04-L-2-0/800	
Aqs-2, 0-5psig, 0.05%	Pressure Module, 0-5PSIG
30-2074-Sd-02l-Xc4-3k	3" Digital Industrial Gauge 3000 psi
K1-3-M02-42-F2-5000psi	Pressure Transducer, 5000PSI,
45-1189s-04l-Xsg-600"h2o	4.5" Bellows Gauge 600"H2O
Xl3mb242st10iw	Pressure Transmitter, 10"WC
12-1010s-02l-15psi	12" General Service Gauge 15 psi
Aqs-1/200inwco/0.1%	Pressure Module 200INW CO
Km11=050=mg4=42=m1=400bar=g=_	
10-5503-02l/04l >=10#	
45-2074-Sd-04l-5000psi	4.5" Digital Industrial Gauge 5000 psi

Ash-Pi-64	
Aqs-2/0-5psi//025%	Pressure Module, 0-5 PSI
45-1188ss-04l/0-10 Inwc	
100=a3b=072=e=150=0_100c= _nh=en	
Xl3mb242st5iw	Pressure Transmitter 5 Inch Water
60-1125-Back	
Am22digpsixxxa	ATE-2 Pressure Module, 15 PSIG
1305d-10	
60-1082ps-04l-5000psi	6" Test Gauge 5000 psi
5008-086_Stainless Steel Case Pressure Gauge_5008	
Type 80	
16-5503-02l/04l <=5ã	
85-1082-Ps-04l-1500psi	8.5" Test Gauge 1500 psi
85-1082as-02l-15psi	8.5"Solid Front Test Gauge 15PSI
Xldp	
Type 311	
Gc527f0242cd200iw	Re-Rangeable Pressure Transmitter, 0-200"W.C.
25=1009=sw=l=02=l=0/700=psi=x=cs Manometer	
41/2" Sizes	
25-1009xff-Back	
Ix-3-F02-42-St-1iw	Pressure Transmitter, 1"Water
100=n5500=s=04=l=-100/0=mbar	
Cx4f014210iw	
10-5509-02l/04l <=5ã	
60-1082ps-04b-300psi	6" Test Gauge, 300PSI
Aqs_1_0_10"h2ediff./06%	Pressure Module, 0-10"H2O Differential, ±.06% Accuracy
Sw-Pi-66	
45=1279=s=s=04=l=0/60kg/Cm\`=sg=nh=os(45-1279-S-S-04-L-0/60kg/Cm2-Xnh-Os-Sg-Cd1)	
T724t20-030-Xfsnh/65-125c	Temperature Switch, 65-125C (FS)60C Decr., Blank Tag
Gc517f0242cd300#G	Re-Rangeable Pressure Transmitter, 300PSI
30-2084-Sd-02l-30/Vac	3" Digital Test Gauge 30 and VAC
Rxldp	
45-1082-X70ay-Back	
Type 741	
Sw-Pi-76	
451187ss04b10"h2ovac/18mmhg	4.5"Pressure Gauge, 10"H2O Vac/ 18mmHg, 1/2"NPT, Back, Dual Scale
45-1279-Ssl-04-0 / 6 Bar	
100=a3b=072=e=100=0_300c= _nh=en	
Type 315	
12-1010s-04l-6000psi	12" General Service Gauge 6000 psi
Cx4f01421iwl	
Sw-Pi-70a	
85-1082ps-02b-3000psi	8.5" Test Gauge 3000 psi
60-1082-Ps-02l-1500psi	6" Test Gauge 300 psi

B=4=24=b=100=psi=ip=25	
B732s-Xcnfsjlnh07/C4-400psi	Pressure Switch 400psi
Sw-Pi-43f	
85-1082as-02l-200psi	8.5"Solid Front Test Gauge 200PSI
60-1009ss-02bxfng-3000psi	6"Pressure Gauge, 3000PSI, FF 1/4"NPT, Back, Non-Glare
20-1032s	
45-2074-Sd-04l-3000psi	4.5" Digital Industrial Gauge 3000 psi
85-1082ps-04l-3000psi	8.5"Pressure Gauge, 3000PSI 1/2"NPT, Lower, Monel Tube
85-1082-X70ay-Back	
Aqs2digpsi15afm	Pressure Module 15 PSIG
60-1379-02l	
Aqs-2/0-10psig/-05%	Pressure Module, 0-10PSIG,
30-2086-Sd-02l-1000	Precision Digital Test Gauge 1000PSI
100=n5500=s=16=l=-50/50=inh2o=yw	
Sw-Pi-27a	
100=t5500=s=d=04=l=60kpa=x=cs=nh=da=en	
B7-24-S-Xcn-60psi	Explosion-proof Pressure Switch
30-2074-Sd-02e-15psi-Xfm	3" Digital Industrial Gauge 15 psi
Dg253i11m02l400brxc4	2.5" Pressure Gauge, 400 Bar .25%, 1/4nptM, Digital
Xl3mb242stp5iwl	Pressure Transmitt, +/-0.50"H2O
100=ae=070=e=200=0_100c= _nh=en	
50-100hs-02t-Xcf	Diaphragm Seal
35=w1005p=h=02=l=300	
Xl5f0242st10iw	Pressure Transducer, 10"Water
85-1082as-02l-30/15	8.5"Solid Front Test Gauge 30"Hg-15PSI
85-1082-Ps-04l-250_Kg/Cm2	4.5" Test Gauge, 1000 PSIG
Dg253i11m02l10brxc4	2.5" Pressure Gauge, 10 Bar .25%, 1/4nptM, Digital
25w1001t-Xuc-Back	
45-2074-Sd-02l-30psig	4.5" Digital Industrial Gauge 30 psi
85-1082-Ps-02l-30hg/150psi	8.5" Test Gauge 30HG/150 PSI
45-1188-Back	
451188ss04l-15"h2o/9oz/In2	4.5" Bellows Gauge 15" H2O
63_1008a-Back-Dry	
45-1188-Lower	
30-2086sd-02l-2000psi-B2	3"Precision Digital Test Gauge 2K PSI, 316SS, 1/4"NPTM, Orng.Boot
Aqs-1, 0-5"h2o, 0.1%	Pressure Module, 0-5"H2O +/-0.1%Accuracy
30-2274-Sd-02l-Ao-5000psi	3" Digital Industrial Gauge 5000 psi
Sw-Pi-62	
B7-64-S-600psi	Pressure Switch, General Purpose
Xl-3-F02-42-St-P25iwl-Xx2	Differential Pressure Transmitter
100=n5500=s=16=l=-100/0=inh2o=yw	
85-1220-Back	
85-1082ps-02l-40bar	8.5" Test Gauge 40 bar
85-1082ps-02l-250bar	8.5" Test Gauge 250 bar
Ixldp-5-F02-42-St-20iwl	Compound Pressure Transmitter 20" H2O
600a-01-e11-b01-a1-107-hu-x-nh	

0000-01-011-001-01-00-00-A-III	
10-1008s-Lower	
45-1188-Ss-02l-80iw	4.5" Bellows Gauge 80 IW
D422x6b-100psid	Differential Pressure Switch 100PSID
B7=31=b=200=cen4=06=jl=k3=fs	
45-2174sd-02l-5000psi-Xbl	4.5" Digital Industrial Gauge 5000 psi
45-1009p-04l-Xos-C4-0/2000p	4.5" Pressure Gauge 2000 psi
Sw-Pi-79	
30-2084-Sd-02l-7000psi	3" Digital Test Gauge 7000 PSI
85-1082-Ps-04l-10kg/CM2	Test Gauge 8.5" 10 KG/CM2
85-1082as-02l-30psi	8.5"Solid Front Test Gauge 30PSI
Sw-Pi-50	
Type 1379	
60-1220-04l	
45-1125-Lower	
Type 302	
63=1008=s=l=02=l=16mp=x=gr=cs=da	
Ppan7hv25/60psi	Epoxy Coated, Explosion Proof Pressure Switch, 60psi
60-1017-Back	
60-1082-Ps-02l-300psi	6" Test Gauge 300 psi
Dg2531l0m02-100psixc4	2.5" Digital Gauge, 100 psi
10-5509-02l/04l >=10#	
A=2=s=b=mg4=42=do=0/1(Exkji42050)	
10 1008al-Lower-Filled	
452274sd02l200	4.5" Digital Industrial Gauge 200 psi
04=sip01=p=nd=04	
Gc527f0242cd200iwl	Re-Rangeable Pressure Transmitter, +/-200"W.C.
45-1279ps-09l-3000psi B7-24-V-X07-Fs-Nh-Cn-Md-600	4.5"Pressure Gauge, 30K PSI, Dry 9/16-18UNF, Lower Pressure Switch 600PSI
Npi-N4-V-S02-Xea-300psi	Pressure Switch, 300psi bad configuration, do not use.
B724s-06-Xfsnh/60psi	Pressure Switch, 60PSI (FS)30PSI Decr., Blank Tag
85-1082-Ps-04l-100 Kg/CM2	Test Gauge 8.5" 100 KG/CM2
En 837-1-T5500	
25w1005p-Back	
45-2074-Sd-02l-Vac-30psi	4.5" Digital Industrial Gauge 30 psi
Aqs-2/0-400"h2o/0.05%	Pressure Module 0-400"H2O
T724t20-030-Xfsnh/110-190c	Temperature Switch, 110-190C (FS)60C Decr., Blank Tag
30-1084-Lower	
45-2274-Sd-04l-8k	4.5" Digital Industrial Gauge 8000 psi
45-1188-Ss-02l-100iw	4.5" Bellows Gauge 100" H2O
100=t6500=s=d=04=l=0/400=bar	
Lpdn4=kk=v=25=100	
60-1082ps-02b-5000psi	6" Test Gauge 5000 psi
K1-3-M02-F2-5000psi	Pressure Transducer, 5, 000psi 0.5%
Dx7f0142st10iwxdlpv	Pressure Transmitter, 1/8"NPTF Spool Cal, 4-20mA, LED Status
	ASHCROFT® Differential Pressure Switch Model D4 Differential pressure switch

D4=20=b=30d=ip=25=fs=md=en	with watertight enclosure Casted aluminum case, epoxy coated Protection IP66/NEMA 4X Setpoint repeatability 1% D4 Differential pressure switch model D4 20 Microswitch element SPDT narrow deadband, 15 A 250 VAC; 0,4 A 120 VDC B Actuator seal Buna-N IP Industrial design, protection IP66 25 Process connection 1/4 NPT female FS Factory adjusted setpoint MD Metric range EN Product documentation in English Range: 30 psid / 2 bar dp MD: KPa FS: 0,12 MPa increasing
Dx-3-F01-42-St-1iw	Pressure Transducer 1"H2O
30-2086-Sd-02l-200	Precision Digital Test Gauge 200PSI
45-2274sd-04l-Xbl-1000psi	4.5"Digital Press.Gauge, 1000PSI 1/2"NPT, Lower, Back Light
Gc517f0242cd7500#G	Re-Rangeable Pressure Transmitter, 7500PSI
Axldp	
K1-3-M02-42-F2-200psi	Pressure Transducer, 200psi 0.5%A, 4-20mA Output, 1/4npt-M
45-1279-Ps-09l-30k	4.5" Duragauge Pressure Gauge 30000 psi
23ddg	
20w1001t-Xuc-Back	
60-1082ps-02l-1000psi	6" Test Gauge 1000 psi
35w1005p-Lower	
Sw-Pi-78	
45w1000-Lower	
Einheitsmanometer100=t5500=s=d=04=l=2500kpa=x=aj=sg=nh=en	
B424b 100psi 107124 37800629-210 Item 194	
30-2174-Sd-02l-Bkbl-1000psi	3" Digital Industrial Gauge 1000 psi
Type 703	
B7-32-S-1000psi	Pressure Switch, 1000PSI
30-2086-Sd-02l-160	Precision Digital Test Gauge 160PSI
631008al02l300	
Aqs-2/0-500"h2o/.05%/Fm	Pressure Module, 0-500" H2O
30-2084-Sd-02l-1500psi	3" Digital Test Gauge 1500 psi
45-1188ss04l-300/0/300mmh2o	4.5" Bellows Gauge -300/0/300MMH2O
Type Avc-1000	
Type 203	
Type 310	
302274sd02lxb1600psi	3" Digital Industrial Gauge 600 psi
15w1001t-Back	
45-1187-Back	
Gc517f0242cd100#G	Re-Rangeable Pressure Transmitter, 100PSI
85-1082as-02l-100psi	8.5"Solid Front Test Gauge 100PSI
85-1082-Ps-02l-400psi	8.5" Test Gauge 400 psi
45-1009-S-04-B-1600-Kpa-Uc	
Sw-Pi-80a	
10-5509-02l/04l <=5#	
Jxldp	
45-1279ss-04l-Xlled-300psi	4.5" Duragauge Pressure Gauge 300 psi
60-1082ps-04l-250b	6" Test Gauge, 0-250 bar
30-2086-Sd-02l-0-25kg/Cm2	3" Digital Test Gauge 0-25 KG/CM2
30-2084sd-02l/30+vac	3" Digital Test Gauge 30 VAC
85-1082-Ps-02l-2000psi	8.5" Test Gauge, 2000PSI

B722s-60psi	Pressure Switch, 60 psi SS Welded Actuator Seal
Cx4f01422iwl	
85-1082-Ps-02l-0/40kg/Cm2	8.5" Test Gauge, 0/40Kg/Cm2
60=1379=s=s1=04=l=1600=kpa=x=?4=nh_601379ssl04lx	
30-2174-Sd-02l-Xbkl-100psi	3" Digital Industrial Gauge 100 psi
Aqs-2/0-30"hg/.05%	Pressure Module, 0-30"HG,
30-2086-Sd-02l-300	Precision Digital Test Gauge 300PSI
45-1279-Ps-02l-30, 000psi	4.5" Duragauge Pressure Gauge 30000 psi
600a=04=c03=b01=a1=109=at=sg	
45-1188ss-04b-20/0/20mb/Xsg	4.5" Bellows Gauge, 20/0/20MBR
16=w=400mm=2=st=385=s1	
D4-61-B-30psid	Pressure Switch, 30 psid SPDT
35-W1005p-02l-Xul	
Xg7 Sw-Pi-56	
45-1379-02l	
30-2084-Sd-02l-160bar	3" Digital Test Gauge, 160BAR
30-2086-Sd-02l-0-400kg/Cm2	3" Digital Test Gauge 0-400KG/CM2
T464-T25-030-06-Xbx/20-95c	Temperature Switch, 20 to 95C
25-1122kf-Lower	
85-1082as-02l-60psi	8.5"Solid Front Test Gauge 60PSI
45-2074-Sd-02l-1000psi	4.5" Digital Industrial Gauge 1000 psi
60-1189-Back	
Bdsn4kb25 Xfshx	SWITCH DP ASHCROFT RANGE:7,5 KPA
Aqs-2/0-50psig/.05%	Pressure Module 0-50 psig
Ix5f0242st5iw	
Xl5f0242st50iw	Pressure Transmitter
Cx4f01422p5iw	
Type 105	
Am2-RT2	ATE-2 RTD Temp Module, Pt100, Ohms probe types
Type 400	
45-1220-02l	
C4=gauge=en=de=fr	
25-1009-Lower	
Dx-3-F01-42-St-P5iw	Pressure Transducer 0.50 IW
Ln869	High Pressure Piston Assembly
451377ss02bxnh 1 0 5 Barg	
T=7=31=t05=030=65/125=c=cen7=x=fs	
30-2084-Sd-02l-Xb1-Vav/30	3" Digital Test Gauge, VAC/30PSI
45-1279-04l	
Ppt-2, 0-500psig, .1%	Pressure Sensor, 0-500PSIG,
Xl3mb242st50iwlxce	Pressure Transmitter +/-50IN Water
85-1082-Ps-02l-30hg/30psi	8.5" Test Gauge, 30HG/30PSI
45-1038a-Lower	
Aqs-2, 0-15psig, .025%	Pressure Module, 0-15 PSIG

Aqs-1/0-200"h2o/1%	Pressure Module 0-200"H2O,
Npi-N4-D-C-S02-5000	Pressure Switch 5000PSI
60-1188-Back	
63=5008=s=l=02=b=-30/0inhg=x=cs=gV	
B768sxnH/200psi	Pressure Switch, 200 psi Blank Tag, Welded STS, 1/4npt-F
30-2084-Sd-02I-100psi	3" Digital Test Gauge 100PSI
840x014-02	Hose Kit for Ashcroft HTP1
85-1082-Ps-04I-1kg/Cm2	8.5" Test Gauge 1 kg
Gc527f0242cd40iw	Re-Rangeable Pressure Transmitter, 0-40"W.C.
30-2084-Sd-02I-5psi	3" Digital Test Gauge, 5 PSI
Gc527f0242cd40iwl	Re-Rangeable Pressure Transmitter, +/-40"W.C.
Lpan4js07xfmxg9xk315psi	Pressure Switch 15 PSI
85-1082ps-04I-600psi	8.5" Test Gauge, 600 psi Monel Tube, 1/2npt Lower
600a-04-C03-B01-A1-Lo1akxsq	4.5"Gas Actuated Thermometer, 20-240F, Shatter-proof Glass
30-2084-Sd-02I-Xb1-Vac/15	3" Digital Test Gauge, VAC/15PSI
Cx4f014215iw	
30-2086-Sd-02I-10	Precision Digital Test Gauge 10PSI
100t5500kf S D Kq L 04bar	
B7-22-B-Xbp-Fm-10"h2o	Pressure Switch 0-10"H2O
Dq25=3=1=n=1=m02=l=100	
851082ps02I1000p	8.5" Test Gauge 1000 psi
35w1001t-Xuc-Back	
Am22cigbar/6a	ATE-2 Pressure Module, 0-6bar Gauge w/Cal. Cert., +/-0.05%FS
Series B400, B700 Xjl Xjm Xk3 Xle Xnh	
45-1010-Lower	
45-1188ss-02b-10iw	4.5" Bellows Gauge 10" H2O
50ei60e060 50/400 F 10/200 C	
45-2174-Sd-02I-20000psi	4.5" Digital Industrial Gauge 20, 000 psi
45-1188-Ss-02I-200iw	4.5" Bellows Gauge 200" H2O
85-1082ps-02I-100bar	8.5" Test Gauge 100 bar
30-2086-Sd-02I-15	Precision Digital Test Gauge 15PSI
Aqs-1/0-50"h2o/0.1%	Pressure Module, 0-50"H2O,
45-2074-Sd-02I-60v	4.5" Digital Industrial Gauge 60 psi
45-1125-Back	
Birin7569h0600100	
Xl3mb242st25iwxce	Pressure Transmitter, 25"H2O
85-1379ss-04I-1000psi	8.5"Pressure Gauge, 1000PSI, Dry 1/2"NPT, Lower
Xl3mb242st1iw	Pressure Transmitter 1.00
35-1009xff-Back	
85-1082ps-04I-200psi	8.5"Pressure Gauge, 200PSI 1/2"NPT, Lower, Monel Tube
45-1220-Back	
851082as02I30/15	8.5" Test Gauge 30" Hg/15 PSI
30-2086-Sd-02I-0-10kg/Cm2	3" Digital Test Gauge 0-10 KG/CM2
60-1082ps-02I/250bar	6" Test Gauge 250 BAR
45-1279-02I	
Manometer45-1377-s-s-04-b-1000kpa-x-er	

Gc527f0242cd80iwl	Re-Rangeable Pressure Transmitter, +/-80"W.C.
61s-4092-A11-02l-100	MERCURY SWITCH 0-100PSIG 120/240VAC 15/10AMP
45-2274-Sd-02l-1000psi-B1bk	4.5" Digital Industrial Gauge 1000 psi
85-1082-Ps-02l-10kpsi	8.5" Test Gauge, 10, 000PSI
25-1130sl-25s-15psid	2.5" Pressure Gauge, 15psiD Differential
Type 740	
45w2071-Lower	
D420vxbphxta150iwd	Pressure Switch, 150"H2O 1/4"NPTF, Wall Bracket
12-1010-Back	
1279	
Cxldp	
B724s-06-Xcnfsnh-0/7br	Air/Water Pressure Switch
60-1082ps-02l/2.5bar	6" Test Gauge 2.5 bar
Sw-Pi-51	
25-1032s	
Npi-N4-D-L-S04-500psi	Pressure Switch, 500PSI
Type 1327d	
100=t6500=s=d=04=l=0/6=bar	
100=ae=070=e=100=0_100c= _nh=en	
Aqs-2_0-15psig_0.1%_Acc	15 PSIG
100=t5500=s=d=04=l=0p25mpa=x=cs=nh=da=en	
B720vx061000psi	Pressure Switch, 1000PSI
Type 402	
K1-5-M02-42-C1-3000psi-Xfm	Pressure Transducer, 3000PSI
30-2074sd-02l-3kpsi-Xfm-Xbl	3" Pressure Gauge, 3000 psi Digital, FM Approved, Backlight
02=1112=s=d	
45-2274sd-02l-15psi	4.5" Digital Industrial Gauge 15 psi
B7-61-S-Xchnh07-100psi	Pressure Switch 100PSI
40-1008s-Back	
Gc51-7-F02-42-Cd-15psi/30vc	Pressure Transmitter 15 psi
Dq25=5=1=n=1=m02=l=0/250=bar=c4	
04=sip02=c=ss=50	
30-2086-Sd-02l-Vac 30"hg	3" Digital Test Gauge VAC 30" HG
15ddg	
30=ei=60=r=060=0_100c= _	
45-2074-Sd-04l-10k	4.5" Digital Industrial Gauge 10000 psi
15w1001s-Back	
B4=24=s=100=psi=ip=16=jm=x=fs=md=nh_B424vfxm-1000	
60-1379ss-04b-20000psi	6"Pressure Gauge, 20K PSI, Dry 1/2"NPT, Back
Ptsn7k00-060	SWITCH TEMP 6INCH BULB 75-205DEG F FIXED AT 180
T5500+7410;100=t5500=s=d=15=b=0/6=bar	
30-2274sd-02l-200#Xao	3"Pressure Gauge, 200PSI, 1/4"NPT Lower, 4-20mA Output
85-1082-Ps-02l-30hg/60psi	8.5" Test Gauge 30HG/60 psi
50e16oe025_0/250f-20/120c(J00467)	
100=a3b=070=e=200=0_100c= _nh=en	

45-2074-Sd-02l-200psi	4.5" Digital Industrial Gauge 200 psi
Type 403	
63 1008al-Lower-Filled	
Gc517f0242cd15#&Vacg	Re-Rangeable Pressure Transmitter, -15 to 15PSI
Cx4f01422iw	
25=1009=sw=l=02=l=0/60=psi=x=cs Manometer	
15w1005p-Back	
Ptd=n7=gg=10=a7=030=n20_40c=x=fs	
B4-22-X6b-400psid	
45-1189-Back	
45-2274-Sd-02l-15k-Xao	4.5" Digital Industrial Gauge 15, 000 psi
30-2084sd-02e-2000#-Ff	3"Pressure Gauge, 2000PSI, FF 1/4"NPT, 9 O'clock
Type 511	
A2xcm0242c215psi	Transmitter, Explosion Proof
04=sip02=ss=50	
35-1038a-Lower	
45=1279=s=s=04=l=0/60=kg/Cm2=sg=nh-Os	
45-1188-Ss-02l-60iw	4.5" Bellows Gauge 60" H2O
35-1009xfw-Back	
60-1082p-02b-10000psi	6"Test Gauge, 10K PSI, Dry 1/4"NPT, Back, Monel Tube
85-1082ps-04l-1000psi	8.5" Test Gauge, 1000 psi Monel Tube, 1/2npt Lower
B7-64-S-1000psi	Pressure Switch, General Purpose
Type 700	
Ash-K1-7-M02-42-B6	TRANSDUCER 200PSIG 4-20MA 1/4MA
60-1082ps-02l/-1/0bar	6" Test Gauge -1/0 bar
63=1008=s=l=01=b=10br=x=gr	
00453-DE	GAUGE PRESSURE 45-1188ss-04l-Xnh-200mbar
100=s5500=8=100=0=cs3=50n=l=0_100c=x=m2110=nh=en	
85-1082-Ps-02l-30hg/15psi	8.5" Test Gauge 30 HG/15P
Type Df	
85-1082-Ps-02l-1500psi	8.5" Test Gauge 1500 psi
B4-22-B-Xfs-X06	
Gc517f0242cd500#G	Re-Rangeable Pressure Transmitter, 500PSI
30-2086-Sd-02l-200psi	3" Digital Test Gauge 200 psi 30-2086-SD-02L-200PSI
45-2174-Sd-04l-20k	4.5" Digital Industrial Gauge 20000 PSI
Type 510	
Gc517f0242cd3000#G	Pressure Transmitter, 3000PSI 1/4"NPTF, 4-20mA, 1/2"Conduit
25-1009xfw-Lower	
Type Avc-3000	
Edelstahlmanometer45=1009=s=04=b=10000kp=x=uc	
25-1122ke-Lower	
A2x-A-F04-05-C2-2000psig	Pressure Transmitter, 2000PSIG,
45-1188-Ss-02l-40mbar	4.5" Bellows Gauge 40 mbar
85-1082-Ps-02l-300psi	8.5" Test Gauge 300 psi