

Astech

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Astech Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Astech Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
LDM42P Set EN	Package with accessories each consisting of: LDM42P Fast laser sensor for distance measurement 0.1 to> 30m; Profibus DP and RS232 + CC4xPE-5 connection cable LDM4xP, LDM4xE, LDM4xPN, LDM4xEI, 5m + ASTECH USB stick documentation and software for LDM, VLM and CROMLAVIEW® + 16-2001-02 Printed manual LDM41P and LDM42P, A5, EN + JWx adjustment bracket for LDM4x and LDM30x, device fastening with 2-axis angle adjustment $\pm 5^\circ$, stainless steel, incl. 4x fastening for LDM4x M6x10 + RS232 programming cable 5 m + 15-0001-00 Profibus connection set + 15-0014-00 Cable connector Profibus OUT, 4-pin, B-coded + 15-0015-01 Cable socket Profibus IN, 5-pin, B-coded + 15-0000-00 Profibus terminating resistor
14-0000-00	LEDA for VLM500/320/250/200 Replacement LED for VLM500/320/250/200, service life approx. 50,000 Operating hours
10-2001-02	LDM42A-v

Ürün	Açıklama
	Fast laser sensor for distance measurement 0.1 to >30m; 50 Hz, analog output 4...20mA, RS232, switching output, Viton® seals
15-2000-02	CC4xA-10 Connection cable LDM4xA, 10 m
12-2030-04	GFW2-10V-K Double gray filter for LDM4x series with adapter 10°, Viton Seal, glued
15-2001-02 (alternative or option)	SDCO232-2-USB RS232 programming cable, USB-A/terminal, 2 m, for LDM4xA, LDM3x, LDS30A, LDS70A incl. USB-RS232 converter
11-0006-00 (alternative or option)	ASTECH USB stick Documentation and software for LDM, VLM and CROMLAVIEW®
12-2019-00	JWx Adjustment bracket for LDM4x and LDM30x, device mounting with 2-axis angle adjustment $\pm 5^\circ$, stainless steel, including 4x mounting
LDM42A	Fast laser sensor for distance measurement 0.1 to >30m; 50 Hz, analog output 4...20mA, RS232, switching output
CC4xA-2	Connection cable LDM4xA, 2m
JWx	Mounting bracket for LDM4x and LDM30x, device mounting with 2-axis angle adjustment $\pm 5^\circ$, stainless steel, incl. 4x mounting for LDM4x M6x10
EDP40214001-401	
4-20ma Ip 52 Acn Analog	
Ldm41a Set En	Package with accessories LDM41A Laser sensor for distance measurement 0.1 to > 30m CC4xA-2 connection cable L DM4xA, 2m ASTECH USB-Stick Printed manual LDM41A and LDM42A, A5, EN
No: Edp 10 000 007	
Hun10001001	

Ürün	Açıklama
Lm6h10wvIm2	