



Barksdale

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Barksdale Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Barksdale Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
0221-356	XT-R12 750 >= Lm > 500
0111-751	UNS-ABS-Horizontal ABS/PP/ NO/NC
E1H-H250-P7	0403-097 Pressure switch AC:250V 10A DC:24V 0,5A 2,1 ... 17,0 bar 30bar Net weight per piece: 0.55501 kg Customs tariff number: 90262080 Country of origin: Germany (DE)
D1T -0787 D 4T-M336-EX1 : -0.2...1.2 Bar.	
D2T-M150SS	pressure switch 0401-388
8221-PL1-B	pressure switch 0417-018
SM-08: DRUCKBERTRAGER	<input type="checkbox"/> Der Messbereich liegt im Bereich von 0 bis 50 bar gemB dem Druckbereich in der Anwendung Es wird als einstellbar funktionieren. <input type="checkbox"/> Prozessmontageanschluss; wird mindestens 1/2 "(halber Finger) sein, Membranabwasser verursachen mindestens 8 mm Durchmesser und flach, um nicht von den Verstopfungen betroffen zu sein, die bei auftreten wird sein. Es wird auch ein Montageventil geben. <input type="checkbox"/> Es gibt einen analogen Ausgang von 4-20 mA oder 0-10 V. Kann am Kollektorrohr montiert werden wird sein. Es kann zwischen - 10 ° C und 65 ° C betrieben werden. Die Versorgungsspannung betrgt 11-30 VDC. <input type="checkbox"/> Die Schutzklasse fr den AuŐenbereich ist IP67. <input type="checkbox"/> Die Fehlerrate sollte maximal 0,5% betragen. <input type="checkbox"/> Anzeige am Druckmessumformer und den Tasten zum Einstellen des Messbereichs. <input type="checkbox"/> Der Sensor muss in einem Edelstahlgehuse enthalten sein.
8141-PL1-B-D-LH-PC-GE380 Druckschalter	0417-710
B.0601-212 MT1H-G351-RD	Temperature switch AC: 480V 10A DC: 250V 0.3A Measuring range: +66 ... +177 ° C Overload: -73 ... +205 ° C
KLM-025-M4-ST0-1	Pressure switch B. 0416-157 DC: 30V 5A Setting: bar s

	Overload: 80 bar Weight: 0.23918 KG
0303-033	Limit switch GK03 5m PVC-Kabel / Cable
8441-PL1-B pressure switch	0417-014
BPS342VM0050BP	Pressure switch 50b / 420-2 / G1 / 2F / Output: .. 4-20 mA, 2 switching outputs Process connection: G 1/2 male thread Seal: Viton Electrical connection: M12 plug, 5-pin Measuring range: 50 bar rel. Piezoresistive measuring cell
0003-033	
0111-494	
0112=1401	
0112=1505	
0112-980	
0122-107	
0332-722	
0401-083	
0401-136 D1T-H18SS	
0401-215	
0401-226	
0401-274	
0401-346	
0401-352	
0401-373	
0401-416	
0401-416 D2T-M80SS	
0401-877	
0402-048	
0403-059	
0403-097	
0403-105	
0403-126	
0403U386	
0404-010	

[0405-024](#)

[0405-136](#)

[0405-250](#)

[0405-305](#)

[0405-649](#)

[0405U001](#)

[0406-094](#)

[0406U106](#)

[0406U170](#)

[0409-031](#)

[0409-055](#)

[0412-014](#)

[0412U101](#)

[0417-017](#)

[0417-018](#)

[0417-054](#)

[0417-100](#)

[0423-140](#)

[0431-560](#)

[0434-183](#)

[0437-028](#)

[0437-062](#)

[0601-218](#)

[0601-419](#)

[0603-101](#)

[0603-110](#)

[0631-014](#)

[0701-295](#)

[0711-257](#)

[0711-257.5](#)

0711-339.7	
0712-263.10	
0712-345.8	
0713-273.3	
0713-349.9	
0713-360.4	
0721-083.5	
0801-295	
311238	
316030	
625T5-13-Z15	
BPS31GVM0200B	
BPS31GVM0400B	
BPS32GVM0020B	
BPS32GVM0400BP	
BPS342FM0040BPQ6	
BPS342FM0400BPQ6	
BPS342VM0200BP	
BPS34GVM0010BVP	
BPS34GVM0050PP	
BTS31GVM0300M3	
D1X-H80SS-EX	
D2X-H3SS-EX	
DPDIT-M3SS 2 700MBAR	
E1H-H15-P7-EXI	
RK1457	
UNS2000-spezial	
UNS-MS3/8-K5-BN30/3	
96211-BB2-T2-Z17 Pressure switch	
B.BPS32PVM6000PP	Barksdale device Measuring range: 6000psi Output: 4-20mA/1SP Overload: 8700psi Supply: 15-28

DPD2T-A80SS-L6-CS	
D2T-M18 Terminal Block Diaphragm Switch	diaphragm in the product
ML1H-S203-Q81	
E1H-H90-P6 PLS	0403-142 AC: 250V 10A DC: 24V 0,5A 0,80 ... 6,0 bar 30bar
0303-033	Limit switch GK03 Ekomat-Nr.: 04-03383 AC: 230V/1A/60VA DC: 230V/1A/60W
GK03 FEI3465	
DPD1T-A80SS	Barksdale-Nr.: 0402U103
DPD1T-GM150SS	Barksdale-Nr.: 0402-033
Preset switching point SP1	
Temperature Switch	OUTLET EM-3801A Type Liquid expansion Construction Tropicalized /IP65 Calibration Adjustable range -66/+66C Repeatability (+-)0,5% F.S. Element Material CarbonSteel epossidic lined Wetted Parts Material AISI 316 Case Material Anodized Alluminium Well Connection 1/2" NPT-Swiwel type Electrical Connection 1/2" NPT-F Switch Type/Rating SPDT/ Capillary Material AISI 316 Armoured type Capillary Lenght 1800mm WELL From bar in AISI 316 Process Connection 3/4" NPT-M Well İnsertion Lenght 200mm
3765M3WC3 valve	0801U089
0111-751	UNS-ABS-Horizontal ABS/PP/ NO/NC Barksdale-Nr.: 0111-751 Ekomat-Nr.: 04-05773
T96201-BB2-P1	Barksdale-Nr.: 0406U326
0111-396 Uns-Abs-Yatay Abs/Pp/ No/Nc	
Preset switching point SP1 and. SP2	
D2T-M150SS	pressure switch Barksdale No.: 0401-388 Ekomat No.: 04-01277 AC: 250V 10A DC: 24V 2A Measuring range: 0,5...10,3 bar
Preset switching point SP 1 and 2	(optional)
Pressure transducer	Part. No 0501328135 0416-121 range 14.5 bar Type K115370.2/003 KLM-025-M4-ST0-1 El.rating DC 30V 2A
FP4DRX pressure switch 5 - 50 bar ATEX	Ref. FP4DRX Pressure switch F series protection : IP66 / ATEX intrinsic safety housing : mazak, epoxy painted-st. st. screws range : 5 to 50 bar max. pressure : 80 bar sensing element : bellows material : 316L st. st. process connection : 1/4"NPTF switch : 1 gold plated SPDT fixed deadband : <1,6 bar current rating : 1-100mA / 4-30VDC cable gland: polyamide M16 (D: 5-10) features: I.S. st. st. tag plate ATEX information Certificate LCIE 01 ATEX 6008X Ex ia IIC T6 (-40°C<Ta<80°C) Ex iaD 20 IP66 T80°C Group II (Surface) - Category 1GD Zones 0-1-2 or zones 20-21-22 Production

	Notification LCIE 02 ATEX Q 8023 See leaflet for a safe use article reference: IFP4DBRSY0200
FP4DQX Pressure switch F series	protection : IP66 / ATEX intrinsic safety housing : mazak, epoxy painted-st. st. screws range : 2.5 to 25 bar max. pressure : 30 bar sensing element : bellows material : 316L st. st. process connection : 1/4"NPTF switch : 1 gold plated SPDT fixed deadband : <700 mbar current rating : 1-100mA / 4-30VDC cable gland : polyamid M16 (Ø5-10) features: I.S. st. st. tag plate ATEX information Certificate LCIE 01 ATEX 6008X Ex ia IIC T6 (-40°C<Ta<80°C) Ex iaD 20 IP66 T80°C Group II (Surface) - Category 1GD Zones 0-1-2 or zones 20-21-22 Production Notification LCIE 02 ATEX Q 8023 See leaflet for a safe use article reference: IFP4DBQSY0200
0501328135 0416-121 range 14,5 bar	Typ K115370.2/003 KLM-025-M4-ST0-1 El.rating DC 30V 2A
mtal 23-S2	
E1H-H250-P7 pressure switch	Barksdale-Nr.: 0403-097 Ekomat-Nr.: 04-02232 AC: 250V 10A DC: 24V 0,5A measuring range 2,1 - 17,0 bar overload: 30 bar
UNS-PA1/2 NPT-PA18	2m PVC cable inset side. Barksdale No.: 0111-204
KLM-025-M4-ST0-1-V 8,5 bar increasing (s)	0416-173 DC: 30V 2A 8,5 bar s Overload: 80 bar
DPD1T-M80SS pressure switch	0402-066
0111-396	
0111-396	
UNS-ABS-Horizontal ABS/PP/ NO/NC	0111-751
KF14465	
0113-182 UNS2000-SPEZIAL FLOAT LEVEL SWITCH	
0111-396 UNS-ABS HORIZONTAL LIQUID LEVEL SENSOR	
B1X-A12SS-UL	0405-773
0111-396 UNS-ABS-HORİZONTAL SWITCH LEVEL GS 172 40014	
TYP:UPA52 K317719A	
0417-014	8141-PL1-B pressure switch AC: 250V 2,0A DC: 250V 0,2A Measuring range: 5...180 bar Overload: 600 bar
E1H-H500-P4-EXI	Barksdale-Nr.: 0403-264 3,7-34 bar Overload: 70 bar
E1H-H250-P7	Barksdale-Nr.: 0403-097 Ekomat-Nr.: 04-02232 AC: 250V 10A DC: 24V 0,5A 2,1-17 Bar Overload 30 bar

T9692X-1-FF-2-001	
9692X-1CC-3-W080	
T9692X-1-EE-2-001	
316030 level sensor	
KLM-025-M4-ST0-1	
0111-396 UNS-ABS Switch	
UNS-ABS 0111-396	
96210-BB1-S0062	
B.9681X-1CC-3-B-K	
PRESS SWITCH,HIGH,BARKSDALE,9692X-1CC-3	Pressure Switch - High , Manufacturer Name: BARKSDALE , Model No: 9692X-1CC-3 , Supplier Part No: 9692X-1CC-3 , Constuction:
T2HH251S-A0602-121	
D2TM150SS	
B.0631-030	UTF3 are discontinued, but can be replaced 1:1 by UTF2 UTF2 -40+150/L= 25 mm electrical temperature sensor Measuring range: -40 °C Output: PT100 Overload: +150 °C
BFS30-O 2-8l/min	320014344
K113054.1/007	UDS 7
0401-416-	D2T-M80SS
BPS312VM0400BP	400b/2SP/G1/2F/F Electronic pressure switch Measuring range: 400 bar Output: 2 SP Overload: 600 bar Supply: 15-28 VDC Weight: approx. 0.3 kg
BPS342EM0010BP	10b/420-2/G1/2F/E Measuring range: 10 bar Output: 4-20mA / 2 SP Overload: 15 bar Supply: 15-28 VDC
0417-012	8121-PL1-B pressure switch
0417-013	8131-PL1-B / 4...45 bar
0417-651	Barksdale device 8152-PL1-B-UL pressure switch AC: 125 V / 0.1 A DC: 30 V / 0.1 A Measuring range: 50...350 bar Overload: 600 bar Weight: approx. 0.4 kg
01501322696	
UNS100-VA/T1-KL6-VA27- L2/1-UL-GE293 Lo500 Gr.1	0112=1911 Weight: approx. 0.7 kg / piece
0712-262.5	Barksdale device BFS-20-OL-G1/2-MS-NO-ST Flow rate 2.5 - 8 l
0631-014 Utf2/-40+150c/Pt100 G1/4e/M12/E/17	

D2x-H3ss-Ex Druckschalter	
420h2-07-Z1	
Cp58-001-0e	
96211-Bb2ss-T2-V-Z17	
20313s6wq2-1-Ms	REGULATOR
96211-Bb4t2-V-Z17	
Bna-S22-Dn20-1800-Xt	
96211-Bb6t2-N-Z17	
Uns-1000va/T1-KI6-Va27-L1/1-Hat	
Upa51	
D1x-M150ss-Ex	
Vm2 D.O/L24 31/00	
Bfs-30-O-G1-Ms-No-St 0713-273	
0417-016 0417-016 Typ 8161-PI1-B Druck 80-600 Bar	
0403-080 E1h-H250-P4	
96211-Bb1ss-T2-V-Z17	
20495s6wq2-1	REGULATOR
143r3ac3-Mc	VALVE
142p3ac3-Mc	VALVE
9043roac3-Mc-H	CONTROL VALVE 1/2IN NPT
96201-Bb3t2-V-Z17	
0401-136	
0711-257 Flow-Sensor0711-257 Bfs-10- N-G1/2-Ms-No-St	
E1h-H15	
0401-136 D1t-H18ss Sensor	
Mt321024 3no+3nc 24vdc	
0112=1401 Schwimmerschalteruns1000- G-Va27/3-Exi	
Bfs-30-O-G1 -Ss-We-St	

Ml1h-G454s-Wd-Rd	
0111-203	
Bna-S22-Dn20-800-2gk03	
0221-357	
Dpd1t-M80ss	
0402-061	
96211-Bb4ss-T1-V-Z17	
Hd1h-H2-C	
Bfs-30-O-G1- Ss-We-St	
3763m3wq3	VALVE
Ml1hh351 Ersatzteil - Sensor (Relais) Temperatur	
0111-449	
145p3ac3-Mc	VALVE
371mt73-Kit	VALVE
Uns-Ms/T1-Pg7-Bn25-L2/2.1	
20597s6wq2	REGULATOR
0402-082, Dpd2t-Gh18ss-Exi	
E1h-H90-P4	
Sw2000-13-G-1	
E1h-H250-P7-Ge78 Druckschalter	
Uas3/420/Na	
4143r9wc3-Mp-O	VALVE
Bps3-4-G-V-M-0050b	
300-052-Pt100	
0111-396 Uns-Abs-Horizontal Abs/Pp/ No/Nc	
0601-419 Sensor	
Tbd0602u119	
Bps34gvm0050b	
Gnh-4n-S	

B2s-C32ss	
B1t-M-48	
E1h-H15-P7-Exi	
0416-063 Sensor K1m-040-M4-St0-1	
Mt1h-H251s-25-A	
D1xm3ssex	
Abs/Pp/No/Nc	
203p6wo3-Z13	VALVE
P1h-B30ss-T, 2 Bar	
0332-722 Bna-S32-Dn25/16 Va50/10-Ma- Lm1,05-1,5m	
0111-396 Sensor- Niveauschalterspannung- Stromversorgung 220v Zweidraht	
4141r9wc3-Mp-O	VALVE
Uns 1000	
96221-Bb1ss-T1-V-Z17	
20597s6wq2-1-Ms	REGULATOR
B1t-M65ss	
906-0954	
Bps32gvm0400b	
B2t-A48ss-P4	
Bps31gvm0400b 400b/2sp/G1/4e/F El. Druckschalter	
3t1m-30-23	SENSOR,4-20MAOUT,12-20VDCINPUT
M11h-H202s	
0401-083 Druckschalter	
96211-Bb1t2-V-Z17	
20495s6wq2-1-Ms	REGULATOR
8001-PI1-B-Ea1-Ge261	
4145r9wo3	VALVE
0402-059	
B1x-S32ss	

Bps34gvm0200b
X1t-4000-40
Xt-R12 N/P: 0221-367
Mt326115 3no-3nc 110vac
Uns1000-G-Va/T1-K3 Va27-L1/1
96211-Bb5t2-N-Z17
X1t-4000-10 Pressure-Switch(0409-001) X1t-4000
C-9612-3
B1t-M-32-Ss-Cs
Bps342vm0400bp 4-20ma / 2sp 600 Bar
B2t-M12ss
96201-Bb4t2-V-Z17
B2s-H48ss
96211-Bb6t2-V-Z17
Bfs-10-O-G1/2-Ms-We-M12 Flow Sensor(Range 6-15 L\min, Rechts)
8251-PI1-B
0601-419 Barksdale Mt1h B10,B20,B40 (- 18s2, -19s2)
E1h-H250-P7-Ge78 Pressure Switches.
96201-Bb1t2-N-Z17
Bts31gvm0300m1 Temperatursensor Bts31gvm0300m1
0403u386 E1h-H90-Fx Druckschalter
B2t-M48ss
Bps342fm0400bpq6 Sensor 400b/420- 2/G1/2f/Ff Q6
6141r3hc3
Bps342em0400bp / Basiñ Switch - K420657.1 / 015
96211-Bb2ss-T1-V-Z17
Bps3-4-G-V-M-0200b

3767m3wo3-H	VALVE
E1h-H500	
0405-215	pressure switch B2S-H48SS
0417-018 8221-PI1-B Druckschalter	
0401-373 Druckschalterd2t-H18ss	
4145r9wc3	VALVE
0111-199	
0711-257 Bfs-10-N-G1/2-MS-No-S	
X1t-4000-10	
P1h-B30ss-T, 0.2 Bar	
D1t-M 80 Ss	
Sw2000cp38-040	
4141r9wc3-O	VALVE
0431-093	
0405-649 B2t-Gh32ss Druckschalter	
Uns 2000	Detailed information attached to file
96211-Bb3t2-V-Z17	
07122625	
0404-206	
Dzt-H18ss	
D1t-Gh80ss	
Bna-S22-Dn20-700 0332-595	
Uas3-5-5	
4141r9wc3-Mc	VALVE
0402-061 Dpd1t-M3ss Druckschalter	
0417-066	
0713-357.2	
96201-Bb3ss-T1-V-Z17	
0112=1505 Uns1000-Va/T1-KI6-Bn25 L2/1.1-UI Lo327	
Bps3-4-G-V-M-0750p	

Xt-R12 3500	
907-0344	
Ct08-100c	
0401-216 Druckschalter	
E1h-H500-P7-Ge78	
Cp58-050e-O	
D1t-M80ss	
96201-Bb2ss-T2-V-Z17	
8141-PI1-B Druckschalter	
145p3wc3-Z13	VALVE
203p6wo3-Z15	VALVE
0403-077	
8131-PI1-B	
0631-017	
0401-170	
Uds3-31-G-5	
Ml1h-H351	
0417-029	
0401-215 D1t-M3ss Druckschalter	
D1t-H80ss-Exi Druckschalter	
0303-031	
0303-033(Ex0303-011 Umr-Gk01-Jp67)	
0401-226 D1t-M80ss-Exi Druckschalter	
0406u163	
Bps3-0750p	
96221-Bb1ss-T2-V-Z17	
96211-Bb4t2-N-Z17	
E1h-H90-P4-PI6 0259069b	
Mt2h-H251	
Uns1000-Ms/T1/2-St1-Bn18- L1/1- L0=850-L1=800	

0111-396	
4141r9wc3	VALVE
96211-Bb1ss-T1-V-Z17	
B2t-H48ss	
Xt-R12-Lm1200	
Bps3-3000p	
0111-201	
0713-356.2	
583906	
0401-224	
0417-100 81a1-PI1-B-UI Druckschalter	
6182s3hc3	
Dpd1t-A80ss	
96201-Bb4ss-T1-V-Z17	
Bes516-300s 135-S 4d	
9021m-D Ventil	
Drucksensor Control Products Sw2000/400b/2sp/G1/2fr/Fk019842.1.	
Bts34nvm2.00z1	
4143r9wc3-Mc	VALVE
20517s3wq2-1-Ms	REGULATOR
0401-416 Sensor D2t-M80ss	
96201-Bb3-T2	
3767m3wc3-Z13	VALVE
96211-Bb2t2-V-Z17	
4143r9wq3	VALVE
X1t-4100-40-Ge140/166	
Dpd1t-M3ss 2 Relais	
20517s3wq2-Ms	REGULATOR
Dpd1t-M3ss Sensor Differenzdruck	
Xt-R12-Lm1100	

Bps3-4-G-V-M-6000p	
D1t-M	
625t4-07-Z23	
0403-069 E1h-H15-P6	
E1h-H250	
20495s6wq2	REGULATOR
0713-356.8	
Bps31gvm0400b El. Druckschalter400b/2sp/G1/4e/E	
Bfs-30-O 35	
0417-076	
0113-182	
0303-029	
B1t-M-48-Ss-Cs	
0713-356.11	
B2s H48ss	
100-3600psi	
Mlih-H202	
205p6wc3-Ms	VALVE
4141r9wc3-Mc-Ms	VALVE
Vm5 C.O 33/00	
0428-281	
422s3ws2a1	
E1h-H90-P6-Plst	
Ct08-100	
0431-844	
0713-356.5	
0423-140 Manometer Barksdale Uds3v3	
0417-097	
Obsolete 0428-131 Replaced By Bps32gvm0400b	

0401-224 D1t M80 Ss	
96201-Bb1ss-T2-V-Z17	
205p6wc3-Ms-Z13	VALVE
96211-Bb5t2-V-Z17	
Vm2 C.O 25/00	
Bna-S32-Dn25-1700	
0417-024	
0711-257.4	
4143r9wc3	VALVE
R231000005bd	
0631-014 Sensor Utf2/-40+150c/Pt100 G1/4e/M12/E/17	
Gk03	
Bps32gvm0010b	
96211-Bb5ss-T2-V-Z17	
Fs6	
0409-055 Druckschalter X1t-4102-40- Ge42	
0403-126 Druckschalter Barksdale E1h- H90-P4	
Xt-R12	
0401-432 D2t-M80ss-St3	
143r3ac3-Z13	VALVE
0713-357.1	
Uns2000-Va/T2npt-Kls Bn30-L1/3-Vv Lo300 - Oem Product	
B1t-Gh 65 Ss	
0401-224 D1t-M80ss	
B2s-H32ss	
145p3ao3	VALVE
Dpd1t-M3ss	0402-061 DPD1T-M3SS pressure switch Customs fee number. 90262080 Country of origin: Germany 1,51019 kg per unit
4141r9wq3	VALVE

420-H2-07-A-P4	
20415s3wq2-1-Ms	REGULATOR
0431-010	
Hd1h-H3-C	
Bna-S32-Dn25-1700/1-Va50/10-Ma	
Bfs-30-O-G1-Ms-No-St 0713-273 Durchflusssensoren	
0414-058	
96211-Bb3ss-T2-V-Z17	
4142r9wo3-Ms	VALVE
625h4-13-P9	
0401-388 D2t-M150ss	S/N: K320213.1/001
Mt1h-H-251-S-A-UI	
E1h-R90	
B1t-Gh 12 Ss	
X1t-4000-25ge262	
96211-Bb5ss-T1-V-Z17	
0631-017 Temperatursensor Utf 3 Pt100 -40 +150	
Bna-S32-Dn25-1700/1-Va50/10/Ma	
96201-Bb5t2-V-Z17	
Uds3v3/50bar/4-20ma	Art Nr. 0423-119 El. Druckschalter
3765m3wq3	VALVE
Klm-025-M4-St0-1 Oem	
Lvef201s	
Bps342em0400bp	400b/420-2/G1/2F/E El. pressure switch
145p3wc3-Z15	VALVE
Bna-S22-Dn20/16-Va30/02-Ma Lm1500+4gk03+xt-R12	
20517s3wq2-1	REGULATOR
0427-183	TRANSDUCERTYPE UDS7

205r6wc3-Ms	VALVE
9045r0ac3	
96221-Bb1t2-V-Z17	
Uas-3-5-5-UI	
0431-082 Obsolete , Alternative Is 0431-093	
D1t-A80ss	
?1?-?48ss Druckschalter 23-340bar	
0403-059 Druckschalter Barksdale E1h- H15-P4	
96211-Bb4ss-T2-V-Z17	
Typ 107	
0613-025	
Sw2000/10b/2sp/G1/4e/F	
B1t-M12ss	
Xt-R12-Lm700	
Ct58-050e-0	
0111-507	
4141r9wo3	VALVE
4143r9wo3	VALVE
Msps-Xx100-Q96	
Bps33gem0400bp	
96211-Bb3ss-T1-V-Z17	
Bts31gvm0300m1 0+100c/2sp/G1/4er/V/300 El. Temperaturschalter	
0403-076 (E1h-H15-P7)	
Bps3000-4-G-V-M12-0050p-P Flammenmelder	
9012	
145r3wc3-Z13	VALVE
20415s3wq2-Ms	REGULATOR
Dpdit-M3ss 2 700mbar Relais	

Sw2000	
4141r9wo3-O	VALVE
Uns1000- Ms 0112-729	
D1h	
0401-189	
96201-Bb2ss-T1-V-Z17	
Uns-Pa16-Pa18	
0414-081	
96211-Bb6ss-T1-V-Z17	
D1t - M 150 Ss	
401-189	D1T-M150SS Druckschalter
0111-751	UNS-ABS-Horizontal ABS/PP/ NO/NC
0417-017 8211-PI1-B Druckschalter	
96201-Bb5ss-T1-V-Z17	
96201-Bb1ss-T1-V-Z17	
4141r9wq3-Ms	VALVE
D1t-Gm 3ss	
Bps34gvm0400bp	
0405-250 B2t-Gh48ss Druckschalter	
20495s6wq2-Ms	REGULATOR
96201-Bb2t2-V-Z17	
20313s6wq2-Ms	REGULATOR
0113-182 Uns2000-Spezial	
81c1-PI1-B-UI	
Bfs-10-N	
B1t-M04ss	
8141-PL1-B Pressure Switch	Barksdale-Nr.: 0417-014 Ekomat-Nr.: 04-00260 AC: 250V 2,0A DC: 250V 0,2A Measuring range: 5...180 bar Overload: 600 bars
Klm-025-M4-St0-1 8,5 Oem	
Mt1h-251	

0417-015	
0401-388 D2t-M150ss Einstellbereich : 0,5 ... 10,3 Bar	
Bps342fm0040bpq6 Sensor 40b/420- 2/G1/2f/Ff Q6	
Bfs-30-O-E	
B2t-H48ss Ref. 0405-289	
0409-031 X1t-4100-25	
D1x-H80ss-Ex Druckschalter	
Bfs-30-O-G1-Ss-We-St	
371mt75-Kit	VALVE
Use3000	
96201-Bb1t2-V-Z17	
Bts31gvm0300m1	
Hd1h-H1-C	
0417-054 8241-PI1-B-Exi Druckschalter	
0401-083 D1t B10,B20,B40 (- 16f2, - 17f2)	
Ts2000212bg2	
96201-Bb2-T2	
Sw2000/20b/2sp/G1/2fr	
B1tm48ss	
Mt1h-H251	
20597s6wq2-Ms	REGULATOR
0113-152	
0403-126 Druckschalter Barksdale E1h- H90-P4-0.80...6.0 Bar, 0403-126	
Bna-S22-Dn20-1200-Xt	
0402-048 Dpd1t-H3ss Druckschalter	
K014120?	
0401-432 Pressure Switch	
Ct58-050-Oe	
Cu58-002	

B2t-A48ss-P5	
Bps3-6000p	
0401-416 D2t-M80ss Sensor	
0403-455 Type: E1h-H500-P6-T-Exi Artikel Ist Inaktiv Und Kann Nicht Mehr Geliefert Werden	
0428 - 131	
20597s6wq2-1	REGULATOR
Bna-S22-Dn20-1200-2gk03	
T1x-H251s-A-Ex	
0003-033 Signalwandler Barksdale Uas3	
420-H3-07-P5	
0112-980 Uns1000-Pvc/1/8-Amp Pvc25- L1/1-Dr Lo136	
0113-182 / Uns2000 Electrical Rating: Uns2000 Special, 230v, Existing Serial Number: K416625.1/30	
0417-016	
Bna-S32-Dn25-2000/1-Va50/10-Ma- 3gk03-Xti	
0303033	
Klm-040-M4-S1-1 31 Bar Oem	
Gk-03(Ex, Gk-01)	
0403-142	E1H-H90-P6-PLS pressure switch AC: 250V 10A DC: 24V 0.5A Measuring range: 0.80 ... 6.0 bar Overload: 30 bar
96211-Bb3t2-N-Z17	
Bps342vm0050bp	
Xt-K-200-G1-S1	
Bps3-4-G-V-M-3000p	
0713-356.3	
T2h-M154s-A	
Uns1000-Bn18	
0401-136 D1t-H18ss Druckschalter	
96211-Bb6ss-T2-V-Z17	

711-341.1	
0402-097 Dpd2t-M150ss	
20517s3wq2	REGULATOR
0401-136 Sensor D1t-H18ss	
Upai-040	