

Bd Sensors

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Bd Sensors Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Bd Sensors Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Dmk 331-250-4002-1-5-100-100-1-1-2-000	112683 Pressure transmitter DMK 331 -250 Measured variable: relative -1002 Input: 0 ... 40 bar -1 output: 4 ... 20 mA / 2-wire -5 accuracy: 0.5% -100 Electrical connection: plug and Cable socket ISO 4400 -100 mechanical connection: G1 / 2 " DIN 3852 -1 seal: FKM -1 Pressure connection: stainless steel 1.4404 -2 separation membrane: ceramic Al2O3 96% -000 special version: standard
DMD331 20MBAR	
DMK-3CSA-30	PULSE CONTROLLER
26.600G	OEM pressure transmitter 26.600G Code: 26.600 G-2502-R-1-5-100-300-1-000 0 ... 25bar 4 ... 20 mA
OEM pressure transmitter 26.600G	Code: 26.600 G-2502-R-1-5-100-300-1-000
18.605G-1001-M-1-5-1-006-300-1-000	Submersible OEM pressure transmitter 18.605G
18.605G, inkl. 20m PVC-Kabel	

26.600 G-D025-R-1-5-100-H00-1-582	
110-1602-1S-3-100-200-1-000	Pressure transmitter DMP 331, 0 ... 16 bar
110-S050-1-5-100-200-1-000	Pressure transmitter DMP 331, -50 ... 50 mbar
110-1000-1-5-100-200-3-000	Pressure transmitter DMP 33
DMP 331	Edelstahlsensor 4-20mA
PRESSURE TRANSMITTER	DMP 333, Type: 0-5 Mpa / 4-20 mA (Thread: M20x1.5mm)
110-2502-E-3-100-F00-1-000	Pressure transmitter DMP 331 Device type: DX19-DMP 331 Measurement: relative Code input: 0...25 bar Electrical output: 4...20 mA/2-wire Ex Accuracy: 0.35% FSO IEC Electrical connection: plug and socket ISO 4400 Mechanical connection: G1/2" DIN 3852 flush Gasket: FKM Special version: standard
Pressure transmitter DMP 331	111-1001-3-3-100-100-1-000 feature label Device type DMP 331 Measurement absolute Code input 0... 1 bar Electrical output 0... 10 V/3-wire Accuracy 0.35% FSO IEC Electrical connection plug and socket ISO 4400 Mechanical connection G1/2" DIN 3852 Gasket FKM Special version standard CODE-1 111-1001-3-3-100-100-1-000
OEM pressure transmitter 26,600G	Code: 26.600 G-1003-R-1-5-100-300-1-000
OEM pressure transmitter 26,600G	Code: 26.600 G-1603-R-1-5-100-300-1-000
0-10 Bar, 4-20 mA, 2	Wired, 24 VDC, With Diaphragm (Not Perforated) G¼ Connected, Diaphragm (Perforated) Not
18.605-1001-M-1-5-1-006-300-1-000	Submersible OEM pressure transmitter 18.605G
18.605-1001-M-1-5-1-012-300-1-000	Submersible OEM pressure transmitter 18.605G
343-B-1-I-CR-L-AL-AK0-N20-0-N20-0-12-11-1-000	Differential pressure transmitter DPT 200 / set to 0 ... 5 mbar
Code: 430-1000-1-1-1-1-100-1-000	Screw-in probe LMP 331
285-2000-1-3-100-L00-1-B-C-000	DMK 387
30.600TL	
Code: 110-D643-1S-5-100-100-1-000	pressure transmitter DMP 331
OEM-Druckmessumformer 18.601G	Code: 18.601G-1001-R-1-5-100-300-1-000
DMP331	
DMK331P	
DMK331 1/2 4-20mA 0-25 bar	
DX19-DMP 331	pressure sensor
30600G 1602R 18TN03002100	0-16 BAR 2WIRE 4-20mA PVC CABLE G 1/4 DIN 3852 THREADED PRESSURE TRANSMITTER
TTR 4 SHOCK ABSORBER	

116844	26.600G-1001-A-3-5-M2H-Z37-1-000 Pressure transmitter 26,600G -1001 Inlet: 0...1.0 bar -A Measured quantity: absolute -3 Output: 0...10 V / 3-wire -5 Accuracy: 0.5% FSO - M2H Electrical connection: M12x1 connector (brass) Special PIN assignment -Z37 Mechanical connection: G1/8" DIN 3852 -1 Seal: FKM -000 Special version: Standard
Dmp 331 Code: 110-1002-1-2-100-800-1-000	
Dmp331 110-4000-3-3-M00-300-1-000	
768-B200-K-1-2-1-1-4-2-005-000	
46.607-3502-2-Tr0-055	
780-1603-1-2-3-N11-500-3-000	
591-1002-E-5-Tr3-100-1-1-2-000	
Bp.66.1f11c40151	
Dmp 333 Code: 130-1003-E-3-100-C00-1-006	
Dmp 331 110-2502-1-2-100-800-1-000	
470-S010-E-8-M00-M00-1-1-2-000	
Bd Sensors P/N 17.600g-4002-R-1-5-100-300p-000	
26.600g-4001-R-1-5-100-200-1-000	
105013	DMP 331-110-2502-1-2-100-800-1-000 Pressure transmitter DMP 331 -110 Measurement quantity: relative -2502 Inlet: 0...25 bar -1 Output: 4..20 mA / 2-wire -2 Accuracy: 0.25% FSO IEC -100 Electrical connection: Plug and cable socket ISO 4400 -800 Mechanical connection: M20x1.5 EN 837 -1 Seal: FKM -000 Standard
782-4000-1-1-5-N01-F00-1-1-2-000	
Code: 110-M400-3-3-M10-F00-1-000	
Dmp 331 Code: 111-1601-E-3-100-C00-1-006	
30.600 G	
Code: 17.600 G-4002-R-1-5-100-300-P-000	
Dmp 331 Code: 110-D733-1-5-100-F00-1-000	
Lmp 307	
Dmp 333 130-4003-1-3-100-300-5-000	
600-6001-1-3-G10-200-1-000	

130-6003-1-2-100-800-5-000
Dmp 333 Code: 130-1003-E-3-100-C00-1-000
Dmp331ul
Dps 300
26.600g-1002-R-1-5-100-200-1-000
18.601 G-1601-R-1-5-100-300-3-000
Code: 250-2003-37-5-210-P00-1-1-2-008
Code: 441-2500-1-1-1-1-1-5-010-000
768-D243-K-1-2-1-3-4-2-005-000
Dmp331 Code:110-1000-1-5-100-F00-1-000
Dmp 334
Dmp 331 110-6001-3-5-100-300-1-000
Dmp-331 110-1600-1-5-100-100-1-000
250-2503-1-5-Tr0-400-1-1-2-000 Dmk 331
Lmk 458
250-4003-3-5-100-700-5-1-2-000
Code: 18.601g-1000-R-1-8-100-300-1-000
Dmp343 100-S250-E-3-M10-300-1-000
Code: 500-2501-1-3-100-C61-1-0-2-000
Code: 100-4000-1-5-100-300-1-000
Ds 201 782-X102-0-2-5-N01-H00-1-B-2-000
Code: 18.600g-V502-R-1-5-100-400-1-000
110-1002-3-3-M00-300-1-000
Cdmp34340
110-2500-E-5-100-F00-1-000
Code: 18.601g-1600-R-1-8-100-300-1-000
Dmp 331 110-1002-1-2-100-800-1-000
Pressure transmitter 18.605G -4000 input: 0.4 bar -B

18.605g-4000-M-1-5-1-006-300-1-000	Measurand: bar -1 output: 4 ... 20 mA / 2-wire -5 Accuracy: 0.5% FSO -1 Electrical connection: PVC cable -006 Cable length: 6 m -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM -000 special versions: standard
130-1603-1-5-10-3-5-000 Transmitter	
Dmk 331 250-V152-1-5-100-F00-1-1-2-000	
Dmp 333 Code: 130-6003-1-2-100-800-5-000	
Kalibrierschein Ilac-Mra	
Dmp 331 Code: 110-M400-3-5-M00-300-1-000	
26.600g-1001-R-1-5-100-300-1-000	Pressure transmitter 26.600G -1001 input: 1.0 bar -R measured value: relative -1 output: 4 ... 20mA / 2-wire -5 accuracy: 0.5% FSO -100 electrical connection: Plug and cable socket ISO 4400 -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM -000 standard
Dmp 333 Code: 130-1003-1-2-100-800-5-000	
Dmp 333 / 130-1603-1-3-100-N40-1-000	
26.600 G-1002-R-1-5-M00-300-1-000	
130-2503-3-3-100-100-5-000	
Dmp 331-110-4000-1-3-100-100-1-000	Please note the FKM seal! Pressure transmitter DMP 331 -110 Measured variable: relative -4000 input: 0 ... 0.4 bar -1 output: 4 ... 20 mA / 2-wire -3 accuracy: 0.35% -100 Electrical connection: Plug and Cable socket ISO 4400 -100 mechanical connection: G1 / 2 "DIN3852 -1 seal: FKM -000 Special version: Standard
457601-D290-1-3-Tr1-F00-1-000	
68-D049-K-1-2-1-1-4-2-006-000	
Pac?99x ? Ps32 / Usb / Ui4 / Ui4 / Ui4 ? 005 ? N1	
Dmp 333 130-6003-1-2-100-800-5-000	
Code: 100-0600-1-5-100-400-1-000	
Dmp 457 Code: 600-6001-1-3-G10-200-1-000	
Pac?141x ? Ps32 / Usb / E / E / Ui4 ? 005 ? N1	
Dmp 343 (0 ... 300 Mbar)	
26.600 G-2502-R-1-5-100-300-1-000 / Din 3852	

Code: 100-4000-1-5-100-400-1-000	
Dmp331-111-2502-1 R-100-100-1000	
850-1-1-100-1-N-000	
26.600 G-1002-R-4-5-100-300-1-000	
18.601	
Dmp 331 Code: 110-4001-E-3-100-C00-1-006	
110 2502 1 2 100 800 1 000	
18.605g-1001-M-1-5-1-012-300-1-000	-1001 input: 10 mH2O -M measurand: mH2O -1 output: 4 ... 20 mA / 2-wire -5 Accuracy: 0.5% FSO -1 Electrical connection: PVC cable -012 Cable length: 12 m -300 Mechanical connection: G1 / 4 "DIN 3852 -1 seal: FKM -000 special versions: standard
130 6003 1 2 100 800 5 000	
Dmp 331 Code: 110-1002-E-3-100-C00-1-006	
Dmp331 110-6000-1-3-100-F00-1-000	
Dmp 331 Code: 110-6001-3-3-M00-300-1-000	
Dmp 333 Code: 130-1603-1-2-100-800-5-000	
Dmk 351p	
26.600g-6001-R-3-5-C10-N40-1-000	
Dmp 331 Code: 110-1602-1-3-100-F00-1-000	
111-1002-3-3-M00-300-1-000	
Dmp 331 110-D095-1-5- M00-300-1-000	
110-M400-3-3-M00-F00-1-000	
30.600 30.600-4002-R-1-E-M10-300-1-1-000	
Dmp 331 Code: 110-2502-E-3-100-C00-1-006	
Dmp 333 130-4003-1-3-100-N40-5-000	
Bp.66.1f11c?0151	
Lmk-809	
30.600g-1002-R-1-8-100-300-2-1-000	
26.60 C	

026872644	BD SENSOR 500-S300-E-5-100-Z30-1-1-2-000
Dmp 331 Code: 110-1002-E-3-100-C00-1-002	
110 1002 1 2 100 800 1 000	
Code: 600-V502-E-3-G10-100-1-000	
Dmp 331.	
601-D290-1-3-Tr1-F00-1-000	
Lmp 308	
110-2502-1-2-100-800-1-000	
110-4000-1-5-100-100-1-000	
Dmp 457	
Ds 201p	
600-1603-1-2-880-100-1-000	
Dmp 331 Code (Aktualisiert): 111-1002-4-3-100-700-1-000	
Pa 430	
Dmp331 -500 2500 2 3 9 999 1 09 999	
Lmk 458 768-D049-K-1-2-1-3-4-2-025-000	
Lmp 308i	
Lmp 331	
600-2502-1-3-G10-100-1-000	
780-6002-1-2-3-N11-500-3-000	
Dmp 331 Code: 110-1002-E-3-100-C00-1-022	
Dmp 343 (0 ... 100 Mbar)	
470-Z030-1-3-100-M00-1-1-2-000	
600-6002-1-2-880-100-1-000	
Ds 200.	
-Druckmessumformer 26.600 G	
Dmd331	
130 1603 1 2 100 800 5 000	
Dmp 333 130-2503-1-2-100-800-5-000	

130-4502-2-3-M00-D15-5-520
Pac?99x ? Ps32 / Usb / E / E / Ui4 ? 005 ? N1
590-V602-E-5-Tr3-100-1-1-2-000
Pac?141x ? Ps32 / Usb / Ui4 / Ui4 / Ui4 ? 005 ? N1
Dmp-343 Code: 100-S025-3-5-100-300-1-000
Dmp343 Code: 100-S050-3-5-100-300-1-000
Dmd 331 Code: 730-F-1000-N-5-100-800-1-000
Dmp 333 /130-6002-2-3-M00-D15-5-520 (Special Version)
Dmp 331 Code - 110-1001-E-3-850-100-1-000
500-1002-1-2-100-C61-1-0-1-000
Dmp 331 Code: 110-4000-3-3-M00-300-1-000
Dmp 331 Code: 110-1602-E-3-100-C00-1-000
46.606-4002-2-Tr0-000
110-1500-1-5-100-F00-1-000
Dmd 331 Code: 730-F-0400-N-5-100-800-1-000
Dmd 331 730-F-0200-1-8-100-200-1-000
Dmp 343 100-S050-3-5-100-300-1-000
130-1603-1-2-100-800-5-000
Tescom 26.1000 Series (26.10.6.1.4.4)
Dmp 333 Code: 130-2503-1-2-100-800-5-000
26.600g-1003-R-1-5-100-R40-1-000
78r-2503-0-1-G-N01-300-1-000 Ds 230
130-1003-1-2-100-800-5-000
Dmp 331 110-M160-3-5-100-300-1-000
130-2503-1-2-100-800-5-000
30.600-1002-R-1-8-100-300-1-1000 -

26.600 G-1002-R-1-5-100-300-1-000
Code: 592-3150-1-5-Tr3-100-1-1-2-000
Lmk458-768-D290-K-1-2-1-3-4-2-025-000
730-D-2501-1-5-100-200-1-000
Dmd 331/ Code 730-D-1001-1-8-100-200-1-000
100-S050-E-5-M10-300-1-000
110-1002-1-2-100-800-1-000
Dmp 331-110-M160-3-5-M00-300-1-000
Dmp 331 Code: 110-4002-E-3-100-C00-1-006
26.600 G-1602-R-1-5-100-300-1-070
Dmp 333 130-1003-1-2-100-800-5-000
Dmp 333 130-1603-1-2-100-800-5-000
111 1002 3 3 M00 300 1 000
210-1503-1-5-100-N40-2-008
30600 Not Available In Single Pieces, 26.600g-1003-R-1-5-100-R40-1-000
Ds 200 Code: 780-6001-E-1-3-100-C00-1-000
600-1002-1-2-880-100-1-000
Code: 295-0400-1-3-100-M00-1-1-2-000
Baroli 05
Dmp 331 Code: 110-6001-E-3-100-C00-1-006
100-S250-E-5-M10-300-1-000
Lmk 458 Code: 766-1001-K-1-2-1-1-2-2-015-000
Dmd 331 Code: 730-D-4001-N-5-100-800-1-000
Ss316/Aaga-08
110 1002 3 3 M00 300 1 000
600-2503-1-2-880-100-1-000
600-4003-1-2-880-100-1-000
Lmp 305

[600-2000-E-5-Tr0-H00-1-000](#)

[Model: 30600 Not Available In Single
Pieces, 26.600g-1003-R-1-5-100-R40-1-
000](#)

[110-M400-3-5-M00-F00 - 1-000](#)

[26.600 G-1002-R-1-5-100-300-1-000](#)