

Bekomat

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Bekomat** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Bekomat Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
2000067-	XEKA13101 Wear parts set for BEKOMAT 13, 13 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - core, spring, membrane, O-rings
31 EDD 602-04	
BEKOMAT 33U P stand-alone.	4024393 Condensate drain, Diaphragm material: FKM, Low voltage 100-125Vdc / 95-240Vac, OL Canopy color: dark gray, C1-blu, L10 Receiving container: gray / blue Valve: gray Design shell: light gray Condensate inlet G (Replaces material 4012820) Customs fee number. 84818099 Country of origin DE
BEKOMAT 33U P with EU cable and plug	
4024381 BEKOMAT 31U N stand-alone	steam trap, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: grey Inlet adapter G horizontal (Replaces material 4009548) Customs fee number. 84818099 Country of origin DE Weight 3,330KG REACH: Yes
BEKOMAT 12 CO PN63	KA12P10A0 2000020 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE
BEKOMAT 12 CO PN63	KA12P10A0 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar
2000021	KA13A10A0 BEKOMAT 13 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 16 bar Customs fee number.

	84818099 Country of origin DE Weight 4,680 KG REACH: Yes *
2000020	KA12P10A0 BEKOMAT 12 CO PN63 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE Weight 1.190 KG REACH: Yes *
KA13A10A0	BEKOMAT 13 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. Pressure: 16 bar
4024381 BEKOMAT 31U N stand-alone	steam trap, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: grey Inlet adapter G horizontal (Replaces material 4009548)
BEKOMAT 32U P stand-alone	4024387 Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE Weight 1,260KG REACH: Yes*
4025041	CONDENSATE TRAIN BEKOMAT 32U V standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L00 Design shell: light grey Inlet adapter G horizontal Customs fee number. 84818099 Country of origin DE Weight 2,520KG
2000023	BEKOMAT 14 condensate drain, 230Vac
BEKOMAT 32U P	4024387 BEKOMAT 32UP standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE
KA13A10A0	BEKOMAT 13 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 4,680KG REACH: Yes*
4046204	BEKOMAT 12 condensate drain with cable and EU Schuko plug, 230Vac
BEKOMAT 12	KA12A10A0 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 1,100KG REACH: Yes*
4027642	BEKOMAT 32U Vario IF built-in, Diaphragm material: FKM Low voltage 24Vdc, WA Hood color: blue, C1-blue, L00 Interface BEKOMAT Condensate inlet G with multi-standard cable and Angle socket 90° - Replacement model for material 4014700-
XEKA12012	2000756 "Power supply" board 24 Vdc for BEKOMAT 12 - 16
4047971	"Control" circuit board for BEKOMAT 12 Oil matched incl. external test including power-on-drain
KA12A60A6	4004440 BEKOMAT 12 condensate drain Diaphragm material: FKM Power supply: 24VDC, OL O-rings: NBR Hood color: blue, L35 Condensate inlet: NPT Max pressure: 16 bar
4001841	KA20KC0A0 BEKOMAT 20 N CONDENSATE TRAIN Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
BEKOMAT 32U	BEKOMAT 32U P stand-alone Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626) Customs fee number. 84818099 Country of origin DE Weight 1,260KG REACH: Yes*
	BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate

KA12P10A0	inlet: G Max pressure: 63 bar Customs fee number. 84818099 Country of origin DE Weight 4,760KG REACH: Yes*
BEKOMAT 13 KA13A10A0	Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar Customs fee number. 84818099 Country of origin DE Weight 7,020KG REACH: Yes*
XEKA13101	SPARE PART Wear part set for BEKOMAT 13, 13 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - Core, spring, diaphragm, O-rings Customs fee number. 84819000 Country of origin IT
KA12C10A0	BEKOMAT 12 CO condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
KA12A10A0	2000018 BEKOMAT 12 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
4024387-	Steam trap BEKOMAT 32 U, 230 Vac
2000020	KA12P10A0 BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 63 bar
4004010	KA20M1DAR BEKOMAT 20 VARIO CONDENSATE TRAIN Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G with connection for external test with potential-free alarm contact (only for OEM and CLEARPOINT application) Max pressure: 16 bar
4004332	M015WWC CLEARPOINT M015 water separator Size 120, length 360mm, G1½ without arrester
2000020	Steam trap BEKOMAT 12 CO PN63, 230Vac
KA20M1DAR	
BEKOMAT 12 CO PN63	
BEKOMAT KA20M1DAR	
M015WWC	
Beko - Bekomat 4024387	compressor air tank water drain valve
2000165	KA14A60A0 BEKOMAT 14 condensate drain Diaphragm material: FKM Power supply: 24VDC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
2000024	KA14C10A0 BEKOMAT 14 CO condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 16 bar
DIAPHRAGM #MBM43-18CFW9	
DIAPHRAGM #MBM43-18CFW7	
DRAINER MACHINE #BM6COLA	
BEKOMAT 13 CO PN50	KA13N10AT condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 50 bar
4045949	BEKOMAT 15 CO VACUUM condensate drain Diaphragm material: FKM 230VAC, OL, hard-coated Hood color: blue, L10 Condensate inlet: G Minimum pressure: 0.1 bar(a) Max. pressure: 1.8 bar(a)
BEKOMAT 13	KA13A10A0 BEKOMAT 13 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10

	Condensate inlet: G Max pressure: 16 bar
2000020	KA12P10A0 BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max pressure: 63 bar
2002666	KA12P10W0 BEKOMAT 12 CO PN63 condensate drain Membrane material: FKM Power supply: 230VAC, WA O-rings: NBR Hood color: blue, L00 Condensate inlet: G Max. pressure: 63 bar
BEKOMAT 20 FM	4003051 Condensate Drain Diaphragm material: FKM Voltage: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G with filter management with connection for external test with potential-free alarm contact Max pressure: 16 bar
BEKOMAT 32U V	CONDENSATE TRAIN BEKOMAT 32U V standalone, Diaphragm material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light grey Inlet adapter G horizontal Customs fee number. 84818099 Country of origin DE
KA13N10AP	BEKOMAT 13 CO PN40 Steam trap 2001287 Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 40 bar
2000025	KA16C10Z0 BEKOMAT 16 CO Steam trap Membrane material: FKM Power supply: 230VAC, WA O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
2000024	KA14C10A0 BEKOMAT 14 CO Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
KA13A10A0 (2000021)	BEKOMAT 13 Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
4024381	31U N stand alone, steam trap, Membrane material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: gray Inlet adapter G horizontal (Replaces material 4009548)
2000019	KA12C10A0 BEKOMAT 12 CO Steam trap Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
4024387	BEKOMAT 32U P stand-alone, Membrane material: FKM, Low voltage 100-125Vdc/95-240Vac, OL Hood color: blu, C1-blu, L10 Design shell: light gray Inlet adapter G horizontal (Replaces material 4009626)
4024381	BEKOMAT 31U N stand-alone, condensate drain, diaphragm material: FKM, low voltage 100-125Vdc/95-240Vac, OL hood color: blue, C1-blue, L10 design shell: gray inlet adapter G horizontal (replaces material 4009548)
2000067	XEKA13101 Wearing parts set for BEKOMAT 13, 13 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - core, spring, membrane, O-rings
2000020	KA12P10A0 BEKOMAT 12 CO PN63 Condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 63 bar
KA14A10A0	BEKOMAT 14 Condensate drain Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
BM13	
BM14	
2000023 - Condensate drain BEKOMAT 14, 230Vac	

Steam trap BEKOMAT 14 CO, 230Va	
Spare part BEKOMAT 14, 14 CO wear part set	
2000154	KA12P60A0 BEKOMAT 12 CO PN63 condensate drain Membrane material: FKM Power supply: 24VDC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 63 bar
2000748	XEKA12301 Wear parts set for BEKOMAT 12 CO PN 63 Membranes in FKM and seals in FKM - Core, spring, FKM membrane, O-rings
2000749	XEKA12304 Sealing kit for BEKOMAT 12 CO PN 63
2000054	XEKA12302 Valve attachments for BEKOMAT 12 CO PN 63
4027848	Valve unit complete for BEKOMAT 12 CO PN63 M5 version
2000756	XEKA12012 Board "Power supply" 24 Vdc for BEKOMAT 12 - 16
KA14C10A0	BEKOMAT 14 CO condensate drain Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
2000731	XEKA14101 Wear parts set for BEKOMAT 14, 14 CO Diaphragm in FKM and seals in NBR up to 16 bar(g) - core, spring, membrane, O-rings SPARE PART
2001287	KA13N10AP BEKOMAT 13 CO PN40 condensate drain Membrane material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 40 bar
4024381 -	BEKOMAT 31U N stand-alone, condensate drains, Membrane material: FKM, Low voltage 100-240 VAC, OL Hood color: blu, C1-blu, L10 design bowl: gray inlet adapter G horizontal (Replaces material 4009548)
BEKOMAT 13 CO PN40	2001287 KA13N10AP condensate drain Diaphragm material: FKM Power supply: 230VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 40 bar
BM 112 CO PN63	230V / 60 Hz 1,2/63 bar - 18-913psig
4025221	BEKOMAT 32U P stand-alone, Diaphragm material: FKM, Low voltage 18-72Vdc/24-48Vac, OL Hood color: blue, C1-blue, L10 Design shell: light grey Inlet adapter G horizontal
BM 13CO PN40	Drain solenoid
CONDENSATE SEPARATOR BEKOMAT12 CO PN 63 036268	
2000019 KA12C10A0 Condensate Drain	
BM12COPN63 1,2 BAR/63	
8.0712.0 0.8BAR/16 BAR 12-230PSIG	
BM14COPN25 1,2/ 25bar	
BM14CO 0,8/ 16bar	
KA12P20A0	BEKOMAT 12 CO PN63 condensate drain Diaphragm material: FKM Power supply: 115VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 63 bar REACH: Yes*
2000748 - Spare part BEKOMAT 12 wear part set CO PN63	
8.2449.2 - KIT Maintenance ECO-DRAIN 12/12 CO	

2002556 - Spare part BEKOMAT 14 CO PN 25 wear part set	
2000731 - Spare part BEKOMAT 14, 14 CO wear parts set	
12COPN63 30Bar	DN16
drain 32U, 95-240 Vac4009626 UFMD05	
BM 12CO PN63	Drain Solenoid
4024387	BEKOMAT 32U P stand-alone, Membrane material: FKM, Low voltage 100-240 VAC, OL Hood color: blue, C1-blue, L10 Design shell: light grey Inlet adapter G horizontal (Replaces material 4009626)
X4008845X100415	AIR DRYER PURGE VALVE 1/60 0C, 0,8/16 bar, Alu/POM 230VAC
2000126(KA12A6WZ0)	moisture detector
31U 95-240V AC	
MBM 43-18 CFW4 MA	SOLENOID VALVE DIAPHRAGM
8.0713.3 Kaeser	ECO-DRAIN 13 230VAC
8.0714.3 Kaeser	ECO-DRAIN 14 230VAC
2000021 Beko	BEKOMAT 13 condensate drain, 230Vac
2000023 Beko	BEKOMAT 14 condensate drain, 230Vac
2002699	Condensate drain BEKOMAT 13 CO PN50, 230 Vac
2000439 XEKA00019	DİAPHRAGM SET
BM 13 OTO	**Condensate drain device**
2000439	XEKA00019 SPARE PART Membranes 3-pack (FKM) for BEKOMAT 03, 06, 13, 14, 16 (all) for special applications and High pressure
2000158	BEKOMAT 13, 24VAC condensate drain
Condensate drain BEKOMAT 12, 24 VAC	BEKOMAT 12 Condensate drain Membrane material: FKM Power supply: 24VAC, OL O-rings: NBR Cover color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
BEKOMAT 13 OL 24Vac V00	Condensate drain Membrane material: FKM Power supply: 24VAC, OL O-rings: NBR Hood color: blue, L10 Condensate inlet: G Max. pressure: 16 bar
MBM 26-20	XEKA12101 Wear parts kit for BEKOMAT 12, 12 CO Membrane in FKM and seals in NBR up to 16 bar(g) - Core, spring, FKM membrane, O-rings SPARE PART
BEKOMAT 13 wearing parts set	Wear parts kit for BEKOMAT 13, 13 CO Membrane in FKM and seals in NBR up to 16 bar(g) - Core, spring, diaphragm, O-rings
Ka12p10a0	DRAIN BEKOMAT 12 CO Membrane material: FKM O-rings: NBR Voltage: 230VAC, OL Have color: blue, L10 Condensate inlet: G Max. Pressure: 63 bar Customs fee number. 84818099 Country of origin DE
Xeka13301	Wear part set for BEKOMAT 13 CO PN 25, 40, 50 Customs fee number. 84819000 Country of origin DE
Ka13n10ap	BEKOMAT 13 CO PN 40, 230Vac Zolltarifnr. 84818099 Ursprungsland DE