



Bermad

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Bermad Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Bermad T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
2-16-S-R	
Ir405 Model 2	12752520017
Basic Valve S.405	BERMAD 3" FLANSCH HYDRAULIC CONTROL SONST
Bermad 8 "	BERMAD 8 "pressure maintenance and pressure relief valve Series 423, flange DN200 ISO-16 Weight: 127 kg Customs tariff number: 84818079 Country of origin: Spain
Bermad 12 "	BERMAD 12 "pressure maintaining and pressure relief valve Series 423, flange DN300 ISO-16 Weight: 290 kg Customs tariff number: 84818079 Country of origin: Spain
71020-003050 Part#2	BERMAD MEMBRANE UNIT FOR 3 "VALVE S.400
71020-002020 Part#4	BERMAD SPRING FOR DIAPHRAGM UNIT 3 "VALVE P.400
71020-003040	BERMAD MEMBRANE UNIT FOR "SERIES 400" VALVE 2 "
CI 673CMP PATENTED	Angebot einmal Komplett einmal nur die Dichtung
DN250 Relief valve pilot (16 Bar / 3PB M-Yay)	
BERMAD 12"-16"R (400) NR	Reinforced Diaphragm with ductil Iron insert for Indicator / Flow Stem
SONST	BERMAD 3"IG Hydraulic Control Basic Valve Serie 105, PN10
BERMAD 3 "IG SOLENOID VALVE SERIES 110 24VAC	Single weight: 1.8 kg Customs tariff number: 84818079 Country of origin: Spain

SONST	BERMAD 4" FL SOLENOID CONTROLLED VALVE SERIE 110, 24V AC 4" CC DUCTILE IRON FLANGE
SONST	BERMAD WW 21/2" DN65 Level Control Valve Serie 450, ISO-16
AKTUATOR=DOGUS DVD800-1 / DN 250 MM	GENERATOR PRESSURE REDUCER 800 SERIES INTERIOR EQUIPMENT TAÇ PISTON TYPE ACTUATOR
GASKET=CLAP DOGUS DVD800-2 DN 2050 MM	GENERATOR PRESSURE REDUCER 800 SERIES INTERNAL VALVE GASKET
Felt =DISK DOGUS DVD800 RING 266.07X6.95	GENERATOR PRESSURE REDUCER 800 SERIES Disc Seal X Ring 266.07x6,95
BUSH = PISTON BEARING-DOGUS DVD800-4/DN 250	GENERATOR PRESSURE REDUCER 800 SERIES Piston Bearing Bushing
405 PN16 BSP-16	
71020-002600	BERMAD DIAPHRAGM FOR 2 "HYDRAULIC VALVE SERIES 200
71020-000690	
71020-3502X2	
730113-000767	
Q771-1,5	
Q771-2	
PC-20-P-2W	BERMAD PRESSURE REDUCING PILOT VALVE PLASTIC, PN10
PC-20-M-2W METALL, PN16	BERMAD PRESSURE REDUCING PILOT VALVE
SONST	BERMAD Turbo-IR-M Watermeter DN100 Flange ISO 10/16 Magnetic Register with Pulse 1m ³ + 0,1m ³
Model 42T	Pressure Reducer Valve, DN100, 365 psi/200 psi 26 ADET UL/FM Approved
E12339	ADOAH040MSS0005C04
PX9444	Pressure transmitter with ceramic measuring cell
PX9134	PA-020PRBN14-B-DVG/US/ /V
PA3224	PA-010-RBN14-A-ZVG/US/ /V
WW-6"835-55-Y-C-40-EB-4DC-NN-M	
WW-8"835-55-Y-C-40-EB-4DC-NN-M	Model 835-55-M
3" SERIE 405	BERMAD 3" HYDRAULIC CONTROL BASIC VALVE SERIE 405 ISO-16 FLANSCH DN80 WITHOUT SOLENOID
71000-000405	BERMAD 2" F HYDRAULIC CONTROL BASIC VALVE SERIES 405 - without attachment set -

191000412	
4" FL DN100 ISO-16	BERMAD Pressure Reducing Control Valve WW-4"-720-ES-SIGMA-P1-Y-C-16-EB-000-NN-INV-BEU
6" FL DN150 ISO-16	BERMAD Pressure Reducing Control Valve WW-6"-720-ES-SIGMA-P1-Y-C-16-EB-000-NN-INV-BEU
BERMAD 3-Way Positioning Pilot Valve	max. Setting 16 bar # X-R-16-G-R, BRASS
ASM2 13L15757 003	
ASM1 13L15965 005	
ASM0 13L15758 008	
ASM2 13L15756 006	
4" Deluge Valve	Technical specifications; Globe cast iron body, ANSI #150 flange connection, (3" to 12") UL approved, complete with manual release lever and solenoid valve. Solenoid: 220 VAC 50 Hz; Protection: Ex-proof / IP65
1½" Deluge Valve	Technical specifications Globe type cast iron body, ANSI #150 flange connection, complete with manual release lever and solenoid valve. Solenoid: 220 VAC 50 Hz; Protection: Ex-proof / IP65
71000-000405	BERMAD 2" IG HYDRAULIC CONTROL BASIC VALVE SERIE 405 - without attachment set -
BERMAD 3" Level Control Valve ISO-16	for Potable Water WW-3"-750-EN-SIGMA-60-P1-Y-C-16-EB-NN-IV
GATE VALVE Ø 200 (CASTING - PN 25 - GGG40)	
QUICK DISASSEMBLY - TELESCOPIC TYPE	Ø 200 (CASTING - PN 25 - GGG40)
STRAINER - Y TYPE Ø 200 (CASTING - PN 25 - GGG40)	
QUICK RELEASE VALVE Ø 200 - Pi = 23 Bar	(CASTING - PN 25 - GGG40)
44726937	BERMAD 4" FL BASIC CONTROL VALVE SERIES 405 FLANGE DN100, ISO-16
X-R- 16-G-R	
X- R- 16- Y-R	
Control valve 8" 200mm (Model IR423-55-RXZ6	
2" valve cover series 420	
BERMAD 1 1/2" IG HYDRAULIC CONTROL BASIC	SERIES 405 without attachments

3" DN80 PN 16 FLANGE CONNECTED 24VDC	CONTROLLED NO ENERGIZED OPEN SOLENOID VALVE
4" DN100 FN 16 FLANGE CONNECTED WW 720 PRESSURE	RELIEF VALVE
3" DN80 FN 16 FLANGE CONNECTED WW 720 PRESSURE	RELIEF VALVE
4" DN 100 FN 16 FLANGE CONNECTED WW 730 PRESSURE	RELIEF VALVE
gasket of control valve	Model IR-405 PN 16 BSP S/N 12752520128.
Alternatively :	71000-000405 BERMAD 2" IG HYDRAULIC CONTROL BASIC SERIES 405 without attachments
BERMAD 4" FL Pressure Reducing Valve Series 420	Flange ISO-16 Composite Reinforced Tubing & Brass Fittings
BERMAD 2 1/2"AG Hydraulic Control Basic Valve	SERIES 110
BERMAD 4" Pressure Reducing Control Valve	Flange ISO-16 , for Potable Water
BERMAD 6" Pressure Reducing Control Valve	Flange ISO-16 , for Potable Water
BERMAD 8" Pressure Reducing Control Valve	Flange ISO-16 , for Potable Water
BERMAD 10" Pressure Reducing Control Valve	Flange ISO-16 , for Potable Water
MAGNETIC COIL 12-50V DC / 3W BASE S-982	
MAGNETIC COIL 9-40V DC / 3W BASE S402	71000-021340
MAGNETIC COIL 3-WAY 9V DC NO TRIO	SERIE S-392T-3 71000-021341
1 1/2"	
UU-D-200/16 (E24)V-UF.V4-400U-3D	
DOUBLE CHAMBER	BACK FLUSHING, NR-AL52 DIAPHRAGM 60+5 SHORE
50mm check valve	
Gasket	
2" IG Hydraulic Control Basic Valve Seri 405	71000-000405
BERMAD 2" Level Control Valve ISO-16	for Potable Water Bermad Code: WW -2"-750-EN-SIGMA-66-P1-Y-C-16-EB-NN-I
BERMAD 2 1/2" Level Control Valve ISO-	for Potable Water Bermad Code: WW -2"-750-EN-SIGMA-66-

16	P1-Y-C-16-EB-NN-I
BERMAD 4" Level Control Valve ISO-16	for Potable Water Bermad Code: WW-2"-750-EN-SIGMA-66-P1-Y-C-16-EB-NN-I
20 "	
62364800	Measured 24.5 cm between two flanges
IR-350-AR	
71000-003600	BERMAD HYDR. CONTROL VALVE 2" STRAIGHT MOD. 205
71020-002600	BERMAD MEMBRANE FOR 11/2"-2" SOLENOID VALVE P.200 HYDRAULIC
Repair kit set	gasket
71020-003040	BERMAD DIAPHRAGM UNIT FOR "SERIES 400" VALVE 2"
WW-C70	
WW-16"-730-33R-Y-S-16-EV-NN34-E1NFnS (DN400 PN16)	
WW-16"-732-Y-S-16-EV-NN-E1NFnS (DN400 PN16)	
WW-8"-730-Y-S-16-EV-NN-E1NFnS (DN200 PN16)	
WW-6"-730-Y-S-16-EV-NN-E1NFnS (DN150 PN16)	
200 Serisi IR-3/4"-230	
10,1	NORMALLY CLOSED DN 100 (405 BASIC HYDRAULIC CONTROL VALVE PN10-16. BERMAD Normally closed BURKERT SOLENOID 24 V DC)
10,2	NORMALLY OPEN DN 100 (710 SOLENOID CONTROL VALVE PN10-16. BERMAD Normally open BURKERT SOLENOID 24 V DC)
10,3	NORMALLY CLOSED DN 50 (405 BASIC HYDRAULIC CONTROL VALVE PN10-16. BERMAD Normally closed BURKERT SOLENOID 24 V)
10,4	NORMALLY OPEN DN 80 (710 SOLENOID CONTROL VALVE PN10-16. BERMAD Normally open BURKERT SOLENOID 24 V DC)
100-3"L	
WMBM15016P M0S30	BERMAD Turbo BAR-M Water Meter DN150 ISO 16 EV 0.1m ³
WSTSB type flowmeter	size 4 inches, DN100, 48VDC, pulse output
Flowmeter WST 80 SB BERMAD-Dn80-48Vdc	

Torbo-Bar Flowmeter Model WPH	Size Dn150
Diaphragm valve PE	size 3 inch 100-3"L
Diaphragm valve PVC - EPDM	(25mm - PN 10)
Diaphragm valve PVC - EPDM	(50mm - PN 10)
Diaphragm valve PE	size 1 1/2 inch- With bobin 24 VDC- 130 mA- 2.2 wat
SAFETY VALVE DN200 PN25 RELIEF	
S-390-2-R	
Type D075hs	
Mod. "10 T " ; Pn10 Bd	
Elastomeric Kit For 8" 700 Valve	
" ; Pn 16	
7712940064691	
Pc-30-A-G	
Dn 100-300 Psi	
" ; 600	
S98s-3l-3w-12-50v/C-No/Nc-Bb	
405-00 16 Bsp-16 S.N:1999160033	
Dn150x Pn16	
" ; 405 Model	
135	
65464654	
Model 720 Pcv Dn300	
Diaphragm For A-705	
Ww 420 - Dn 150	
Pilot=bermad Dogus #2-16-S-R	PLEASE SEE ATTACHED PICTURE
Diaphragm For 405-Pn16-135p-16 Seri No:0596820067	
Seal Kit For Dv-5 Dv502fsgnp Tfp 2 ~ 250 Psi / 60.3 "	
771-2"-205-G-P-Bp-M	BASIC CONTROL VALVE S. 205 2" Female thread
Xkk010c	

6in-400y-Epdm	
Dn150 Pn 10amp;16	
256951	
S3903wd24acncbcb	
110-N-2w-M	
405 Sn: 230194004	
Dn 200 Pn16	
S-390-3-D	
Serie 700 Model 735	
Ww 720-En Iv	
????????? ?? ???? Ww-2quot;-450-60-G-C-Bsp-Eb K-T-	
Dvd 40 Gg40 Dn150	
Pressure Flap For A-705	
Type D100hs	
77125300esdh	
Mamj050-Elc	
R-900d	
Ww-3quot;-750-66-Es-Y-C-Iso16-Eb	
Mile Spring For A-705	
Ir-430	
Å216; 400	
Part No:Dc-B	Drip Check Valve Model:DC-B Bermad Connection: Inlet:1/2 NPT female Drain:1/4 NPT female Material:SS316 Part no:DC-B
900-D	
12363720010	
Model:405 Pn=16-135p-16,S/N 0596820067	
Pressure Reducting Valve Bermad Ram 420 Ir Flange Iso Pn16	
¥;? Mta Bp 50 Li Mt Serie	
Pressure Reducing Valve For Hb	

Pressbaum 16 U3211 L01
Mta 1,5 (M3/H)
Fp-8??- 730u/F-Y-C-Iso16-Pr-Nn Dn 200 Pn16
730 Wp?250 Ansi
710 00 Y S 16 Eb 2ao Nn
Type D150 3hs
Sealing Bushing For A-705
2" Pn 16
S-985-3pulse, S/N 8100, 12-50 Vdc
Pressure Holding Amp; Pressure Reducing Valve For Hb Pressbaum 16 U3211 L01
3quot; 405 Model
S - 390 - 2 - R - Solenoid Actuator
Valve 2quot;
W 5035tidvi00sr0/ Ir-3x3-350-Sr-I-Vi-Pg
Model:Dc-B Material: Ss316
Q Relief Pilot=bermad Dogus Pc-3q-M G 1-12 Bar
11201360008 Valve Dn80 Model Wd-720-Es
Cmp 4908 Model:405 Pn 16 Iso 16
Q820
Model: 405 16388001
Model 720 Pcv Dn250
10207 3*3 Pn10 Grooved
S-390-3w-24v-Ac-No-Base
7712920064691
Ak 332 09
Ã3
2920064691
Fs-6quot;-430-G-U-16-Uc-Mm
Ã216; 250

Ir-405 Pn16-Bsp	Membrane valve
S9823w012dc000bbb	
Mile For A-705	
2-16-S-R / 6bar	
24-Vac-Dc-37-01fr8w	
Ww-12-718-En-03-Y-C-16-Eb-4ao-Nn-1	
2920064691 Valve Diaphragm	
S-982-3w-P Plastic	
Membrane Ram 400 4?? Dn100 2940064691	
409-Pn16 Bsp	
Type D150hs	
750-60	
Ss Spring For 8?? 700 Valve	
Wd740q-Es-03-S-Iso16 Booster Pump Control Valve	
Ã216; 800 Y	
1" 4000 L "on"	
Fp 430 -Uf	
Model 720 Pcv Dn225 - Can Not Be Offered	
Ã216; 800	
25200r0392	
Model 700 Pn-16 Bs.T.D	
Ir-123	
Ws-8-730-00-Y-N-A5-Eb-Nn-N-T-D-6	
??? Wd-3quot;-710-Es-Y-C-Iso16-Eb-Nc- 24 V Dc ?-?	
Bermad 2?	
2"	
Fs-6quot;-400e-3dc-G-U-A5uc-4dc-Mm- 9h1q6m6mz	
757-66-U	

Bermad Ram420 Flange Iso Pn16 Dn80
????????? ?? ???? Ww-21/2quot;-450-60-G-C-Iso16-Eb K-T-
771-2quot;-210-G-P-Bp-S390-3w-24ac-Nc-M
Diaphragm For 409-Pn16 Bsp
Ir- 405 / Pn 16 - Bsp / Diaphragm - Membran
1831d914, 444d-1mz Valve
4415
Plastic Membrane For Model: 405 Pn16 150-16
3-16-O-R Pcv1
310 Size 2
Q Relief Pilot=bermad Dogus Pb #3-R P1-16 Bar
Bermad Ir-110-N-2w 2 1/2quot;
P-Ã3-0-16-O-R
1quot; 4000 L Quot;Bermadonquot;
Model Fp-420
9100306
??? Wd-4quot;-710-Es-Y-C-Iso16-Eb-Nc-24 V Dc ?-?
Type Ii-37-03 Serial No:120810290024
S-400-3-D
111
34907
Ã216; 600 Y
Series: 405 ,Connection 2 Quot;- Thread
S-390-2w
Valve For Landcape Model Mt Standard Flow 100 Liter
133232
Model 720 Pcv Dn100

S-392	
730 Dn250 Pn25	Body Material: STEEL CASTING Trim Material: It will be suitable for PN25 nominal pressure. Operating Pressure: 16 Bar Fluid: Clean Water Pilot Type / Model: 1-16 Bar / 3PB M-Spring
Set Maintenance (For Mod: 740-03-S Pn:16150 150-16 Sn:0456100002 Water Supply Valve)	
410 Kx	
W5033tidvi00ar0/ Ir-3x3-350-Ar-I-Vi-Pg	
Dn50 Ul Fm	
Belly Gasket For Model: 405 Pn16	
3" 405 Model Diaphragm	
100-300 Psi Dry Alarm Valve	
Ir-1-1/2-910-M0-00-G-C-Np-Pg-4ro-Pp-G35-X	HYDROMETER VALVE 1-1/2IN
Model : 700 Series	
7712940000104	
1111	
Mt Series	
Ir-405 Pn16bsp	400 Series Valve
[5.2] Diaphragm For Ir-100 Hyflow	
110-N-2w-M Solenoid Valve	
10207 3*3 Pn10 Grooved Valve	
6quot; 405 Model	
¾" Mta Bp 50 Li Mt Serie	
S390-2 S/N3070	
Ww 420 - Dn 100	
Ir 900 Dd	
Ir-405, Dn150, 6quot; Flanged	
8ã39;Ã39;	
02-Arc-I	
710 03 Y S 16 Eb 2ao Nn	

#3	
Connection Parts For Model: 405 Pn16	
710 En 8?? Dn200	
Model: 750-65-S Pn:76150-85	
Pn 16 150-16	
Ir-405, Dn150, 6quot;	
Ww 420 - Dn 200	
720-Pd	
771251200000	
405 Bsp Code:673 Cmp 6	
S985-3l-3w-12-50v/C-No/Nc-Bb	
Wd-4quot;-735-Es-Y-C-Iso16-Eb	
Model 110-2w-N ,3quot;	
Ir-410-Kx	
100-300 Psi	
Wd-4quot;-720-Es-Y-C-Iso16-Eb-Nn-Nvim	
1831d914, 444d-1mz	
Ir-4quot;-420-G-I-Iso16-Pg	
Fp03p-02-32-Nc-V-77a9	
71000-405030	BERMAD 3" FL HYDRAULIC CONTROL BASIC VALVE SERIE 405 Flansch DN80 ISO-16
4" 405 Model Diaphragm	
Seal Kit For Dv-5 Dv503fsgo Tfp 3 ~ 250 Psi / 88.9mm	
11201360008	
Ir-En-750-66-B 3quot; Dn80	