Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Bewades / Bwt Best Water Technologies

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Bewades / Bwt Best Water Technologies Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Bewades / Bwt Best Water Technologies Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Uvg X5-440	SYSTEM • 316 grade stainless steel WaterMark certified reactor – WaterMark certificate number ISC-WM-030013-I02-R00 • 6” Table E Flange inlet and outlet connections in a “Z” or “U” configuration – other flange sizes and connection types available • Five (5) x US made 450W Low Pressure Amalgam UV Lamp - UVG LongerLife 16,000 hour lamp life • Five (5) pure fused quartz – for optimal UV output penetration through the liquid • Adjustable stainless steel mounting brackets - brackets can also be welded onto reactor to suit specific requirements
50456-N	CONTROLLER • Weatherproof PLC - IP54 rated • Fan cooled, thermally stable electronic ballasts precisely matched to the UV lamp specifications - provides optimal UV output and lamp life • Interactive digital display • Lamp on/off LEDs • Lamp fail audible alarm • Digital lamp life timer
Uvi Monitoring X-Series	OPTIONS • Displayed as % or intensity W/m2 and is an indication of a drop in achieved UV dose • UV intensity measured with ONORM certified sensor • Pre warning and final warning audible alarm
Bms Lamp Failure	• Volt free lamp fail alarm contact for BMS connection
Bms Low Uvi	Volt free low UVi alarm contact for BMS connection
Lsid-24-28	• Lamp safety interlocking device - prevents direct UV light exposure to users • One (1) required per lamp

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Tms-Tp-1" S	and 1" solenoid valve. • Highly recommended if UV system is left on in no flow conditions. • Protects lamp from overheating and ensures optimum UV output temperature range is maintained. • Solenoid valve to be installed in the pipework after the UV outlet • PLC programmed to open solenoid when the UV reactor temperature is too high to cool the system
Tms-Tp-Sd	• Temperature management system with temperature probe and shut-down function. • Highly recommended if UV system is left on in no flow conditions. • Protects lamp from overheating • PLC turns off UV lamp when UV reactor temperature is too high. • Audible and visible alarm activated to alert user. • UV lamp turned back on after 6 hours to ensure 4 on/off cycles are maintained during any 24 hour period.
Alarm Activated Sms	• UVG SMS module - SMS sent to designated mobile device when UV system is in alarm - sim card not provided
Modbus For Uvg Plc	• Modbus module allows connected to a SCADA system or similar for remote monitoring and control • Actual requirements to be discussed prior to production
80w80/17p Obsolete, Replacement 130w130/17p	
Uv Bewades 130w130/17p	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.