



Blue White

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Blue White Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Blue White Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
C6125P	
70001-349	
A2v24-Mnh	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2v24-Sgg	9.3 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS 115VAC 130 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A2v24-Snf	A2V PROGRAMMABLE PUMP 0.06 TO 6.2 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2f24-Mnd	FLEXPRO A2F PUMP, MANUAL CONTROL, 1.7 GPH, 125 PSI, NORPRENE TUBE, 1/2 MALE NPT CONNECTIONS
Rt-200mi-Gpm4	
A1n10v-6t-T30	A100NV VARIABLE SPEED PERISTALTIC PUMP AND 30 GALLON RECTANGULAR POLYETHYLENE TANK.16 GPD 100 PSI NORPRENE TUBE 115 VAC 4-20 MA INPUT
F-55200la	
A2f24-Sngg	A2F MANUAL ON OFF PUMP 0.132 TO 16.5 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A3-Mnh-T	
F-46010lx-12p	
A2v24-Snh-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS.

	115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDE
Fp1-100-7v	
A1n10f-2t	
A-002n-5t	
70001-347	
C2v241xve	10 GPH, 175 PSI, 115 VOLT, 4-20 MA INPUT, PVDF FITTINGS, VITON O-RINGS, 1/2 MNPT CONNECTIONS
A3v24-Snh	
C-6125p	
Rb-200mi-Gpm3	
F-55500ga	
A1n00v-6t-T15	A-100N STAR III SYSTEM.DIGITAL VARIABLE SPEED PERISTALTIC PUMP 7.5 GPD 100 PSI MAX.NORPRENE 3/8 INCH OD TUBING.14 RPM.115 VAC.INCLUDES 15 GALLON PERE
A4-Mnj-T	
A4-Mnh-R	
A3-Snh-R	
Rt-150s8-Gpm1	
F-44250lh-8	
A3v24-Mge	A3V PROGRAMMABLE PUMP 0.002 TO 4.60 GPH AT 65 PSI, WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOthane TUBE ASSEMBLY.
90011-160	
A3-Mnd-T	
A-008-4	
76001-417	
A1n30f-3t	
A1n30v-7t	
Rt-800s4-Gpm1	
A3-Sge-T	
50000-104	
Rtpb80a8gm1	

Rt-100st-Gpm1	
A3f24-Mnkl	A3F MANUALLY-ADJUSTABLE PUMP 0.33 TO 33 GPH AT 125 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY. LE
F-42025ln-16	
A3v24-Mnj	A3V PROGRAMMABLE PUMP 0.01 TO 25.3 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
C2v242xeb	C2V242XEB 115V60 166RPM .060, EPDM SEALS
A3v24-Mnd	A3V PROGRAMMABLE PUMP 0.001 TO 2.10 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A1n10v-1t	
70001-351	
F-451006lhn-24	
A2v24-Mnf-3	A2V PROGRAMMABLE PUMP 0.06 TO 5.5 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
A2v24-Mnhl	FLEXPRO A2V 115V60 MNHL
C-614p-220vac	
A1n00f-4t-T7	
A3v24-Mngg	A3V PROGRAMMABLE PUMP 0.0019 TO 19.0 GPH AT 110 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
C2f242xvb	15.0 GPH 175 PSI PVDF HEAD/VALVES FKM SEALS WITH 1/2 INCH FNPT CONNECTIONS. MANUALLY-ADJUSTABLE OUTPUT
A1n00e-1t	
F-40376ln-8	
A2f24-Sgg	A2F MANUAL ON OFF PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
90002-278	
A3-Stk-T	
A1n00v-5t	FLEX-FLO A-100NV SERIES 4.2 GPD 25 PSI DIGITAL VARIABLE SPEED WITH EXTERNAL INPUT.115 VAC, 60 HZ.FKM TUBING.
Fs1-600-6v	
A3v24-Sth	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP

C-334-6	
Rt-375mi-Gpm1	
A3-Mgh-T	
F-45750l-12	
A1n20v-7t	
A2v24-Snhl	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A1n20v-2t	
A3v24-Mgh	A3V PROGRAMMABLE PUMP 0.01 TO 24.9 GPH AT 65 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOETHANE TUBE ASSEMBLY.
A4f24-Mnkl	A4F MANUAL ON/OFF PUMP 0.02 TO 50.7 GPH AT 30 PSI, WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE LOW PRESSURE TUBE AS
C-335-6-100	
A3v24-Snj	A3V PROGRAMMABLE PUMP 0.01 TO 25.3 GPH AT 125 PSI WITH 3/8 OD TUBING CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A3-Mnf-T	
A1n10f-1t	
A4f24-Mgkk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A1n11f-2t	
A4-Mnp-T	
A3v24-Mnf	A3V PROGRAMMABLE PUMP 0.07 TO 7.9 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
C2f243xvd	6.0 GPH, 175 PSI, ON/OFF CONTROL, PVDF CONSTRUCTION WITH 3/8 TUBING CONNECTIONS.
S3x1qb060sdjgmale	SINGLE, V-MOUNT T-TR
A3v24-Mgg	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A2v24-Snhl-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
F-44376l-8	
A3-Sgg-T	

A1n08v-1t	
90006-579	
A1n00e-4t	
F-41017ln-16	
A1n20f-4t	
A1n20v-4t	
C-630p-115vac	
A4v24-Snp	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-46050lx-09g	
F-55500la	
F-440	
Fv-101-6v	
F-40375lk-8	
A2v24-Mnf	A2V PROGRAMMABLE PUMP 0.06 TO 6.2 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
F-451002lhn	
A3v24-Snkl	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 30 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. LOW PRESSURE NORPRENE TUBE ASS
Fp1-500-7v	
F-451006lhn	
A1n20e-6t	
A2v24-Sth	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
C-1814n-2	
A3f24-Snh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F451004lhn	
A4v24-Bgkk	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 65 PSI, WITH 1/2 ID (DUAL) TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
A-002n-3t	

Rb-500mi-Lpm2	
S3x1qb080sdjgmale	SINGLE, V-MOUNT T-TR
A4v25-Mnj	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
Rt-200s4-Gpm1	
A-008-3	
C3v242xea	42 GPH, 80 PSI, 115 VOLT, 4-20MA INPUT, PVDF FITTINGS, 1/2 MNPT CONNECTIONS
F-42025lk	
F-44500	
A2v24-Mnh-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY. INCLUD
A3v24-Snk	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2-Sth-R	
F-452100lhn	
F-40500ln-6	
A3f24-Sgg	A3F SERIES PUMP .004 TO 10.1 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
A1n10e-6t	
A2v24-Mth-3	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
A3v24-Snd-R	RIGHT FACING A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASS
A2f24-Mth	A2F MANUAL ON OFF PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 1/2 INCH MALE NPT CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASS
Tb-150mi-Gpm1	
A3f24-Mnk	A3F MANUALLY-ADJUSTABLE PUMP 0.33 TO 33 GPH AT 125 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
Fi-100-8me	
A4v24-Mtk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP

Rt-300s4-Gpm1	
F-452175lhn	
A1n30f-7t	
A2f24-Snd	FLEXPROM A2F PUMP, MANUAL CONTROL, 1.7 GPH, 125 PSI, NORPRENE TUBE, 3/8 TUBING CONNECTIONS
F-30200pr	
A2-Snf-T	
Rt-100mi-Gpm1	
Rt-500mi-Gpm1	
50000-754	
A3-Sgh-R	
A2-Mth-T	
S3x1jb015tkbgmale	SINGLE, V-MOUNT T
A1n10v-4t	
C2v242xva	PUMP62 C2V 115V60 166RPM .060
A2-Snd-R	
A-002n-1t	
A3f24-Mgg	A2 MANUAL PUMP
Rb-150s4-Gpm1	
A1n30f-2t	
A2v24-Snh	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
Rt-200mi-Gpm2	
A4v24-Mnp	A4V PROGRAMMABLE PUMP 0.06 TO 158.5 GPH AT 30 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A-1630-6-115vac	
A1n30f-4t	
F-44250I-8	
A3f24-Snkl	A3F SERIES 0.33 TO 33 GPH AT 30 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. LOW PRESSURE NORPRENE TUBE ASSEMBLY FOR LONG

A3-Sxx-C	
Rb-500mi-Lpm2-Rt	
A3f24-Snf	A3F MANUALLY-ADJUSTABLE 0.07 TO 7.9 GPH AT 125 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
Fv-600-6v	
A1n00f-4t-T15	
C2f242xve	15.0 GPH, 175 PSI, ON/OFF CONTROL, PVDF CONSTRUCTION WITH 1/2 INCH MNPT CONNECTIONS.
C-334-6-100	
A1n30x-3t	
A-002n-6t	
A4v25-Mnp	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-55200I	
C-342-6	
F-45500I-12	
F-55376I	
S3a1ha100sdjgmale	WITH 5 BUTTON DISPLAY, 125 VAC US PLUG, 10 FT PLASTIC REMOVABLE TRANSDUCER CABLE WITH DUAL, Z MOUNT T-TRACK, CONFIGURED
A2v24-Snd-3	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
A3v24-Sgg	A3V PROGRAMMABLE PUMP .004 TO 10.1 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOETHANE TUBE ASSEMBLY.
A2v24-Snd	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A4v24-Btk	A4V PROGRAMMABLE PUMP 0.02 TO 42.8 GPH AT 30 PSI, WITH 1/2HOSE BARB CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE CHEMCIAL TUBE ASSEMBL
A3v24-Snh-R	RIGHT-FACING A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE AS
A1n12c-6t	
A3-Mngg-T	

A2v24-Mnd	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS FKM O-RINGS. 115 VAC 125 RPM MOTOR. NORPRENE TUBE ASSE
72000-380	
A1n30f-6t	
A3v24-Snf	A3V PROGRAMMABLE PUMP 0.07 TO 7.9 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A3-Snk-T	
A2v24-Mgg	A2V PROGRAMMABLE PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
C2v241xva	10.0 GPH VARIABLE SPEED 4-20 MA INPUT PUMP, 175 PSI WITH 1/2 MNPT CONNECTIONS AND PVDF HEAD AND FITTINGS
Rt-400s4-Gpm1	
A3v24-Snd	A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n00v-1t	
C3v242xve	40 GPH, 100 PSI, 115 VOLT, 4-20MA INPUT, PVDF FITTINGS, VITON O-RINGS, 1/2 MNPT CONNECTIONS
A4-Mnl-R	
A4-Mgh-R	
A-1645-7-115vac-05	
A4v24-Mnl	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 50 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A2f24-Snee	A2F MANUAL ON OFF PUMP 0.0005 TO 4.8 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A1n10f-7t	
A4v24-Mnk	A4V PROGRAMMABLE PUMP 0.02 TO 50.7 GPH AT 80 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
C2v243xvd	CHEM-PRO C2 PUMP, 0.07-7.0 GPH, 175 PSI, VARIABLE SPEED CONTROL, PVDF CONSTRUCTION WITH 3/8 TUBING CONNECTIONS.
A2v24-Mgg-3	A2V PROGRAMMABLE PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY. INCLUDE

S3x1a2060sdpgmale	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A1n20v-6t-T30	FLEXFLO A-100NV SERIES WITH DIGITAL VARIABLE SPEED 115V / 60HZ.24 GPD 100 PSI NORPRENE PUMP TUBE.4-20 MA OR PROPORTIONAL PULSE INPUT WITH 30 GALLON TA
A3-Snd-R	
F-42050ln-16	
F-44330l-8	
Rt-1000s4-Gpm1	
Fi-100-8mv	
Rt-375mi-Gpm2	
Rb-200mi-Gpm2	
A4v24-Mnkl	A4V PROGRAMMABLE PUMP 0.02 TO 50.7 GPH AT 30 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n10f-5t	
A4f24-Mgh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A3v24-Mnhl	A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH 65 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A4v24-Mnj	A4V PROGRAMMABLE PUMP 0.02 TO 44.4 GPH AT 100 PSI, WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A1n30v-1t	
A-1630-6n-115vac	
A3v24-Mnk	A3V PROGRAMMABLE PUMP 0.013 TO 33.3 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
72000-537	
A2f24-Snf	FLEXPRO A2F PUMP, MANUAL CONTROL, 5.5 GPH, 125 PSI, NORPRENE TUBE, 3/8 TUBING CONNECTIONS
A3v24-Sgh	FLEXPRO A3V 125RPM 115V60 SGH
Rb-150at-Gpm1	
A2v24-Mnhl-3	A2V PROGRAMMABLE PUMP 0.14 TO 13.8 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.INCLUDES
F-45023n-1	

A1n30f-1t	
A2f24-Mge	A2F MANUAL ON OFF PUMP 0.04 TO 4.0 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A4v24-Mgkk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A1n30c-3t	
A1n20f-2t	
A4-Sxx-C	
76000-456	
A2v24-Mngg	A2V PROGRAMMABLE PUMP 0.0017 TO 17.2 GPH AT 110 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
C-354	
F-452060lhkn	
A3-Snj-R	
A2v24-Mnd-3	A2V PROGRAMMABLE PUMP 0.02 TO 1.7 GPH AT 125 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS FKM O-RINGS. 115 VAC 125 RPM MOTOR. NORPRENE TUBE ASSE
A2v24-Mge	A2V PROGRAMMABLE PUMP 0.04 TO 4.0 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A-002n-4t	
S3x1a1060sdpgmale	DOPPLER TRANSIT-TIME.FACTORY-CONFIGURED WITH 5-BUTTON DISPLAY FOR 6 INCH SCHD 40 STEEL PIPE WITH WATER AS THE FLOWING
C2f243xva	BLUE-WHITE PUMP
Rtpb30k8gm1	FLOWMETER RATE AND TOTAL 60-600GPM FOR 3IN PIPE
A3f24-Mgk	A3 MANUAL PUMP
F-55500g	
A3-Sge-R	
A4v24-Bnl	A4V PROGRAMMABLE PUMP 0.04 TO 100 GPH AT 50 PSI, WITH 1/2 INCH TUBE BARB CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE TUBE ASSEMBLY.
A2v24-Sth-3r	RIGHT FACING A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL
F-46050lx-08p	

A2f24-Snh	A2F MANUAL ON OFF PUMP 0.14 TO 13.8 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A1n30c-7t	
A-641n-45	
A1n20c-4t	
71000-577	
A-002n-8t	
A3v24-Sngg	A3V PROGRAMMABLE PUMP 0.0018 TO 18.2 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A2-Sxx-C	
72000-379	
A2-Mgg-T	
Fsx	
A3-Mnhl-T	
F-42040ln	
76000-999	
Rb-750mi-Gpm1	
A1n30v-4t	
A2-Mge-T	
F-55500l	
F-46010lx-08p	
C3v242xeb	BLUE-WHITE C3 PUMP
A2v24-Mnee-3	A2V PROGRAMMABLE PUMP 0.0005 TO 4.8 GPH AT 110 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY .INCLUD
F-67375l2s-08pv	
A4-Mgkk-T	
A4f24-Mnk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
Rt-200s8-Gpm1	
A3v24-Snee	A3V PROGRAMMABLE PUMP 0.0006 TO 5.5 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.

F-40500In-8	
A4-Mnkl-T	
A3v24-Snd-2	A3V PROGRAMMABLE PUMP 0.001 TO 2.1 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS/ PVDF FITTINGS WITH OPTION FOOT VALVE (-2 SUFFIX). 115 VAC, 125 RPM M
A3v24-Sge	A3V PROGRAMMABLE PUMP 0.002 TO 4.60 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
F-40750Ik-16	
Rt-600s4-Gpm1	
A3v24-Mgk	A3V PROGRAMMABLE PUMP .011 TO 28.5 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
F-44375Ie-8	
A4f24-Mgk	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
S3x1a1020sfjgmaIe	WITH 5 BUTTON DISPLAY, 125 VAC US PLUG, 10 FT TRANSDUCER CABLES, CONFIGURED FOR 2 INCH SCHD 80 PVC PIPE FOR WATER/WASTE
A2-Snh-T	
C-568-6e	
A1n20c-6t	
F-30125p	
Aos120m3gm3	
A2v24-Sngg	A2V PROGRAMMABLE PUMP 0.0017 TO 16.6 GPH AT 110 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEMBLY.
A3v24-Mnh	A3V PROGRAMMABLE PUMP 0.007 TO 17.4 GPH AT 125 PSI WITH 1/2 MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
A2v24-Snf-3	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A4v24-Snhh	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
A4v24-Snkl	BLUE-WHITE FLEX-PRO PERISTALTIC PUMP
F-461100Ip-16p	
A1n20f-1t	
A1n31v-3t	
A3-Snf-R	

A4v24-Bgk	A4V PROGRAMMABLE PUMP 0.02 TO 55.5 GPH AT 65 PSI, WITH 1/2 ID TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
A1n20v-1t	
C-346	
F-55375I	
Fv-100-6v	
A3-Mth-T	
Fv-201-3v	
A1n10v-3t	
C-340a	
A1n20v-6t	
A3-Sgh-T	
A3v24-Mtk	A3V PROGRAMMABLE PUMP 0.01 TO 28.5 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
Rb-150mi-Gpm1	
A3-Sxx-H	
F-45500Ia-12	
F-45500Ia-8	
Rt-1200s4-Gpm1	
71000-579	
A3f24-Mth	A3F MANUALLY-ADJUSTABLE PUMP 0.14 TO 14.5 GPH AT 50 PSI WITH 1/2 INCH NPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE CHEMICAL TUBE AS
A3-SnhI-T	
A3f24-Mgh	A3 MANUAL PUMP
A-008-2	
90010-235	
U-30200p	
A3-Mnj-T	
S3x1eb030tkbgmale	SINGLE, V-MOUNT T-TRA
A1n10v-6t	
	A2F MANUAL ON OFF PUMP 0.14 TO 13.8 GPH AT 65 PSI

A2f24-Snhl	WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
Fs1	
F-44375	
71000-825	
F-461200lx-16k	
A4-Mnl-T	
C15n404x000v00	
A1n00v-6t	
F-451004lhn-24	
A1n10f-4t	
A2v24-Sth-3	A2V PROGRAMMABLE PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBLY
Aop120k4gm1	
A1n10f-6t	
F-451002lhkn-24	
F-44750l-12	
F-461300lx-17k	
Rt-750mi-Gpm1	
A3-Sth-R	
A3-Mnk-T	
71000-576	
A3f24-Sngg	A3F MANUALLY-ADJUSTABLE PUMP 0.007 TO 18.2 GPH AT 110 PSI WITH 1/4 IN ID TUBE COMPRESSION PVDF FITTINGS. 115VAC 125 RPM MOTOR. FLEX-A-PRENE TUBE ASSEM
A2f24-Sth	A2F MANUAL ON OFF PUMP 0.15 TO 14.9 GPH AT 50 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 130 RPM MOTOR. NORPRENE CHEMICAL TUBE ASSEMBL
72000-539	
Fs1-201-6v	
Fcxx	
90012221	

71000-849	
A1n00c-1t	
A1n00c-4t	
A2-Snhl-T	
A3f24-Mtk	A3F PROGRAMMABLE/MANUALLY-ADJUSTABLE PUMP 0.01 TO 28.5 GPH AT 50 PSI WITH 1/2 INCH MNPT CONNECTIONS/ PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.NORPRENE CH
F-44250lea-8	
Tb-600s4-Gpm1	
F45500lhn-8	
F45500I6	
A1n10c-7t	
71000-159	
C-385c	
Rt-150mi-Gpm2	
A3v24-Sgk	A3V PROGRAMMABLE PUMP .011 TO 28.5 GPH AT 65 PSI, WITH 3/8 OD TUBE CONNECTIONS / PVDF FITTINGS. 115 VAC, 125 RPM MOTOR.TYGOTHANE TUBE ASSEMBLY.
A1n30e-3t	
Fs1-300-7v	
A3f24-Snk	A3F SERIES 0.33 TO 33.3 GPH AT 125 PSI WITH 3/8 INCH TUBE CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. NORPRENE TUBE ASSEMBLY.
F-44376lea-8	
71000-488	
Fv-100-2v	
A3-Sgk-T	
A2f24-Mnh	FLEXPPO A2F PUMP, MANUAL CONTROL, 13.8 GPH, 125 PSI, NORPRENE TUBE, 1/2 MALE NPT CONNECTIONS
Rb-200s4-Gpm1	
F-40500In	
A2f24-Mgg	A2F MANUAL ON OFF PUMP 0.09 TO 9.3 GPH AT 65 PSI WITH 1/2 INCH MNPT CONNECTIONS / PVDF FITTINGS. 115VAC 125 RPM MOTOR. TYGOTHANE TUBE ASSEMBLY.
Tb750milpm1	

[C-1817n-1](#)

[A4v24-Mgk](#)

FLEXPRO A4V 115V60 MGK

[F55250I](#)

[F-461200Ix-16p](#)