

Bossard



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Bossard** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Bossard T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Bn 20039 : 3271630 (M2x12 Torx)	
Bn 15857 : 3108689 (M2x3 Zilinder Torx)	
Bn 610 1420585 (M2x8)	
Bn 628 1241397 (M2)	
Bn 671 1253522	
Bn 15857 3108690 (M2x4 Zylinder Torx)	
Bn 20039 3183885 (M2x8 Torx)	
Bn 20039 3271630 (M2x12 Torx)	
Bn 610 1111329 (M3x14	
Bn 637 1242377 (M3-Faser)	
AKB M12X35-10.9K04-A	A2
M12 CL 06 K1	
13x24x2 5-CL05 K01	A4-A2
MB allen M12X25-10.09,K01	A2-A4
Federscheibe M20	A2-A4
21x37x3Xcl05 K01	
M24 Federscheibe	
SB allen M10x25-12.9 TD K11	

ISO 10642-M12x20 A2-70P	
ISO 10642-M10x16 A2-70P	
ISO 10642-M3x6 A4-70P	
BN 640 M 10 h1 = 1,8	Hexagon press nuts INOX A1
BN 201 M 12 h1 = 2,8	Hexagon press nuts Case-hardened steel 550-650 HV, galvanized blue REACH: CAS-No 7439-92-1, Pb> 0.1% ISO 4042 Hardened and tempered fasteners ³ 360 HV and case-hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
DIN 6340 M 8 / 8,4/23/4	Washers for clamping tools Tempered steel, hardness (350 + 80) HV 30 Geomet® 500A> 480h
BN 3803TC M 8 x 16	Countersunk screws I-6rd BN 3803TC ISO 14581 INOX A2-70 TopCoat transparent
BN 20369AFB M 8 / 8,4/16/1,6	Washers o / bevel BN 20369AFB ISO 7089 300 HV steel ZL coated + ecosyn®-lubric Black
BN 201 M 6 h1 = 1,8	Hexagon press nuts Case-hardened steel 550-650 HV, galvanized blue REACH: CAS-No 7439-92-1, Pb> 0.1% ISO 4042 Hardened and tempered fasteners ³ 360 HV and case-hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
BN 622AFB M 10 x 65	Hexagon screws o / shank BN 622AFB DIN 933 INOX A2-70 ecosyn®-lubric Black
BN 2332AFB M 10 / 10,2/22/2,75	Rip-Lock TM washers BN 2332AFB ~ NFE 25-511 M INOX A2 ecosyn®-lubric Black
DIN 9021 M 10 / 10,5/30/2,5	Discs without bevel DIN 9021, ~ ISO 7093 INOX A2 140 HV
UNJF-3A 0.190-32 diŐ ve ¾"	
M 8	Hex nuts ~ 0.8d 1241672 DIN 934, ~ ISO 4032 INOX A4
M 4 x 12	Countersunk screws with hexagon socket, without shaft 4719 1100238 Drawing: BN 4719_M2 / M2,5 DIN 7991, ~ ISO 10642 INOX A4
M 3 x 6	Countersunk screws with hexagon socket, without shaft 4719 1019147 Drawing: BN 4719_M2 / M2,5 DIN 7991, ~ ISO 10642 INOX A4
M 3	Hex nuts ~ 0.8d 629 1241613 DIN 934, ~ ISO 4032 INOX A4
M 4	Hex nuts ~ 0.8d 629 1241648 DIN 934, ~ ISO 4032 INOX A4
M 5	Hex nuts ~ 0.8d 629 1241656 DIN 934, ~ ISO 4032 INOX A4
M 6	Hex nuts ~ 0.8d 629 1241664 DIN 934, ~ ISO 4032 INOX A4
	-FH-M3-8ZI M3 / 8 / 4,6 300pcs -FH-M3-10ZI M3 / 10 / 4,6 200pcs -FH-M3-30ZI M3 / 30 / 4,6 300pcs -FH-M4-6ZI M4 / 6

As set below;	/ 5,9 300pcs -FH-M4-8ZI M4 / 8 / 5,9 100pcs -FH-M4-12ZI M4 / 12 / 5,9 800pcs FH-M4-10ZI M4 / 10 / 5,9 300pcs -FH-M5-12ZI M5 / 12 / 6,5 100pcs -FH-M4-15ZI M4 / 15 / 5,9 100pcs -FH-M6-25ZI M6 / 25 / 8,2 100pcs -FH-M8-20ZI M8 / 20 / 9,6 100pcs -FH-M8-30ZI M8 / 30 / 9,6 100pcs -FHS-M5-10 M5 / 10 / 6,5 100pcs -FHS-M5-30 M5 / 30 / 6,5 100pcs -FHS-M5-12 M5 / 12 / 6,5 100pcs -FH-4MM-8ZI 4 / 8 / 6 100 pcs -FH-6MM-12ZI 6 / 12 / 8,6 100pcs -SOS-M5-8 M5 / 8 / 7,12 100pcs
1335219	10 x 25 Heavy Duty Pins with tooth slot VSM 12785 Spring steel 42-50 HRC, black
1334859	8 x 25 Heavy Duty Pins with tooth slot VSM 12785 Spring steel 42-50 HRC, black
Liste am Anhang	Der bedarf ist fr unseren Kunden im Ausland (Die Produkte im Anhang sind 1 Set-Produkte. Insgesamt sollen 50 Sets produziert werden.)
M 3 x 16	Countersunk screws with hexagon socket, without shaft 1109715 Drawing: BN 4719_M2 / M2,5
M 25 x 1,5	Locknuts with polyamide locking ring Nylstop CN ~ DIN 1804 Steel, zinc, nickel passivated, sealed REACH: CAS-No 7439-92-1, Pb> 0.1%
M 3 / 3,2/7/0,5	Discs without bevel DIN 125 A, ~ ISO 7089 INOX A2 140 HV
3.2 x7x0.5-PC10	M 3 / 3,2/7/0,5 BN670M3
M 3	Spring washers Ends smooth DIN 127 B, ~ UNI 1751 B Spring steel, black
AD 48 SB a 100	3.2x11 / 4.8-6.4 cup rivets IMEX
MGLP-R8-6	6.4x14.2 / 2-9.5 high-strength blind rivets
TAPK 44 BS a 100	3.2x7.5 / 2.7-4.3 standard blind rivets
MGLP-U6-7	4.8x14.8 / 6.4-11 high-strength blind rivets
ISO 2338, ~DIN 7 6 x 16	Straight pins INOX A1 / A2 Tolerance: h8
M 10 x 75 INOX A4	Socket head cap screws with hexagon socket, with shaft DIN 912, ISO 4762
BN 20146 M 4 x 6 / X10	Socket head cap screws with hexagon socket and extremely low head, without shaft Drawing: BN 20146 INOX A2 Due to the head geometry and the shape of the wrench, these screws are not recommended for the transmission of high axial forces with the corresponding preload!
3184835	40 x 16 WN 5451 / 20 IP
3184837	40 x 20 WN 5451 / 20 IP
Ø4,8X60 /AG 5509564	
BN 969 DIN 571 SDG	

686	5 x 20 Heavy-duty spring pins with tooth slot VSM 12785 INOX 1.4310
260663 - REF.NO. 67	Blindniete Ø6.4mm, lk=2.0- 9.5mm MGLP-R8-6, Halbrundkopf; Stahl verz.
298394 - REF.NO. 67	Blindniete Ø3.2x7.5, lk=2.7-4.3 POP® TAPK 44 BS, Alu/Stahl, Senkkopf
251184 - REF.NO. 67	Blindniete Ø3.2mm, lk=4.8-6.4mm IMEX, AD 48 SB, Halbrundkopf, AlMg5 / Stahl, phos.
198042 - REF.NO. 67	Blindnietmutter M6, lk=0.5-3mm TUBTARA® M6 UT/FEF 3, Stahl verz.
230025 - REF.NO. 67	I-6kt Senkschraube M6x20 ISO 10642, BN 616, Inox A2
278710 - REF.NO. 67	Blindniete Ø4.8mm, lk=5.4-11.1mm MGLP-U6-7, Magna-Lok, Halbrundkopf, Inox
195031 - REF.NO. 67	Blindnietmutter M8-60 BM/KS ST (0.5-6mm) ecosyn®-BCT, Stahl verz., kleiner
154473 - REF.NO. 67	Sicherungsscheibe DNL8 Nord-Lock
106867 - REF.NO. 67	6kt Schraube ohne Schaft M8x16 DIN 933 8.8 verz
195033 - REF.NO. 67	Blindnietmutter M6-60 BM/KS ST (0.5-6mm) ecosyn®-BCT, Stahl verz., kleiner
175436 - REF.NO. 67	Linsenschraube mit Flansch M6x25 ISO 7380-2, Stahl 10.9, verzinkt-blau
1052 M2 / 3,6 x 4	Threaded inserts for heat or Ultrasonic grouting without head, counter-rotating spiral knurling, for thermoplastics without flange , Brass, bright REACH: CAS-No 7439-92-1, Pb> 0.1%
1052 M4 / 6,3 x 8,2	Threaded inserts for heat or Ultrasonic grouting without head, counter-rotating spiral knurling, for thermoplastics without flange , Brass, bright REACH: CAS-No 7439-92-1, Pb> 0.1%
1183907	BN 4881 Serrated lock washers type J, internal serrations Bossard
1253859	BN 673 Split spring lock washers with flat end Bossard
386298 BN 1046 Press-in threaded inserts BOSSARD	
1253778 BN 673 Split spring lock washers with flat	end Bossard
1080350	
1098004	
1148516	

1171488
1210920
1253743
1269534
1386166
1386883
1537032
1538519
1538721
1755560
3060480
3265742
3265748
3265750
3555997
3645733
3719649
3719658
3720555
8235597
BN1225
BN20146
BN373
BN5208
BN737
BN80038
DIN 965
DIN84A
DIN963A
ISO7379
M 3 x 6 Self-clinching studs Steel tempered 300-380 HV, zinc

1536486	plated blue ISO 4042 Hardened fasteners ³ 360 HV and case hardened, tempered Connection elements with galvanic coatings: risk of hydrogen embrittlement
3056401	M 4 x 8 Self-clinching studs Steel tempered 300-380 HV, zinc plated blue ISO 4042 Hardened fasteners ³ 360 HV and case hardened, tempered Connection elements with galvanic coatings: Risk of hydrogen embrittlement!
300106475	C-4434-2 C-4434-2 0,9-1,2 https://www.bossard.com/eshop/global-en/products/functional-elements/access-solutions/latching/push-to-close-latches/rapid-c/p/38616/
13402.5450.GP2,L,V,XX.\..165629-18...00175735 1	SET SCREW -ISO4766-M3.5x12-14H-ZINCBLUE
SF1/S23-M5HEX	fastener with nut Round head Ø 23 mm open bigHead® SF1/S23 INOX A4 Customs tariff number: 73181639900 Total weight: 0.65kg
SF1/S23-M8HEX	fastener with nut Round head Ø 23 mm open bigHead® SF1/S23 INOX A4 Customs tariff number: 73181639900 Total weight: 0.75kg
SCREW-ISO 4017 – M12X40-A4-70	
NUT-ISO4032-M12-A4-70	
WASHER-DIN125-M12-140HV-A4	
SCREW-ISO4017-M12X45-A4-70	
NUT-ISO4032-M12-A4-70	
WASHER-DIN125-M12-140HV-A4	
NUT-ISO4032-M20-A4-70	
WASHER-DIN125A-M20-A4-70	
SET SCREW-ISO4766-M10X25-A1	
SPLIT PIN-ISO1234-2.5X12-A4	
MM-0000-0958	PIM GUPILYA PSZCL 1.6X16
26S34-8	locking pin knurled head 34033 300105706 Camloc® 2600 steel, chromed Customs tariff number: 83016000900
V2600-LW-7	retaining washers permanently mounted for locking pins 34015 9055706 Camloc® 99F/2600/2700 INOX
99R10-01A1	holding cam Type B, open Camloc® 99F/2600/2700 Zinc die-cast, galvanized
16 x 45 x 40	Bolt with cotter pin hole for fork heads DIN 1434, ~UNI 1710 Steel, bright Art Nr 1190717
	3183840 Lens screws 20038 with hexalobular socket, without

M 3 x 8 / X10	shaft SO 14583 INOX A4 Tensile strength min. 600 N/mm2 0.2% yield strength min. 450 N/mm2
M 4 x 12	Cylindrical screws with hexagon socket, without shaft DIN 912, ISO 4762 INOX A4
M 5 x 12	countersunk screws with hexagon socket, without shaft DIN 7991, ~ISO 10642 INOX A4
M 5 x 12 / X15	Cylindrical screws with hexalobular socket and extremely low head INOX A2
3 x 10	Cylindrical pins ISO 2338, ~VSM 12771 B INOX A4
3 x 8	Cylindrical pins unhardened h8 ISO 2338, ~DIN 7 Free-cutting steel, bright
01110-11294	3.2x2.79/2.41-2.92 Magazine rivet Countersunk head AVDEL® Double Flush Chobert® 1110 Steel, galvanized
M12 BN737 YK11	13X30X3 WASHER
M4/4,3 GLVNZ BN792 YK11	
M5/5,3 GLVNZ BN792 YK11	
M6/6.4 GLVNZ BN792 YK11	
M10/10.5 BN792 YK11	
M14/15 GLVNZ BN792 YK11	
M16/17 BN792 YK11	
M18/19 BN792 YK11	
M18/19 BN792 YK11	
M20/21 BN792 YK11	
M22/23 BN792 YK11	
M22/23 BN792 YK11	
M27/28.6 BN792 YK11	
M30/31.6 BN792 YK11	
ART88124 M5/5,1x12,2x1,2 YK11	
M 12 x 30	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 Steel 12.9, zinc flake coated GEOMET® 500 A
M 12 x 40	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 Steel 12.9, zinc flake coated GEOMET® 500 A
M 16 x 120	cylinder head screws with hexagon socket, with shaft DIN 912, ISO 4762 Steel 12.9, zinc flake coated GEOMET® 500 A
M 16 x 40	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 Steel 12.9, zinc flake coated GEOMET® 500 A

M 16 x 60 / 60	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 Steel 12.9, zinc flake coated GEOMET® 500 A
SCREW SIL/ALY 12.9 CL/ZNF M12X30	
MN-0000-1934,	For MN-0000-1934, it can be an equivalent brand rivet with M6x30 dimensions, material A2 or A4 quality Stainless Steel, zinc plated.
MN-0000-1929	For MN-0000-1929, it can be an equivalent brand rivet with M6x12 dimensions, material A2 or A4 quality Stainless Steel, zinc plated.
MP3515-001	4,8x9,5x3,2 – 4,8 Blindniete
M 3 lock nuts	lock nuts low form with polyamide insert DIN 985, ~UNI 7474 INOX A4
M 4 lock nuts	lock nuts low form with polyamide insert DIN 985, ~UNI 7474 INOX A4
M5 lock nuts	lock nuts low form with polyamide insert DIN 985, ~UNI 7474 INOX A4
M6 wing nuts	wing nuts pressed ~UNI 5448 A, ~ČSN 021665 INOX A4
M 3 spring rings	spring rings ends smooth DIN 127 B, ~UNI 1751 B INOX A4
M 4 spring rings	spring rings ends smooth DIN 127 B, ~UNI 1751 B INOX A4
M5 spring rings	spring rings ends smooth DIN 127 B, ~UNI 1751 B INOX A4
M 3 / 3,2/7/0,5 discs	discs without bevel ISO 7089, ~DIN 125 A INOX A4 200 HV
M 4 / 4,3/9/0,8 discs	discs without bevel ISO 7089, ~DIN 125 A INOX A4 200 HV
M 5 / 5,3/10/1 discs	discs without bevel ISO 7089, ~DIN 125 A INOX A4 200 HV
M 16 x 250	stone screws with hexagon nuts DIN 529 C steel 3.6, galvanized blue
3,5 x 6,35	hammer screws type U with half-round head ~UNI 7346, ~ČSN 022195 INOX A2
M 8 x 25	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 steel 8.8, galvanized blue
M 8 x 35	cylinder head screws with hexagon socket and low head, without / with shaft DIN 7984, ~UNI 9327 Steel 08.8 / 8.8, galvanized blue
M 16 x 65 / 65	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 steel 8.8, galvanized blue
M 16	FS all-steel lock nuts all-metal ISO 7042, ~DIN 980 M Steel 8, galvanized yellow passivated
M16 / 17/40/6	discs without chamfer, for screws with heavy clamping sleeves DIN 7349, ~ČSN 021708 steel, galvanized blue

M20 / 21/44/8	discs without chamfer, for screws with heavy clamping sleeves DIN 7349, ~ČSN 021708 steel, galvanized blue
M 20	FS all-steel lock nuts all-metal ISO 7042, ~DIN 980 M Steel 8, galvanized yellow passivated
M10 / 10,7/16,6	2.5 NL10 wedge lock washers glued in pairs NORD-LOCK® NL / NLsp Steel hardened, zinc flake coated
1348760	5 x 30 cylindrical grooved pins with insertion end DIN 1470, ~ISO 8739 steel 11SMnPb30, bright
1020498	M 3 x 6 lens screws with hexagon socket, without / with shaft ISO 7380-1 steel 010.9, black
LARGE WASHER, 5.3x15x1.2-CL05 K01	
3183905	M 3 x 8 / X10 countersunk screws with hexagon socket, without shaft ISO 14581 INOX A4
NORD LOCK NL6ss-254	
3780752	M 4 x 10 / X20 lens screws with flange with hexagon socket, without shaft ~ISO 7380-2, ~DIN 34805-2 INOX A2
1233998	M 5 x 10 cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 INOX A4
1254847	6 retaining rings for shafts rule execution DIN 471, ~UNI 7435 INOX 1.4110/1.4116/1.4122 Retaining rings made of martensitic chromium steels (e.g. 1.4110 / 1.4116 / 1.4122): Under certain climatic conditions, stress corrosion cracking is possible!
3444210	TM2S8-C0 M 4 / 5 x 1.5 cable tie base Panduit® Polyamide PA 6.6 black
3646116	M 2 x 16 cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 steel 12.9, galvanized blue
SPRING LOCK WASHER-DIN127-B-M4-FSt-ZINCBLUE	
PİM, 3x30 h8 CL07	
3487116	M 4 x 16 / X20 lens screws with flange with hexagon socket, without shaft ~ISO 7380-2, ~DIN 34805-2 Steel 08.8, galvanized blue
1003909	M 4 x 8 cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 steel 8.8, galvanized blue
3271451	M 4 x 5 / X20 lens screws with hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
1233785	M 3 x 6 cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 INOX A4
	M 4 x 12 Zylinderschrauben mit Innensechskant, ohne Schaft

1233904	DIN 912, ISO 4762 INOX A4
1241648	M 4 hexagon nuts ~0.8d DIN 934, ~ISO 4032 INOX A4
1208152	M 4 x 6 cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 INOX A4
BIGHEAD SOMUN M4 - SF1/S20-M4HEX	
1413856	M 14 / DIN/s22 hexagon cap nuts high form DIN 1587, ~UNI 5721 INOX A2
threaded socket self-tapping m4	ref.bn2708 (treatment znni)
BN2708(Treatment ZnNi)	Threaded socket self-tapping M4
COTTER PIN AISI304 DIN94 2x12	
BN 686 - 3X8	PIN PSZCL WITH SLOTTED 3X8
BN 686 - 5X14	PIN PSZCL WITH SPLIT PIN 5X14 AISI301
1257749	686 5 x 20 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
GN 615-M5-KN	VIDA BSZ BLY PSZCL M5X12 8N
GN 615-M4-KN	SCREW BSZ BALL PSZCL M4X9 6N
MS21209C0415L part numaralı, 4-40*1,5 diameter screw lock insert	
SHYC-200-15	
5 x 40	Spiral spring pins Standard design ISO 8750, DIN 7343 Steel hardened 420-545 HV, black
5 x 45	Spiral spring pins Standard design ISO 8750, DIN 7343 Steel hardened 420-545 HV, black
4 x 40	Spiral spring pins Standard design ISO 8750, DIN 7343 Steel hardened 420-545 HV, black
M 5 x 16	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 STAINLESS STEEL A4
M 3 x 6-	lens screws with hexagon socket, without / with shaft ISO 7380-1 STAINLESS STEEL A4
SCREW -ISO7380-1-M3x6-A4-70P	MP1684-038
M6 HUC/FEKS 5,5	M6 / 3.5-5.5 Blind rivet nuts small countersunk head, partial hexagon shank, open FASTEKS® FILKO HUC/FEKS Steel, galvanized thick-layer passivated
10 x 28	Cylindrical pins with internal thread hardened, ground m6 DIN 7979 D, ~ISO 8735 A Steel hardened 60 HRC, bright
V26R6-1AGV	2.6 Holding cam Type A, deep-drawn Camloc® 2600/2700 galvanized steel

KNCM3x0,5	M3x4.25/4.4 Threaded inserts with locking wedges miniature, with free thread KEENSERTS® KNCM STAINLESS STEEL 1.4305
M 4 x 45	cylinder head screws with hexagon socket, with shaft DIN 912, ISO 4762 Steel 8.8, galvanized blue
M4/4,3/9/0,8 à 200	discs without bevel DIN 125 A, ~ISO 7089 Steel 140 HV, galvanized blue
M 6 x 10	cylinder head screws with hexagon socket, without shaft DIN 912, ISO 4762 Steel 8.8, galvanized blue
M 6 / 6,4/12/1,6	discs with bevel DIN 125 B, ~ISO 7090 Steel 140 HV, galvanized blue
BN 686 – 5x16	Heavy-duty spring pins with tooth slot VSM 12785 STAINLESS STEEL 1.4310
BN 686 – 5x26	Heavy-duty spring pins with tooth slot VSM 12785 STAINLESS STEEL 1.4310
BN 686 – 8x40	Heavy-duty spring pins with tooth slot VSM 12785 STAINLESS STEEL 1.4310
M 2 x 4 / X6	lens screws with hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
300150803	ESL M 10 hexagon lock nuts with slots all-metal INOX A2 70
ST 4,8 x 60	Countersunk drilling screws with Phillips form H ecosyn® drill P ~DIN 7504 P, ~ISO 15482 Steel case-hardened 560 HV, galvanized blue
M 2 x 4	cylinder head screws with small head and slot SN 213302, ~ČSN 021130 Steel 4.8, galvanized blue
1255843	3 x 16 cylindrical pins h8 ISO 2338, ~DIN 7 INOX A1 / A2
1255916	4 x 10 cylindrical pins h8 ISO 2338, ~DIN 7 INOX A1 / A2
1256114	6 x 10 cylindrical pins h8 ISO 2338, ~DIN 7 INOX A1 / A2
1255797	3 x 6 cylindrical pins h8 ISO 2338, ~DIN 7 INOX A1 / A2
1983555	M4 x 8 / X20 lens screws with hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
1639382	M6 x 16 / X30 lens screws with hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, galvanized blue
SO-M4-3ZI	M4 / 3 / 7.12 Press-in threaded bushings open, for metallic materials PEM® SO Steel hardened, galvanized colorless passivated
30 x 10 WN 5451 / 10 IP	Lens head screws with pressed disc with Torx plus® / Autosert® hexalobular socket EJOT DELTA PT® WN5451 Steel tempered 380 HV, galvanized blue

M3 x 6	Thread-forming lens screws Form C, with metric thread and Phillips Pozidriv Form Z DIN 7500 C, ~UNI 8112 Steel case-hardened 450-560 HV, galvanized blue with sliding layer
523335	PT-Pan Hd Scr Torx-(BN20040)-KA30x10
6 x 30	Heavy-duty spring pins with tooth slot, ground VSM 12786 Spring steel 42-50 HRC, bright
2001217	KA 30 x 10 WN 1413 countersunk head screw with Phillips form H EJOT PT® WN 1413 Steel tempered 380 HV, galvanized blue Customs tariff number: 73181491900 Total weight: 3.15 kg ISO 4042 Tempered fasteners ≥ 360 HV and case-hardened, tempered Fasteners with electroplated coatings: Danger of hydrogen embrittlement!
1299549	Bossard BN-855 Dimensions: Ø3x8
1241869	DIN 439 B-M8-A2
M 5 x 6	Cylinder screws with internal hexagon, without shaft DIN 912, ISO 4762 INOX A2
MS21060-5	NUT PLKL PSZCL.3125-24 MOVABLE KLT
MS21077-5	NUT PLKL PSZCL 5/16-24 MOVABLE KLT
10091225	PISTON RING MS16624-4025
MM-0000-2714	RIVET ALCR 1/8X.4375X.188
MS20426AD4-6	RIVET CSK, ALCR .125X.375X.234
MS20470AD6-6	RIVET 3/16
MS20426AD4-7	RIVET 1/8
BN 1052 M6	Geomet coating, Final dry film thickness (DFT): 8-12 µm or Coating weight: ≥ 24 g/m². 1000 hours SAE J2334 corrosion resistance.
BN 1052 M8	Geomet coating, Final dry film thickness (DFT): 8-12 µm or Coating weight: ≥ 24 g/m². 1000 hours SAE J2334 corrosion resistance.
1233688	M 2 x 6 Cylinder screws with internal hexagon, without shaft DIN 912, ISO 4762 INOX A4
1233696	M 2 x 8 Cylinder screws with internal hexagon, without shaft DIN 912, ISO 4762 INOX A4
1135856	M 2 x 6 Countersunk screws with Phillips head, shape H DIN 966 A, ~ISO 7047 Steel 4.8, galvanized-blue
1257587	3 x 20 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
1257625	686 4 x 8 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310

1421212	686 4 x 12 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
1257668	686 4 x 20 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
1257870	686 6 x 26 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
1257889	686 6 x 30 Heavy-duty tension pins with tooth slot VSM 12785 INOX 1.4310
M4x26 CL07 K04	
BSM SG 5.5x0.7/8.4x20 PC10	
M4x22 CL07 K04	
M3x26 CL07 K04	
1257552	SERRATED SLOT PIN
1054 1386778	M4 / 5.8 x 7.4 Threaded inserts for press-fitting headless, for thermoplastic and thermosetting plastics Brass, bare
MM-0000-4895	SEGMENT PSZCL 20x1.2
MM-0000-4887	PISTON RING PSZCL 12x1.0
MM-0000-4883	PISTON RING PSZCL 8x0.8
MM-0000-7963	PIM PSZCL SERRATED SLOTTED 5X24
MM-0000-0966	PIM GUPILYA PSZCL 2X12
MM-0000-0990	PIM GUPILYA PSZCL 3.2X32
33055 5819320	M 16 x 1.5 Hex nuts ~0.5d metric fine thread DIN 439 B, ~ISO 8675 INOX A4
V27S01-7AGV	6.3 locking pin Countersunk head with slot Camloc® 2700 Steel, galvanized
M10X20	
912 1363921	2.5 x 16 Splints DIN 94, ISO 1234 Steel, galvanized-blue
9056745	KNCM3x0.5 M3x4.25/4.4 Threaded inserts with locking wedges miniature, with free-running thread KEENSERTS® KNCM INOX 1.4305
1048 1386581	842 000 040 800 M4 x 5.85 x 8 Threaded inserts for press- fitting with Expansion anchorage with small head, with cross- knurling, for thermo- and thermosetting plastics BancLok® RK 842 Brass, bare
6404 3271441	M 2 x 8 / X6 Lens screws with internal hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, zinc-plated-blue

M 3 x 6 / X10	Lens screws with internal hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, zinc-plated-blue 6404 1982990
M 2 x 6 / X6	Lens screws with internal hexagon socket, without shaft ~ISO 7380-1, ~DIN 34805-1 Steel 08.8 / 8.8, zinc-plated-blue 6404 3271440
M 3 / 3,2	spring washers arched DIN 137 A, ~UNI 8840 A Spring steel 420-490 HV, mechanically zinc-plated-blue 797 1280449
M3 ZN	SYMMETRICAL SPRING WASHER
M2 ZN	SYMMETRICAL SPRING WASHER
KNCM4x0,7	M4x5.25/5.5 Threaded inserts with locking wedges miniature, with free-running thread KEENSERTS® KNCM INOX 1.4305
BN 38025 M4x0.7	
PSZCL SERRATED AND SCRAPED 3X20	
3148245 - Not Available	
1244116	
M10 8 Gzn	
P/N: 1858483 Type: Bn6404 (1x100)	
Bn 686-5x26	
Conical Washer Size M18	
Contact Washer M3	
M3x6-8.8 Din 7991-Bolt	
1678582	
1094904 Bn161 M3	
Unn 12005-006	
Din125-A5.3	
M5*60	
B12/Bn13371	
1233084	
B6x24/Bn82428 - Not Available	
Siehe Anhang	Es wird benötigt: Die gleichen Schrauben im anhang nur in folgender grösse. M3x5
2327596	
1253212 B5/Bn670	

1272810
3184815 - Not Available
Hb Txp M3x10 ? 8.8 K01 1148494 - Not Available
1272810, B6/18/0.1/Bn748
Din471 95
M3, Bn 161
Conical Washer Size M16
10?1.5
Conical Washer Size M3
Bn 686 ? 3x30
1678140
1098470 (Pack 1x100)
P/N: 1275399 Type: Bn 761 (1x200)
Pszcl 2x14
Article No: 1274082 M10 (Din7989-1)
M4*30
1233114
Bn201,Bn202
1241478
5401413
1273043, B6/18/0.2/Bn748
Din934 M6 Model 1241494 - Not Available
1486934
(M10x25) 1994530 Bn3873
1098586 Bn202 M4
P/N: 1269992 Type: Bn 729 (1x200)
1226800
Sr1,Sr2,Sr3,Sr4,Sr5,Sr6
M2.5*30

5403331 Bn 31150 Din 912 Iso 4762
100 Pcs
1233122
M6*60
Contact Washer M10
Bn 686 ? 3x16
Contact Washer M6
Bn874
1244094
Bn 616-M3x10
1986279
Contact Washer M8
M10x60 8.8 Gzn
1370286 (Pack 1x100)
P/N: 1089749 Type: Bn 118 (1x200)
Conical Washer Size M12
Bn5208 Type: Bn5208; Diameter: 25 Mm; Outer Diameter: 45 Mm
P/N: 1146009 Type: Bn4850 (1x100)
1421735
Conical Washer Size M5
B4x16/Bn82428
Bn 616-M3x16
B3/Bn762
1233130
3060237 - Not Available
Bn 20146 Schraube M2x6
3271442 - Not Available
Bn818 Å216;3
1020390
M3*30
1965549 B6/Bn670

Unn 12005-048
1292862
5307-1206-9408 Ch/R/X StIst/Box/M1.6x8
1422537
1253204
Conical Washer Size M10
1241443
1032658
1170198
Tapk 33 Bs, Article 1366777
3271447 - Not Available
1253190
M10*100
Bn4825 2095831 M5x8
Conical Washer Size M6
P/N: 3060123 Type: Bn 13274 (1x200)
Contact Washer M5
B3x8/Bn6404 (1983385)
Ss1,Ss2,Ss3,Ss4,Ss5,Ss6
Unn 12005-004
Din 471 100
TI-8-110 (Package Of 100pcs)
M10 A2 Gra
1558595, B16/Bn13292
M2*20
Bn 831 3 11
813245-008
3183901 - Not Available
M111583 - Uknown Model
M8*100

Din 471 105
Ka3.5x30 Zn Model 2000458 - Not Availalbe
1246739
M4*6 Torx
Bn80595 M36
Din 471 118
1253212
1233998 B5x10/Bn612
P/N: 1213296 Type: Bn 684 (1x100)
Din 471 110
Din 931 M8x80 10.9
B6x1.8/Bn201
3183887 - Not Available
M3 , Bn 3332, L18
Mm-0000-1045
Vi-00010908
1170228
3271438 - Not Available
Bn80595 M12
1219804 M3,5x8 Bn 1435
Contact Washer M4
Din125a M3 Zn Model 1887467 - Bn715 - Not Available
Bn 20218 M4x10 (Art.No 3366758)
Conical Washer Size M4
1233106
Bn20146 A2 Schraube M2,5x6
3060255
M10 Mek Zn
M3 , Bn 3332, L16

1273671, B6/18/0.5/Bn748
Bn80595 M30
1246720
Unn 12005-005
1384988 - Not Available
B3x8/Bn1062 (1401955)
Conical Washer Size M8
B5x16/Bn3
Contact Washer M18
Din963a
?91283980101 Mutter M3 P8 Bn 80038 Nfe 25-409
B6x16/Bn82428 - Not Available
1234021 B5x16/Bn612
B3/Bn715
P/N: 1255916 Type: Bn 684 (1x100)
B6x10/Bn82428 - Not Availalble
3060259
Din84a
Bn80595 M24
P/N: 1858572 Type: Bn6404 (1x100)
1250760
M10x70 8.8 Gzn
Contact Washer M12
Bn 1052 M3
B4x10/Bn82428
Bn40100 3092003 M3x6
1170171
1558587, B12/Bn13292
Art.Nr. B5/Bn13193
Din128-A5

B3x8/Bn384
5401018
M3x6-8.8 Din 7991
Bn819 Å216;3
Art.No 3366755 Bn20218 M 3,5 X 8
1211329 Doesnã39;T Exist
1233300 B5x20/Bn610
1233238 B4x16/Bn610
Contact Washer M16