



Braukmann

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Braukmann Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Braukmann T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
AF11S-11/2A	W99 Replacement filter insert 105/135 µm for filters and filter combinations
F76S-2AA	
Filter insert Art. AF11S-11/2A	
EA 122-BA	Quick air vent with built-in shut-off, operating pressure max. 6 bar, with connection R 1/4 - R 3/8 H5
ES06F-1B	
RV280-1A	Non-return valve, with socket connection, pre-pressure max. 16 bar, R 1
Pressure reducer item D15S-100A	
5707600	W99 Membrane
0901356	sealing kit W99
ES06F-1/2A	Replacement sieve for pressure reducer D06F, D06FH and D06FN, R 1/2 - R ¾
36mm diameter 42mm deep =ES06F-1B:	
27mm diameter 42mm deep =ES06F-1/2A	
D06F-3/4LFA	Pressure reducer D06F, lead-free brass, transparent strainer cup, threaded nozzle R 3/4"

F76S-2LFAA	Domestic water fine filter F76S, 100 µm, lead-free, threaded nozzle 2"
TI2502000I	528.0 GAL ASME 250 PSI EXP. TANK
TI250300I	80.0 GAL ASME 250 PSI EXP. TANK
Tx210vc	TX SERIES ASME THERMAL EXPANSION TANK. 1-1/4 INTERNAL NPT FEMALE CONNECTION. 88.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
Pv250fc	2.5FLGD SUPERVENT, CLEANABLE
Tx-12-C	3/44.7GALTXTHERMALEXPTANKASME
TI175200I	53.0 GAL ASME 175 PSI EXP. TANK
Taxv-144	177GALVERTTHERMOEXP.TANK
Pv300f	SUPERVENT AIR ELIMINATOR. 3 FLANGED.
TI125-600-L	158GAL EXPANSION TANK 1 1/2
Tx80vc	TX SERIES ASME THERMAL EXPANSION TANK. 1-1/4 INTERNAL NPT FEMALE CONNECTION. 53.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
TI125300I	TL SERIES THERMAL EXPANSION TANK. 1. 79.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tax200	TAX SERIES ASME THERMAL EXPANSION TANK. 1 HORIZONTAL. 110.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx453c	TX SERIES ASME THERMAL EXPANSION TANK. 3 INTERNAL NPT FEMALE CONNECTION. 264.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI2501600I	422.0 GAL ASME 250 PSI EXP. TANK
TI1251000I	TL SERIES THERMAL EXPANSION TANK. 1-1/2. 264.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP. MAX.
Tx70vc	TX SERIES THERMAL EXPANSION TANK 34.0 GALLON
Tx5c	TX SERIES ASME THERMAL EXPANSION TANK. 3/4 EXTERNAL NPT MALE CONNECTION. 2.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
Pv200f	SUPERVENT AIR ELIMINATOR. 2 FLANGED.
TI175800I	211.0 GAL ASME 175 PSI EXP. TANK
Tx180vc	TX SERIES ASME THERMAL EXPANSION TANK. 1-1/4 INTERNAL NPT FEMALE CONNECTION. 77.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
Pv400f	CONN FLANGED SIZE-4 NPT
Tx457	EXPANSION TANK- POTABLE. 3 INTERNAL NPT FEMALE CONNECTION. 528.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
TI250400I	106.0 GAL ASME 250 PSI EXP. TANK
Taxv-120	168GALVERTTHERMOEXP.TANK
Taxv-060	1/233.6GALVERTTHERMOEXP.TANK
TI1251400I	TL SERIES THERMAL EXPANSION TANK. 1-1/2. 370.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Pv250t	SUPERVENT AIR ELIMINATOR. 2-1/2 NPT.
TI1751400I	370.0 GAL ASME 175 PSI EXP. TANK

TI250200I	53.0 GAL ASME 250 PSI EXP. TANK
Tax144	TAX SERIES ASME THERMAL EXPANSION TANK. 1 HORIZONTAL. 77.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Pv300fc	SUPERVENT AIR ELIMINATOR. 3 FLANGED, CLEANABLE.
Tax80	TAX SERIES ASME THERMAL EXPANSION TANK. 1/2 HORIZONTAL. 44.4 GALLON VOLUME, 125 PSI MAX, 240F TEMP MAX.
Tx447c	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE CONNECTION. 53.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI125800I	TL SERIES THERMAL EXPANSION TANK. 1-1/2. 211.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI1751200I	317.0 GAL ASME 175 PSI EXP. TANK
Tx450c	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE CONNECTION. 132.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx454	EXPANSION TANK- POTABLE. 3 INTERNAL NPT FEMALE CONNECTION. 317.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
Tx451	EXPANSION TANK- POTABLE. 2 INTERNAL NPT FEMALE CONNECTION. 158.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
TI1752000I	528.0 GAL ASME 175 PSI EXP. TANK
Tx456	EXPANSION TANK- POTABLE. 3 INTERNAL NPT FEMALE CONNECTION. 422.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
Tax40	TAX SERIES ASME THERMAL EXPANSION TANK. 1/2 HORIZONTAL. 21.7 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx449c	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE CONNECTION. 106.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Taxv-240	1132GALVERTTHERMOEXP.TANK
TI250800I	211.0 GAL ASME 250 PSI EXP. TANK
Tax180	TAX SERIES ASME THERMAL EXPANSION TANK. 1 HORIZONTAL. 90.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx452c	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE CONNECTION. 211.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tax60	TAX SERIES ASME THERMAL EXPANSION TANK. 1/2 HORIZONTAL. 33.6 GALLON VOLUME, 125 PSI MAX, 240F TEMP MAX.
Tx455c	TX SERIES ASME THERMAL EXPANSION TANK. 3 INTERNAL NPT FEMALE CONNECTION. 370.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI175600I	158.0 GAL ASME 175 PSI EXP. TANK
TI125500I	TL SERIES THERMAL EXPANSION TANK. 1 132.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI250600I	158.0 GAL ASME 250 PSI EXP. TANK
Pv300t	3 NPT POWERVENT
TI2501200I	317.0 GAL ASME 250 PSI EXP. TANK
TI175300I	80.0 GAL ASME 175 PSI EXP. TANK
TI2501400I	370.0 GAL ASME 250 PSI EXP. TANK

Tx120vc	TX SERIES ASME THERMAL EXPANSION TANK. 1-1/4 INTERNAL NPT FEMALE CONNECTION. 68.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
Tx42vc	TX SERIES ASME THERMAL EXPANSION TANK. 1/4 EXTERNAL NPT MALE CONNECTION. 17.5 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
TI125400I	TL SERIES THERMAL EXPANSION TANK. 1. 105.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Mx132	3FLG MIX/VLV PROP 110-150DEG
Taxv-080	1/244.4GALVERTTHERMOEXP.TANK
TI2501000I	264.0 GAL ASME 250 PSI EXP. TANK
TI1751600I	422.0 GAL ASME 175 PSI EXP. TANK
TI250500I	132.0 GAL ASME 250 PSI EXP. TANK
TI175500I	132.0 GAL ASME 175 PSI EXP. TANK
TI125200I	TL SERIES THERMAL EXPANSION TANK. 1. 53.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
TI175400I	106.0 GAL ASME 175 PSI EXP. TANK
TI1251600I	TL SERIES THERMAL EXPANSION TANK. 1-1/2. 442.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx454c	TX SERIES ASME THERMAL EXPANSION TANK. 3 INTERNAL NPT FEMALE CONNECTION. 317.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx455	EXPANSION TANK- POTABLE. 3 INTERNAL NPT FEMALE CONNECTION. 370.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
TI1751000I	264.0 GAL ASME 175 PSI EXP. TANK
Pv400t	4 SUPERVENT 360CV,150PSI
Tx457c	TX SERIES ASME THERMAL EXPANSION TANK. 3 INTERNAL NPT FEMALE CONNECTION. 529.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Pv200fc	SUPERVENT AIR ELIMINATOR. 2 FLANGED. CLEANABLE.
Taxv-200	110GAL EXPANSION TANK 1
Tx453	EXPANSION TANK- POTABLE. 3 INTERNAL NPT FEMALE CONNECTION. 264.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
Tx60vc	TX SERIES ASME THERMAL EXPANSION TANK. 3/4 EXTERNAL NPT MALE CONNECTION. 25.0 GALLON VOLUME. 150 PSI MAX, 200F TEMP MAX.
Tx456c	TX SERIES ASME THERMAL EXPANSION TANK. 3 INTERNAL NPT FEMALE CONNECTION. 422.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Pv250f	CONN. FLANGED SIZE-2 1/2 NPT
Taxv-180	190 GALVERTTHERMOEXP.TANK
Mx131	2 1/2 MIX/VLV PROP 110-150DEG
Tx20vc	3/48GALTXTHERMALEXPANSIONTANK
Taxv-040	1/221.7GALVERTTHERMOEXP.TANK
Taxv-100	1/255.7GALVERTTHERMOEXP.TANK
Tx-30v-C	3/412.5GALTXTHERMALEXPANSION
	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE

Tx448c	CONNECTION. 80.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tax240	TAX SERIES ASME THERMAL EXPANSION TANK. 1 HORIZONTAL. 132.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx451c	TX SERIES ASME THERMAL EXPANSION TANK. 2 INTERNAL NPT FEMALE CONNECTION. 158.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tx452	EXPANSION TANK- POTABLE. 2 INTERNAL NPT FEMALE CONNECTION. 211.0 GALLON VOLUME. 150 PSI MAX, 240F TEMP MAX.
Tax120	TAX SERIES ASME THERMAL EXPANSION TANK. 1 HORIZONTAL. 68.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Pv400fc	SUPERVENT AIR ELIMINATOR. 4 FLANGED, CLEANABLE.
TI1251200I	TL SERIES THERMAL EXPANSION TANK. 1-1/2. 317.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.
Tax100	TAX SERIES ASME THERMAL EXPANSION TANK. 1/2 HORIZONTAL. 55.7 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX. 240F TEMP. MAX.
TI1252000I	TL SERIES THERMAL EXPANSION TANK. 1/2. 528.0 GALLON VOLUME. 125 PSI MAX, 240F TEMP MAX.