

Brevetti Stendalto



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Brevetti Stendalto Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Brevetti Stendalto Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
307su067140	Energy supply sk. Kst. aufklappb. both R = 140 C = 67 A = 105 half-walled The total quantity results from 21 x 0.98 m Stat. Product number: 84879090 - Country of origin: IT
307su053140	Energiefhrungsk. Kst. aufklappb. both A = 91 C = 53 R = 140 half-walled The total quantity results from 21 x 0.98 m Stat. Product number: 84879090 - Country of origin: IT
An307k	Connection elements Kst. loose, chain type 307SU Stat. Product number: 84879090 - Country of origin: IT
A307sk1	Connection elements steel galvanized (Galv.) loose pos. 1 chain type 307SU Stat. Product number: 84879090 - Country of origin: IT
300015040st	Energy chain Kst. do not unfold A = 30 C = 14 R = 40 full The total quantity is 2 x 0.99 m Stat. Product number: 84879090 - Country of origin: IT
Ap300k1	Connection elements steel galvanized (galv.) 8.37 EUR 25.11 loose item 1, chain type 300 C = 15 Stat. Product number: 84879090 - Country of origin:IT

30lt346220	Energy chain steel galvanized (galv.) A = 380 C = 346 R = 220 The total amount is 1 x 2.755 m 73158900 IT
770150150	Energy guiding Kst. open Inside A = 185 C = 150 R = 150 lid and base Kst. The total amount is 1 x 4.06 m Stat. Product number: 84879090 - Country of origin: IT
Cable Channel	
OVC 40825110-P	Loader-Unloader
325LE103100 (5,040 m)	Energy supply c. Kst. open Outside A = 120 C = 103 R = 100 full web The total amount is 1 x 5.04 m Stat. Lot number: 84879090 - Country of origin: IT
4082510-P	ITEM-OFF-MT
KOD : 064706	MODEL : BS400L , R450 STEEL
An325L040K	
An325L060K	
300A050060ST, 990mm	
35LA550300 10,500 m	A = 569 SL = 550 R = 300 galvanized steel with aluminum perforated frame bars The total amount is 4 x 2.625 m Drilling pattern for perforated frame web according to customer drawing 4x 2.625mm = 21 links Stat. Lot number: 84879090 - Country of origin: IT
A35LKM1	Connection elements galvanized steel (galv.) mounted pos. 1 chain type 35LT / LA Stat. Lot number: 73158900 - Country of origin: IT The Type 35LA we offer is the successor to the BS3500NTL.
400060ST	Energy guiding c. Kst. open Inside A = 82 C = 60 R = 50 The total amount is 4 x 1 m Standard length 1,000mm Stat. Lot number: 84879090 - Country of origin: IT
308SU407300G4	
325LE060150S	
478M/30748	
0-19932-D	
0-19934-E	
0-19935-F	
0-19936-C	
20LC154115	
20LT079075	
20LC154115	

300A015040ST	
300A025040ST	
308SU138150	
30LT156220	
30NT156250	
325LE040100S	
326SU061150	
328B230150	
355066	
445MU136150	
61201518	
61201530	
7000002X	
7030612XC	
A110PC200KM1	
A20LCKM	
A20LCKM1	
A300A025K	
A306K1	
A30LKM1	Connection elements galvanized steel (galv.) mounted Pos.1 chain type 30LT/LA
A30NKM1	
A326KM	
A328K	
AL600K	
AM355KM1	
AN300A015K	
AN660050K	
H110PC200500	
ITEM-OFF-MT	
M306SE075	

PG300A	
S110F3MCE	
S3000FMC	
S308COMC	Divider plastic mounted chain type 30LT/30LC Stat. Goods number: 84879090 - Country of origin: IT
SFCT110200KMA	
A325L040KM1CR	
SR445	Kabeltrgerpalette Kunststoff (Kanal) 12 cm Breite
30LC156220PA	Cable drag chain steel galv. (galv.) A=190 C=156 R=220 Screwed aluminum cover side band The total amount is 11 x 0.95 m 11x 950mm = 10 links Stat. Item number: 73158900 - Country of origin: IT TOTAL 10,45metre
A30LCK	Connection elements galvanized steel (galv.) loose Pos.1 chain type 30LC
KIT30L	bolting material for chain type 30L 2 sets of KIT30L are required per chain link to be connected
SR339	Cable chains
SR306CI(CE)043	Cable chains
SR770085	Cable chains
306SU129107	energy guide plastic hinged both R=107 C=129 A=165 half bridge The total amount is 2 x 4.03 m 2x 4,030mm = 62 links Stat. Goods number: 84879090 - Country of origin: IT
300025080ST	energy guide plastic not openable A=41 C=25 R=80 The total amount is 91 x 0.99 m Standard length 990mm 91x 990mm = 33 links Stat. Goods number: 84879090 - Country of origin: IT
AG300K1	Connection elements galvanized steel (galv.) loose item 1 chain type 300 C=25 Stat. Goods number: 84879090 - Country of origin: IT
308SU300150	energy guide plastic hinged both R=150 C=300 A=344 half bridge The total amount is 1 x 4.24 m
BM524	AX 63 B4 0,18kW 4P B5
A300A025K	Connection elements galvanized steel (galv.) loose chain type 300A C=25
CFC300025K	Strain relief comb plastic loose Chain type 300A C=25
CFC308S163K	Strain relief comb plastic loose Chain type 308SU C=163
308SU163200	R=200 C=163 A=207 halbsteigig Gesamtmenge ergibt sich aus 10 x 1,04 m 10,400 m
	energy guide plastic hinged both R=150 C=129 A=165 half

306SU129150	bridge The total amount is 10 x 1.04 m 10,400 m
300A025040ST	energy guide plastic hinged Inside A=37 C=25 R=40 The total amount is 10 x 1.77 m Standard length 990mm 17,700 m
A308SK1	Connection elements galvanized steel (galv.) loose item 1 chain type 308SU
306SU074150	energy guide plastic hinged both R=150 C=74 A=110 half bridge The total amount is 10 x 1.04 m 10,400 m
A306SK1	Connection elements galvanized steel (galv.) loose item 1 chain type 306SU
SFCT306S129K	Strain relief comb plastic loose Chain type 306SU C=129
SFCT306S074K	Strain relief comb plastic loose Chain type 306SU C=74
S308SHE	Clamp separator plastic loose for chain type 308SU/328SU
30LT306220	Cable drag chain steel galv. (galv.) A=340 C=306 R=220 half bridge The total amount is 1 x 3.515 m
300025040	energy guide plastic not openable A=41 C=25 R=40 The total amount is 1 x 2.01 m
CABLE CARRIER,BS4500 L:8750MM	CABLE CARRIER,BS4500 L:8750MM NTL 884790 BREVETTI W:884MM SPECIAL LOTS. AX 4500KM1 LINKAGE AND ATTACHMENT INCLUDED.
30LT306220	Galvanized steel energy chain (galv.) A=340 C=306 R=220 half-bar Total quantity is 1 x 3.515 m
S308COMC	Plastic divider mounted chain type 30LT/30LC
A30LKM1V	Connecting elements, galvanized steel (galv.) mounted Pos.1 chain type 30LT, screwed
300A015080ST	Energy management k. Kst. foldable Inside A=27 C=15 R=80 Total quantity is 28 x 0.99 m 27,720 m
325LE040060ST	Energy management k. Kst. foldable Outside A=57 C=40 D=25 R=60, standard length Total quantity is 50 x 0.99 m 49,500 m
SR300A	Kabel
435MU125100	Energy management k. Kst. foldable both A=145 C=125 R=100 Total quantity is 1 x 1 m
ANB335L040K1	Connecting elements plastic loosely swinging Pos.1 335L/LI/LE C=40
AFB335DXL	
SR328SI161280	
CR328	

CS328	
PBN316 318	
319ST400X	Sideband ITEM-OFF-MT
PAT319	Plastic sliding shoe for chain link Chain type 319ZE
VTSCE0630X	ITEM-OFF-NR Screw material stainless steel
SR319ST6X CABLE KETE RIGHT SIDE CHANNEL TAPE	
SR319ST6X CABLE KETE SOLYAN DUCT TAPE	
PAT319+V KETE WEARING SLIDE	
SR-318	
SR770 R150	
300A050060ST	Cable guide box, plastic, hinged inside A=62 C=50 R=60 Total quantity is 25 x 0.99 m Standard length 990mm
CI770150	Lid (plastic) can be opened Chain type SR770 C=150
SR306-M306SI150	
Sr355a095	
20lt104150	
A510tnkm	
Sr325le060150	
Ca20lpt104	
A20lckm3	
326su136200	
A110pc200k Anslusselementelose, H110pc, C=200	
Sr300a050040	
An300a050km	
An770akm	
A30nkm1 Anslusselement Stahl Verz. (Galv.) Montiert Kettentyp 30lt	
An300a015km	
326su222200	
A326km Anslusselemente Stahl Verz. (Galv.) Montiert Kettentyp 326su	

Item-Off-Mt 660050xxx	
300a050060	
Sr 445 M 4453 Se R 200 Ve M 4453 Si R 100	
Sr435	SR435, M4345CI R100
Ap355km1	
435pu076200	Energief¼hrungsk. Kst. aufklappb. beide R=200 C=76 A=96 Deckel u. B¼den Kst. Anzahl x L¼nge 5 x 1,000 m
Sr770a045130 A770a	
S300amc	
Sr 770 R 150	
An445m150km	
Cs355066 Guide Tray L = 1700mm	
S308comc Trennsteg Kunststoff Montiert	
?? 325040 Guide Tray 29m	
355047	
Sr 355	
Cs325040 Guide Tray 29m	
20nt079075 Chain Steel 1200mm (17rings)	
Sr323	
Sr 445 R200	
A20lckm1 Attacchi In Acciaio Zincato. Montati A Catena Posizione 1	
306b1504d	
770085150	
S20ltf	
445me150150	
Sr445me100100 + A445m100km1	
4181825	
Al600k Anschlusselemente Kst. Losesr600 C=150	

Tam-10032-Fg.14 305030	
Sr300a015040 Kabel-Kette; Serie: Mittel; Radius:40mm; L:990mm	
30lt106150	
355065	
S770mc	
Sr30090070	
510tn	
30lt-106150-Ls500	
Smd306ce	AEC Module
A20lk	
26750 Mm	
305009s	Energy management. Kst. not open. A = 74 C = 50 R = 50 without preload Number x length 1 x 15,015 m Energy guiding chain, plastic, series Medium type 305 ? Chain for horizontal application ? Chain with plastic frame bar per chain link ? Chain can not be opened Chain length (L) = 15.015 mm = 429 chain links Travel distance (LS) = 29,570 mm (with central infeed) Further dimensions can be found in the attached data sheet Please note: at the following position the unsupported length has been exceeded: Pos. 1 Please support the energy chain or contact us to avoid possible damage
S20ltfmc	
30nt156250 Energieführungskette Stahl Verz. (Galv.)a=190 C=156 R=250 Halbstegig	
??355??1 Tip	
Item-Off-Mt 66015x	
Sr325040100 Cable Chain L = 15500mm	
Bew-Prf-M280	
S355mc	
326su106200	
?325040??1 Chain Ends	
355096	
Pg309h	3-fold connecting bolt Kst. yellow Chain type 309B / SU Stat. Lot number: 84879090 - Country of origin: IT

Bew-Prf-M168	
A30lkm2	
Sr325le040075	
An770085km	
4251120	
Ag305k1	Connection elements steel galvanized (Galv.) loose, Pos. 1 Chain type 305 C = 50
Sr300025040	
300a015040	
326su147150	
326su106150	
A300a050km	
An325l040km	
S308c	
An660050k Anslusselemente Kst.Lose Sr660 C=50	
355045	
Sr355066 Cable Track L = 1880	
A30lkm1 Attacchi In Acciaio Zincato. Montati A Catena Posizione 1	
325le040050	