Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Cam Line

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Cam Line Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Cam Line Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
C35-Da	
3-1059-C30-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 2
0.75-1159-Es3-Lds-G-Ox	
3-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 3
3-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 3
1.5-1159-Clv	
2-1059-Hd3-Lds	STAINLESS STEEL
0.75-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
35106	BODY TEFZEL-LINED
4-1159-C35-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
075-1159-Lds-V	
015-1159	
2-1159-C30-Sr-3-Fc	100 PSIG AVAILABLE AIR
0.75-1059-Hd2-Lds	
C20-Sr	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
4-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
075-1159-Es2	
3-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE3
35102	BODY TEFZEL-LINED
1-1059-C15-Da	
4-1159-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
1.5-1159-Et1-Lds-G-Clv	
1.5-1159-Hd3	
0.75-1159-C20-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 2
4-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
0.75-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
20045	
6-1159-C35-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
4-1159-C35-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 4
1.5-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	STEM 3(CARBON STEEL PVDF COATED)
1-1159-C20-Sr-3-Fc	100 PSIG AVAILABLE AIR
1.5-1159-Hd2	
4-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
0.75-1159-Hd2	
6-1059-C35-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Lds-V	
1.5-1059-Hd2-G	
1-1159-Es4-Lds-G-Clv	
4-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
83256	
1-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr-2c-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 100PSIG, SIZE 6”
6-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-C30-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da	
3-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1159-Lds-V	
1.5-1159-Es4-Lds-G	
20025	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1159-C25-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
0.75-1159-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C30-Sr-2c-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1159-C30-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
21660	
1-1159-Es1-Lds-G-V	
2-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C20-Da-Sc	
31782	
6-1059-C45-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
015-1159-Lds-V	
1.5-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Hd3-G	
2-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
2-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es3-Lds-G-Ox	
2-1159-Hd2-Ox	STEEL
4-1159-C60-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1.5-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es4-Lds-G	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 3
4-1059-C35-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Hd3-Clv	
6-1159-Clv	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED
0.75-1159-C20-Da	
0.75-1059-Et1-Lds-G-Ox	
2-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE2
3-1159-C25-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Hd2-Lds	
4-1059-C30-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Clv	
81780	
2-1159-Hd3-Clv	STAINLESS STEEL
2-1059-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE4
1-1159-C20-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
35091	
0.75-1159-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es3-Lds-G-V	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 4
3-1159-C30-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C60-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
23885	
6-1059-C45-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
0.75-1159-Et1-Lds-G	
015-1059	
1-1059-C25-Sr-2ab-Fc	
6-1159-C35-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C25-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C60-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
3-1159-C30-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es1-Lds-G-Ox	
6-1059-C35-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
2-1159-C35-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
C45-Sr	
3-1159-C30-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es3	
3-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 3
20039	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2-1159-C35-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-C25-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
19973	
4-1159-C35-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 4
1-1159-Hd2-V	
6-1159-C35-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C30-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-Ox	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED
1-1059-C20-Da-Sc	
35115	
C35-Sr-2c-Fc	
C35-Sr-3-Fc	
1.5-1159-Hd3-V	STAINLESS STEEL
C30-Sr	
4-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE4
3-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 3
6-1059-C45-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C30-Sr-2c-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd2-Ox	
1-1159-Clv	
1.5-1059-Hd3	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
C75-Da	COMPACT ACTUATOR, W/ ISO PLATE, DOUBLE ACTING 3
6-1059-C45-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
C15-Sr	
075-1159-Es3	
1.5-1059-Et1-Lds-G-V	
015-1059-Hd2	
3-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1159-Hd2-G	
1-1159-C15-Da	
6-1159-C35-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 2
35116	
4-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1059-Lds-V	
1.5-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-Es1-Lds-G	
4-1059-C30-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-C15-Da-Sc	
C25-Sr	
6-1059-C45-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C60-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 2
4-1059-C30-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C20-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1159-C45-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C30-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C30-Sr-2ab-Fc	
21662	
1-1159-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-Clv	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED
2-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C45-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
075-1059-Es2	
1.5-1059-C25-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
0.75-1059-Hd3-V	
3-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Et1-Lds-G-Ox	
0.75-1059-Hd3-Clv	
6-1159-C45-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C45-Sr-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
2-1059-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
6-1159-C45-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Et1-Lds-G	
3-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es4-Lds-G	
3-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
3-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 3
0.75-1159-Hd3	
1-1159-Et1-Lds-G-V	
4-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE4
1-1159-Es3-Lds-G-V	
2-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 2
6-1159-C35-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es1-Lds-G-Ox	
2-1159-Hd2	STEEL
1-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
81772	
0.75-1159-Et1-Lds-G-V	
0.75-1159-Es2-Lds-G-V	
19988	
1-1059-Es1-Lds-G-V	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
6-1059-C60-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
075-1159	
0.75-1159-Hd2-Ox	
6-1159-C35-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
2-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-C25-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
3-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE3
1-1059-Es2	
015-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 1.5
21664	
6-1159-Lds-V	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
6-1159-C60-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
2-1159-C25-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-Es4-Lds-G-Clv	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1159-Hd3-G	
3-1059-C25-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
3-1159-C25-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
3-1159-C30-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
21695	
0.75-1159-Es4-Lds-G	
1.5-1159-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
21699	
2-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE2
1.5-1159-C30-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
35088	
1.5-1159-C25-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
2-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE2
2-1059-C35-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
4-1159-C45-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1-1159-C15-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-C30-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
4-1159-C30-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es2-Lds-G	
2-1059-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Da	COMPACT ACTUATOR, W/ ISO PLATE, DOUBLE ACTING 3
0.75-1059-Es3-Lds-G-Ox	
1.5-1059-Hd2-Clv	
3-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1059-C20-Da	
4-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1159-Es2-Lds-G-V	
4-1059-C35-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
015-1059-Hd3	BALL VALVES, DUCTILE IRON TEFZEL-LINED, OVAL STAINLESS STEEL HANDLE, MATL SIZE1.5
6-1159-C45-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es1-Lds-G-Clv	
1-1059-C15-Da-Sv1	
1.5-1159-Hd3-Ox	STAINLESS STEEL
4-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
1.5-1159-Es2-Lds-G	
1-1159-Es3-Lds-G-Clv	
4-1059-C35-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-Hd3-Ox	STAINLESS STEEL
35087	
4-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
1-1059-Es2-Lds-G-Clv	
2-1059-C25-Da	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-Es2-Lds-G-Ox	
0.75-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C20-Sr-2c-Fo	
3-1159-C45-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
1.5-1059-Hd2	
1-1159-Es4-Lds-G-Ox	
1.5-1059-Hd3-Lds	STAINLESS STEEL
1.5-1059-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
2-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Hd3-V	STAINLESS STEEL
3-1059-C25-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0.75-1059-Hd2-Ox	
2-1059-C25-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es3-Lds-G	
C75-Sr	COMPACT ACTUATOR, W/ ISO PLATE, SPRING RETURN 3
2-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C35-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
015-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 1.5
1-1159-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Es1	
0.75-1059-C20-Da	
1.5-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es3-Lds-G-Clv	
1.5-1159-Hd2-Clv	
2-1059-C25-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1-1059-C20-Da-Sv1	
2-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, LOCKING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	DEVICE, VENTED SEAT
3-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C45-Sr-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 4”
1.5-1159-C25-Sr-3-Fc	100 PSIG AVAILABLE AIR
2-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Hd3-Ox	STAINLESS STEEL
4-1059-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1159-C60-Sr-2c-Fc	80 PSIG AVAILABLE AIR
C25-Da	
4-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1159-Hd2-Lds	STEEL
4-1059-C30-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1159-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
0.75-1059-C20-Sr-3-Fc	
0.75-1159-Hd2-Lds	
3-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1059-C20-Da-Sv2	
1.5-1059-Hd2-V	
4-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 4

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
6-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-C35-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1-1059-Hd2-V	
2-1159-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 2
4-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Es3-Lds-G-Clv	
3-1059-C25-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-C35-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
36451	
0.75-1059-Es2-Lds-G	
0.75-1059-C20-Sr-2c-Fo	
2-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
075-1059-Et1	
6-1059-C45-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Hd2-Clv	STEEL
4-1059-C35-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C45-Sr-2c-Fc	80 PSIG AVAILABLE AIR
0.75-1159-Hd3-Lds	
31784	
3-1059-C35-Sr-3-Fc	100 PSIG AVAILABLE AIR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4-1159-C30-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
0.75-1059-Hd2-G	
21656	
2-1059-G	
0.75-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
0.75-1059-C15-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Hd2	
3-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
2-1059-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Hd2-G	
1-1059-Es4-Lds-G-Ox	
4-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-Es2-Lds-G-Ox	
1.5-1159-Hd2-Ox	
2-1059-Hd2-G	
35110	
3-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 3
0.75-1059-C25-Sr-2a2b-Fo	
2-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1.5-1059-Es3-Lds-G	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1059-Et1	
2-1159-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
31781	
3-1159-C30-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-C25-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1-1059-Es1-Lds-G-Clv	
0.75-1159-Es1-Lds-G-Clv	
3-1059-C45-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
1-1159-Es2-Lds-G-Ox	
1-1159-C15-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE6
8807	
2-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1159-Hd3-Lds	STAINLESS STEEL
2-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C15-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
C45-Sr-3-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 100PSIG, SIZE 6”
6-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Et1-Lds-G-V	
3-1159-C35-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
C35-Sr-2a2b-Fc	
3-1059-C45-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
075-1159-Es4	
4-1059-C35-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
20026	
1-1059-Es1-Lds-G-Ox	
6-1059-C45-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-C25-Da	80PSIG AVAILABLE AIR, DOUBLE ACTING
21697	
2-1059-C30-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1159-C35-Sr-2c-Fc	80 PSIG AVAILABLE AIR
3-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
2-1159-C30-Sr-2c-Fc	80 PSIG AVAILABLE AIR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0.75-1059-Hd2-V	
4-1159-C35-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-Ox	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED
1.5-1059-C20-Da	
C45-Sr-2a2b-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 60 PSIG, SIZE 3”
2-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C25-Sr-2a-Fo	
015-1059-Lds-V	
1-1159-Et1-Lds-G-Ox	
1-1159-Es1-Lds-G	
4-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
0.75-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
3-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
4-1059-C30-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-C35-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C35-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
075-1059-Hd3	
3-1059-C25-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1059	
1.5-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1159-Et1-Lds-G	
35089	
3-1059-C35-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
4-1159-C35-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059-C35-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1059-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
4-1159-C35-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
35104	BODY TEFZEL-LINED
2-1059-C20-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C20-Da-Sv2	
3-1159-C25-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
6-1159-C45-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C15-Da-Sv3	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
2-1059-Hd3	STAINLESS STEEL

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1.5-1059-Es4-Lds-G-Ox	
4-1059-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
19998	
1-1159-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
3-1059-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
015-1059-Es1	
4-1159-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1159-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
C45-Sr-2c-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 80PSIG, SIZE 4”
4-1059-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-C30-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
1-1159-Et1-Lds-G	
3-1059-C25-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C30-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-C25-Da-Rf1	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 2
C60-Sr-2a2b-Fc	COMPACT FACTORY MOUNT ACTUATOR, FAIL CLOSED, SPRING RETURN, 80PSIG, SIZE 6”
3-1159-C25-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es1-Lds-G-Ox	
2-1059-C25-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
2-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C25-Sr-2ab-Fc	
1.5-1159-Hd3-Clv	STAINLESS STEEL
6-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 6
C25-Sr-3-Fc	
3-1059-C25-Da-Sv3	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es3-Lds-G	
2-1159-Es4-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1059-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
1-1159-Es2-Lds-G-Clv	
4-1159-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
2-1159-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED
3-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
21658	
2-1159-C25-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
2-1059-Hd2-Lds	
2-1159-Hd2-V	STEEL
0.75-1159-C15-Da-Sv2	80PSIG AVAILABLE AIR, DOUBLE ACTING
075-1059-G	
6-1159-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	BODY SIZE3
3-1159-C30-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-C30-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1-1059-Hd2-G	
4-1059-Et1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1-1059-Et1-Lds-G-Clv	
2-1059	
015-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 1.5
2-1159-Es2-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
2-1159-Hd2-G	STEEL
1.5-1059-Et1-Lds-G-Ox	
2-1159-Hd3-G	STAINLESS STEEL
C30-Sr-3-Fc	
3-1059-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4
0.75-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr	COMPACT ACTUATOR, W/ ISO PLATE, SPRING RETURN 3
0.75-1059-C20-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C45-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Es3-Lds-G	
2-1059-C30-Sr-3-Fc	100 PSIG AVAILABLE AIR
1-1059-Et1-Lds-G	
2-1159-Es2-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	STEM 4
4-1159-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
1.5-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-C35-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
075-1059	
C45-Sr-2a-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 60 PSIG, SIZE 3”
3-1059-Es1-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
2-1159-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
6-1059-C60-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
3-1159-C25-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-C15-Da-Sc	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE4
C35-Sr-2a-Fo	
0.75-1159-Hd2-G	
1.5-1159-C20-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd3-V	STAINLESS STEEL
1-1059-Es2-Lds-G	
3-1059-C30-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C25-Da-Sc	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1159-Hd2-Lds	
4-1059-C35-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Ox	
2-1059-C25-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
6-1059-C45-Sr-3-Fc	100 PSIG AVAILABLE AIR
6-1059-C35-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C30-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1159-Hd3-Lds	
3-1159-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
3-1059-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE3
3-1059-Ox	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
31778	
1.5-1059-C25-Sr-2c-Fc	80 PSIG AVAILABLE AIR
6-1159-C45-Sr-2c-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
4-1159-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
4-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
1-1059-Et1-Lds-G-V	
4-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
C25-Sr-2a2b-Fc	
1-1059-Ox	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
0.75-1059-Es4-Lds-G	
2-1059-Hd3-Clv	STAINLESS STEEL
0.75-1059-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
0.75-1159-C20-Da-Rf2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-C60-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
3-1059-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3
2-1159-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1159-C30-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1159-Es4-Lds-G-V	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
C60-Sr-2ab-Fc	COMPACT ACTUATOR 60PSIG
6-1159-C35-Da	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Hd3-G	STAINLESS STEEL
1-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
C45-Da	DOUBLE ACTING, COMPACT ACTUATOR, 60PSIG, SIZE 6”
C30-Da	
1-1159-Es1-Lds-G-Ox	
3-1159-C45-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
0.75-1159-Hd3-Ox	
2-1059-Es2-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4
6-1159-C45-Da	60PSIG AVAILABLE AIR, DOUBLE ACTING

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
3-1059-C30-Da-Sv4	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1159-Es4-Lds-G-Clv	
1-1059-Es3	
0.75-1059-Es1-Lds-G-Clv	
6-1059-Lds-V	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
6-1059-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 6
3-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1159-Es2-Lds-G-Clv	
015-1159-Es2	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4 EXTENDED STEM, SIZE1.5
1-1059-C25-Sr-2c-Fc	
0.75-1159-Es1-Lds-G-V	
0.75-1159-Es4-Lds-G-Ox	
1-1159-Hd2-Clv	
1.5-1059-Hd3-Clv	STAINLESS STEEL
3-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
0.75-1159-C15-Da-Rf2	80PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-G	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, GROUNDING STRAP, SIZE 4
4-1059-C45-Sr-Fo	100PSIG AVAILABLE AIR, FAIL OPEN
3-1159-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-C25-Sr-2ab-Fc	VALVES(LEVER OPERATED) SIZE 0.75, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
6-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE6

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
6-1059-C45-Da-Rf2	60PSIG AVAILABLE AIR, DOUBLE ACTING
6-1059	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE6
4-1059-C30-Da-Rf1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
3-1059-C30-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sc	
4-1059-C35-Da-Sv3	60PSIG AVAILABLE AIR, DOUBLE ACTING
0.75-1059-Et1-Lds-G-V	
1-1059-Hd2	
0.75-1059-Et1-Lds-G-Clv	
3-1059-Et1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, EXTERIOR STAINLESS STEEL TRIM, MATL SIZE3
C45-Sr-2c-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 6”
4-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
6-1159-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
2-1059-Es1-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
6-1159-C45-Da-Sc	60PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
3-1159-C25-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-G	
C20-Da	
4-1059-Es1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 3
1-1159-Es4-Lds-G-V	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
6-1059-C60-Sr-2c-Fc	80 PSIG AVAILABLE AIR
1.5-1059-C25-Sr-2a2b-Fo	80 PSIG AVAILABLE AIR, FAIL OPEN
1-1159-Hd3-V	
C60-Sr-2a2b-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 100PSIG, SIZE 6”
C25-Sr-2a2b-Fo	
2-1159-Hd3	STAINLESS STEEL
1-1159-C20-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
21709	
015-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 1.5
075-1059-Lds-V	
3-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
6-1059-C45-Da-Sv1	60PSIG AVAILABLE AIR, DOUBLE ACTING
2-1159-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
3-1059-C30-Da-Sv2	60PSIG AVAILABLE AIR, DOUBLE ACTING
075-1159-Es1	
2-1059-C35-Sr-2a2b-Fc	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, ACTUATION -60 PSIG AVAILABLE AIR
0.75-1059-Es2-Lds-G-V	
3-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1159-C25-Sr-2a-Fo	60 PSIG AVAILABLE AIR, FAIL OPEN
1-1159-Es3-Lds-G	
0.75-1059-Hd3-Ox	
2-1059-Es3-Lds-G	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1159-Es2-Lds-G	
4-1059-C30-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
81779	
1.5-1059-Es3-Lds-G-V	
4-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 4
1.5-1159-Hd3-Lds	STAINLESS STEEL
2-1059-Es3-Lds-G-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
0.75-1059-C15-Da-Sv2	
3-1059-C30-Da-Rf1	60PSIG AVAILABLE AIR, DOUBLE ACTING
1-1059-C15-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
3-1159-Es3-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Hd3-G	STAINLESS STEEL
1-1059-Hd2-Lds	
2-1059-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C60-Sr-2a-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 60 PSIG, SIZE 4”
3-1159-C35-Sr-3-Fc	100 PSIG AVAILABLE AIR
2-1059-C25-Da-Sv4	80PSIG AVAILABLE AIR, DOUBLE ACTING
6-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
1.5-1059-C25-Sr-3-Fc	100 PSIG AVAILABLE AIR
31779	
075-1059-Es4	
6-1059-Et1-Lds-G	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
19991	
0.75-1059-C15-Da	
2-1159-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED
3-1059-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED
1-1059-Lds-V	
3-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 3, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
1.5-1159	
1.5-1159-Hd2-V	
1-1159-C20-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1159-Es4-Lds-G	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
4-1159-Es1	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM, SIZE 4
1-1059-Hd2-Ox	
2-1159-Es1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3
1.5-1159-C20-Da-Sv1	1000PSIG AVAILABLE AIR, DOUBLE ACTING
2-1059-Es3-Lds-G-Ox	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, EXTENDED STEM 3(CARBON STEEL PVDF COATED)
1.5-1159-Es2-Lds-G-V	
20024	
0.75-1059-Es1-Lds-G	
1.5-1059-Es4-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 1.5, TEFZEL-LINED, EXTENDED STEM 4(CARBON STEEL PVDF COATED)
6-1059-Et1-Lds-G-V	VALVES(LEVER OPERATED) SIZE 6, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
1-1059-C25-Sr-2a-Fo	
1-1159-Hd3	
6-1059-C35-Da-Sv2	1000PSIG AVAILABLE AIR, DOUBLE ACTING
4-1059-Es4	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 4EXTENDED STEM CARBON STEEL PVDF COATED 4
4-1159-Es2-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTENDED STEM 4
0.75-1059-C15-Da-Sv1	
3-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 3
4-1159	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, BODY SIZE4
2-1159-Lds-V	VALVES(LEVER OPERATED) SIZE 2, TEFZEL-LINED, LOCKING DEVICE, VENTED SEAT
015-1059-Es3	BALL VALVES, DUCTILE IRON-TEFZEL-LINED, FLANGED END, 3 EXTENDED STEM CARBON STEEL PVDF COATED, SIZE 1.5
2-1059-C25-Da-Sv1	80PSIG AVAILABLE AIR, DOUBLE ACTING
1.5-1059-Et1-Lds-G-Clv	
4-1159-Ox	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED
4-1159-Et1-Lds-G-Clv	VALVES(LEVER OPERATED) SIZE 4, TEFZEL-LINED, EXTERIOR TRIM(STAINLESS STEEL), LOCKING DEVICE(STAINLESS STEEL), GROUNDING STRAP
3-1159-C25-Da-Sv4	1000PSIG AVAILABLE AIR, DOUBLE ACTING
C45-Sr-2a2b-Fo	COMPACT FACTORY MOUNT ACTUATOR, FAIL OPEN, SPRING RETURN, 80PSIG, SIZE 3”

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.