

## Camloc



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Camloc** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Camloc T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">V26S02-8AGV</a>	Cross-head locking pin Steel, galvanized, CrVI-free, transparent
<a href="#">991R2-2AR</a>	Retaining cams, weldable Steel, bare, oiled
<a href="#">991R2-2AZ</a>	Retaining cams, weldable Galvanized steel
<a href="#">991S02-21-1AGV</a>	Locking pin, wing centered Steel, galvanized, CrVI-free, transparent Price per 100 pcs. MOQ: 100 ea. Order-related manufacturing
<a href="#">99R10</a>	
<a href="#">SWF8PK140190PKL-650N</a>	
<a href="#">99E10-01</a>	Encapsulated retaining cam Zinc die-cast, galvanized
<a href="#">V2600-LW-7-</a>	Retaining washers stainless
<a href="#">V99S10-05AG</a>	Locking pin slotted head Steel, galvanized, CrVI-free, colorless chromated new article number RoHS compliant (OLD: 99S10-05A1)
<a href="#">M12X1.5 OMBG-03-</a>	cable gland
<a href="#">202-2490</a>	
<a href="#">D244-16-FGV</a>	

<a href="#">D4002-O-AGV</a>	
<a href="#">D40S5-9AGV</a>	
<a href="#">KNHM12X1.75</a>	
<a href="#">R4G-3</a>	
<a href="#">4002 studs</a>	Code 00246-4002 m
<a href="#">V26S02-*AGV</a>	26S51-* Zylinderkopf mit Kreuzschlitz (Gr.2)
<a href="#">991R2-5AR</a>	Retaining cams, weldable without weld boss steel/bright, oiled
<a href="#">V936S05-3-1AA</a>	One-piece closure Slotted head, steel, galvanized
<a href="#">214-16S</a>	LOCKING CAM CAST, TYPE 1, STAINLESS STEEL
<a href="#">733-DL</a>	(1 1/2") 1 and a half finger, D type, npt thread, AISI 316,
<a href="#">1612S06-1AG</a>	
<a href="#">991R2-2AZ</a>	Retaining cam, weldable Galvanized steel Origin: Italy
<a href="#">991R2-1AGV</a>	RETAINING CAM, RIVETABLE, HOLE Ø 3.3MM ZINC PLATED STEEL CLEAR CHROMATED
<a href="#">991R2-1BP</a>	HOLDING CAM, RIVETABLE, STAINLESS STEEL HOLE Ø3.3MM
<a href="#">V27S01-7AGV-</a>	LOCKING PIN COUNTERSUNK HEAD WITH SLOT, STEEL/GALVANIZED AND CRVI-FREE
<a href="#">V26R6-1AGV-</a>	Deep-drawn retaining cams Steel, galvanized, CrVI free transparent
<a href="#">991R2-2AZ</a>	Retaining cam, weldable Galvanized steel
<a href="#">26S51-6</a>	Cross slot locking pin Steel, stainless Price per 100 pieces
<a href="#">50E8-6AGV</a>	Locking pin slot head Steel, galvanized, CrVI-free transparent
<a href="#">V50R1-1-1AGV</a>	Retaining cams, rivetable Steel, galvanized, CrVI-free transparent
<a href="#">SWV1B4200240B4L-1200N</a>	
<a href="#">720R01-2B</a>	Federclip SNAP-IN 13,5
<a href="#">720S02-1B</a>	Locking pin wing head Steel, stainless, handle PA6 black
<a href="#">0643809,0183</a>	
<a href="#">V934L01-1X1BP</a>	
<a href="#">Camloc 2600 Series Stud Assemblies Cross Recess P</a>	
<a href="#">99R10-01A1</a>	RECEPTACLES TYPE 4 SINGLE HOLE MOUNTING , ZINC DIE CASTING/ZINC-PLATED CRVI-FREE

<a href="#">26S51-6</a>	LOCKING PIN, CYLINDER HEAD WITH CROSS-SLOT, STAINLESS STEEL
<a href="#">V2600-LW-7</a>	HOLDING DISC, STAINLESS STEEL
<a href="#">V2600-LW-7</a>	HOLDING DISC, STAINLESS STEEL
<a href="#">26S51-6</a>	LOCKING PIN, CYLINDER HEAD WITH CROSS-SLOT, STAINLESS STEEL
<a href="#">991R2-3AGV</a>	Retaining cams, steel, galvanized CrVI-free transparent, bore 4.1 mm
<a href="#">991R2-1</a>	
<a href="#">V27S01-7AGV</a>	LOCKING PIN COUNTERSUNK HEAD WITH SLOT, STEEL/GALVANIZED AND CRVI-FREE
<a href="#">V26R6-1AGV</a>	HOLDING CAM TYPE 1 DEEP DRAWN, STEEL/GALVANIZED, CRV-FREE, TRANSPARENT PASSIVATED
<a href="#">V2600-LW-7</a>	HOLDING DISC, STAINLESS STEEL
<a href="#">V26R6-1AGV</a>	HOLDING CAM TYPE 1 DEEP DRAWN, STEEL/GALVANIZED, CRV-FREE, TRANSPARENT PASSIVATED
<a href="#">212-12D-RECEPTACLE</a>	QUARTER TURN BOLT CONNECTION SLOT
<a href="#">V212-12-1FGV</a>	HOLDING CAM STANDARD CHROMIUM VI-FREE TRANSPARENT PASSIVATED
<a href="#">26S42-4</a>	SLOTTED RECESS PAN HEAD STEEL / NICKEL-PLATED NICKEL-PLATED STEEL
<a href="#">2600 / 2700 SERIES STANDARD STUD</a>	
<a href="#">RETANIER RING</a>	
<a href="#">2600 / 2700 SERIES EXTERNALLY</a>	
<a href="#">THREADED RECEPTACLE</a>	
<a href="#">2600-4 SLOT HEAD STUD</a>	
<a href="#">99N10-01A1</a>	RETAINING NUT, STEEL/ZINC-PLATED CRVI-FREE CLEAR CHROMATE
<a href="#">V26R6-1AGV</a>	
<a href="#">Camloc 2600</a>	BN 34044
<a href="#">V27S01-6AGV</a>	Locking pin slotted head Steel, galvanized, CrVI-free transparent
<a href="#">V212-12-2FGV</a>	Receptacle Hard bronze/zinc-plated, CrVI free transp.passive.
<a href="#">991R2-5AZ</a>	Retaining cams, weldable, without weld boss, steel, galvanized
<a href="#">991S2991-9AGV</a>	Locking pin folding bracket Steel, galvanized, CrVI-free transparent

<a href="#">ADAPTER DIN EN 14420-7-80-AF-SS</a>	
<a href="#">COUPLER DIN EN 14420-7-50-DF-SS</a>	
<a href="#">COUPLER DIN EN 14420-7-80-DF-SS</a>	
<a href="#">ADAPTER DIN EN 14420-7-50-FF-SS</a>	
<a href="#">V27S01-8AGV-</a>	LOCKING PIN COUNTERSUNK HEAD WITH SLOT, STEEL/GALVANIZED AND CRVI-FREE
<a href="#">V27S01-9AGV-</a>	LOCKING PIN COUNTERSUNK HEAD WITH SLOT, STEEL/GALVANIZED AND CRVI-FREE
<a href="#">V2600-LW-7 SO</a>	
<a href="#">2600-SW</a>	FREELY MOVABLE HOLDING DISC, STEEL STAINLESS/PASSIVATED
<a href="#">26S34-9</a>	Locking pin with knurled head, steel/chrome-plated
<a href="#">26R16-1FGV</a>	HOLDING CAM TYPE 1 ENCAPSULATED, HARD BRONZE/GALVANIZED AND CRVI-FREE, TRANSPARENTLY PASSIVATED CAPSULE: STEEL/GALVANIZED AND CRVI-FREE, TRANSPARENT PASSIVATED
<a href="#">26S34-6</a>	Locking pin with knurled head, steel/chrome-plated
<a href="#">26R18-1-1AA</a>	HOLDING CAM TYPE 1 ENCAPSULATED, STAINLESS STEEL
<a href="#">LOPHSTLS20-32Z</a>	
<a href="#">Qcbus1012-16</a>	
<a href="#">40s37-4</a>	
<a href="#">991s01-13-1bp</a>	
<a href="#">91s2 -23</a>	
<a href="#">Qcth0525-10</a>	
<a href="#">D40s5-1agv</a>	
<a href="#">991s05-2-1agv</a>	
<a href="#">Qcwe1034-14</a>	
<a href="#">991s01-4-1bp</a>	
<a href="#">991s05-20-1agv</a>	
<a href="#">26r18-1-1aa Haltenocken Gekapselt</a>	
<a href="#">50f 3700n</a>	
<a href="#">991s01-2-1agv</a>	
<a href="#">V2600 ¼eyrek Tur Baęlantı Tıttırma Pulu</a>	

<a href="#">991s05-25-1agv</a>
<a href="#">991s01 - 7 - 1bp</a>
<a href="#">91s2-11</a>
<a href="#">991s01-3-1agv</a>
<a href="#">Qcth0525-10s</a>
<a href="#">.V951I03-1-1af 5340-12-196-2555</a>
<a href="#">91s2 - 17</a>
<a href="#">991s01-8-1agv</a>
<a href="#">91s2 -15</a>
<a href="#">40s5-1</a>
<a href="#">26s51-13</a>
<a href="#">Qcth0834-B</a>
<a href="#">991w02-1bp</a>
<a href="#">15s1-1-1aj</a>
<a href="#">KnhI524j</a>
<a href="#">991s01-12-1agv</a>
<a href="#">91s2-8</a>
<a href="#">991s01-27-1bp</a>
<a href="#">91s7-20</a>
<a href="#">91s7-5w</a>
<a href="#">15s11-1cj</a>
<a href="#">91s2-4</a>
<a href="#">V50r3-1-1bp</a>
<a href="#">91s7-12</a>
<a href="#">991s05-7-1agv</a>
<a href="#">991s01-25-1bp</a>
<a href="#">91s2-1</a>
<a href="#">991s01-20- 1agv</a>
<a href="#">91s2 - 19</a>
<a href="#">991s05-14-1agv</a>
<a href="#">991s05-6-1agv</a>

<a href="#">991s05-19-1agv</a>
<a href="#">Qcwe0625-10</a>
<a href="#">91s7-22</a>
<a href="#">991s01 - 8 - 1bp</a>
<a href="#">991s01 - 9-1bp</a>
<a href="#">2600-6s Verschlusszapfen Schlitzkopf</a>
<a href="#">99e10 01</a>
<a href="#">991s01-7-1agv</a>
<a href="#">Qcsl1003-Bk</a>
<a href="#">991s05-5-1agv</a>
<a href="#">991s01-18- 1agv</a>
<a href="#">991s01-11-1agv</a>
<a href="#">91s2-14</a>
<a href="#">991r2-1agv</a>
<a href="#">991s01-24-1bp</a>
<a href="#">Qcth0834-N</a>
<a href="#">991s01-17-1bp</a>
<a href="#">991s05-13-1agv</a>
<a href="#">991s05-10-1agv</a>
<a href="#">Qcsq1616-Og</a>
<a href="#">91s2-6</a>
<a href="#">V964l</a>
<a href="#">991s01-22-1bp</a>
<a href="#">991s01-10-1bp</a>
<a href="#">991s01-16-1bp</a>
<a href="#">717f</a>
<a href="#">91s7-24</a>
<a href="#">91s7-5</a>
<a href="#">991s05-3-1agv</a>
<a href="#">991s01-2-1bp</a>

<a href="#">91s2-12</a>
<a href="#">91s7-17</a>
<a href="#">1429I02-2x1bp</a>
<a href="#">991s05-15-1agv</a>
<a href="#">991s01-18-1bp</a>
<a href="#">991s05-1-1agv</a>
<a href="#">2600-7</a>
<a href="#">V26r6-1agv</a>
<a href="#">D4002-1bp</a>
<a href="#">Qcsl1003-Og</a>
<a href="#">91s2-2</a>
<a href="#">91s7-6</a>
<a href="#">991s01-20-1bp</a>
<a href="#">1460 Lo1-1-1af</a>
<a href="#">991s01-3-1bp</a>
<a href="#">Qcsq2512-Og</a>
<a href="#">Qcsl1006-Og</a>
<a href="#">991s05-30-1agv</a>
<a href="#">91s2-9</a>
<a href="#">991s05-24-1agv</a>
<a href="#">Qcth0525-B</a>
<a href="#">91s7-10</a>
<a href="#">991s05-8-1agv</a>
<a href="#">91s2 - 18</a>
<a href="#">QcthI0525-10s</a>
<a href="#">991s01-12-1bp</a>
<a href="#">40s5-4c</a>
<a href="#">Qcsq3212-Og</a>
<a href="#">91s7-8</a>
<a href="#">991s05-9-1agv</a>
<a href="#">Qcba0816b</a>

<a href="#">15s1</a>	
<a href="#">991s05-4-1agv</a>	
<a href="#">2600-9s Schlitzkopf</a>	
<a href="#">2700f</a>	
<a href="#">991s01-19- 1agv</a>	
<a href="#">91s2-13</a>	
<a href="#">2600-6</a>	
<a href="#">91s7-9</a>	
<a href="#">V26r6 1agv</a>	RETAINING CAM TYPE 1 LOW , STEEL / GALVANIZED, CRVI FREE, TRANSPARENTLY PASSIVATED
<a href="#">Qcthl0834-14s</a>	
<a href="#">91s7-16</a>	
<a href="#">91s2 - 21</a>	
<a href="#">991s01- 9-1agv</a>	
<a href="#">991s05-21-1agv</a>	
<a href="#">991s01-16-1agv</a>	
<a href="#">Qcth0834-14</a>	
<a href="#">Qcth0834-20</a>	
<a href="#">91s7-18</a>	
<a href="#">1429L02-1X1BP</a>	Tension lock with safety device Steel, rustproof Price per 100 pcs. Country of origin: DE, goods number: 830 249 00
<a href="#">991s01-5-1agv</a>	
<a href="#">991s05-28-1agv</a>	
<a href="#">Qcth0525-N</a>	
<a href="#">991s01-4-1agv</a>	
<a href="#">91s2-10</a>	
<a href="#">991s01-23-1bp</a>	
<a href="#">Qcth0834-20s</a>	
<a href="#">Qcba0816a</a>	
<a href="#">991s02-43-1agv</a>	
<a href="#">15f</a>	

<a href="#">Qcwe1034-20</a>
<a href="#">991s05-27-1agv</a>
<a href="#">991s05-22-1agv</a>
<a href="#">1429I02-2x1ag</a>
<a href="#">991s01-14-1agv</a>
<a href="#">991s01-6-1bp</a>
<a href="#">991s01-6-1agv</a>
<a href="#">Qcsq2509-Og</a>
<a href="#">91s7-21</a>
<a href="#">91s2-7</a>
<a href="#">4002 - 1</a>
<a href="#">28s10-2</a>
<a href="#">26r2-1</a>
<a href="#">716f</a>
<a href="#">V99 eyrek Tur Baęlantisi</a>
<a href="#">991s01-13-1agv</a>
<a href="#">26s38-26</a>
<a href="#">991s05-11-1agv</a>
<a href="#">991s05-23-1agv</a>
<a href="#">991s05-17-1agv</a>
<a href="#">D4002</a>
<a href="#">Qcbu1012-16-Sus</a>
<a href="#">991s05-26-1agv</a>
<a href="#">91s7-25</a>
<a href="#">991s01-10-1agv</a>
<a href="#">Qcsq1212-Og</a>
<a href="#">Qcbu0608-10-Sus</a>
<a href="#">Pt10</a>
<a href="#">991s01-26-1bp</a>
<a href="#">91s2 -16</a>
<a href="#">Qcbu1012-M16</a>

<a href="#">V2600 Lw 7</a>	
<a href="#">991s02-6-1agv</a>	
<a href="#">V27s01-7agv</a>	Locking pin slot head Steel, galvanized, CrVI-free transparent
<a href="#">40s79-1</a>	
<a href="#">91s7-23</a>	
<a href="#">2600f</a>	
<a href="#">991s05-12-1agv</a>	
<a href="#">991s01-5-1bp</a>	
<a href="#">91s7-11</a>	
<a href="#">V50r1-1-1bp</a>	Retaining cam, rivetable. Stainless steel Tariff No: 830 249 00 Country of origin: IT new article number RoHS compliant
<a href="#">991s01-14-1bp</a>	
<a href="#">991s01-1-1bp</a>	
<a href="#">V2600-Lw-7</a>	retaining washer Steel, stainless Price per 100 pieces MOQ: 100 pieces
<a href="#">91s7-7</a>	
<a href="#">99e eyrek Tur Bađlantı Yuvası</a>	
<a href="#">26r16-1fgv, Haltenocken Gekapselt Stahl, Verzinkt, Crvi-Frei Transparent Zolltarif-Nr: 741 529 00</a>	
<a href="#">991s01-1-1agv</a>	
<a href="#">1449I02-1x1ag</a>	
<a href="#">1449I07-1bp</a>	
<a href="#">991s01-28-1bp</a>	
<a href="#">91s7-14</a>	
<a href="#">991s01-15-1agv</a>	
<a href="#">91s7-15</a>	
<a href="#">991s05-18-1agv</a>	
<a href="#">15s11</a>	
<a href="#">D4002i-4agv</a>	
<a href="#">Qcsl1006-Bk</a>	
<a href="#">91s2-1w</a>	

<a href="#">Qcbu0608-M12</a>	
<a href="#">V27s01 7agv</a>	
<a href="#">15s1-1-Aj</a>	
<a href="#">91s2-5</a>	
<a href="#">991s01-15-1bp</a>	
<a href="#">91s7-13</a>	
<a href="#">Qcba0820b</a>	
<a href="#">991s01-19-1bp</a>	
<a href="#">V99s10 05ag</a>	
<a href="#">D4002-1agv</a>	
<a href="#">Qcsq3216-Og</a>	
<a href="#">43 Lock</a>	
<a href="#">91s2-3</a>	
<a href="#">Vmz-2</a>	
<a href="#">2600-8sw Verschlusszapfen Mit Fl¼gel Stahl, Rostfrei</a>	
<a href="#">26r1-1</a>	
<a href="#">Qcth0834-14s</a>	
<a href="#">Qcth0834-20s</a>	
<a href="#">99e10-01</a>	
<a href="#">991s05-29-1agv</a>	
<a href="#">V965l</a>	
<a href="#">V99s10-05ag</a>	
<a href="#">991s01-11-1bp</a>	
<a href="#">1449l02-1x1bp</a>	
<a href="#">991s05-16-1agv</a>	
<a href="#">991s01-17- 1agv</a>	
<a href="#">Qcba0820a</a>	
<a href="#">T26</a>	
<a href="#">Art. V2600-Lw-7</a>	retaining washer Steel, stainless Customs Tariff No: 731 829 00 Country of origin: DE
<a href="#">40s41-1</a>	

[91s7-19](#)