



Carl Valentin

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Carl Valentin Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Carl Valentin Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
37041627	
2301040	mains interference filter
7186597	donation no. SPE 162 left / SPX 162 left
5288005	Compression Spring C0480-063-0620M
5088001	Drive disc SPECTRA/SPE/SPX/
7039400	Power electronics SH3 base cpl.
1888201	Pressure roller 2x SPECTRA 162+160/2x SPE/
37041627	Thermal printhead 162-12 SPX / SPXII Origin: CN
2301040	mains interference filter TE 4-6609107-3 (Corcom PS000SS6A) Origin: MX
7186597	donation no. SPE I 162 left / SPX 162 left conversion kit
5288005	Compression spring C0480-063-0620M SPECTRA/DPM/SPE/VARIO/SPX/VITA/FLEXICODE/ALP
5088001	Drive disc SPECTRA/SPE/SPX/ DPMIII/VARIO II/VITA/ILS/FLEXICODE/DPM IV/2x ALP
7039400	Power electronics SH3 base cpl. FLEXICODE/SPX II/DUOPRINT/SPECTRA II

Ürün	Açıklama
1888201	Pressure roller 2x SPECTRA 162+160/2x SPE/ 5x DUOPRINT 160
7183030A	CONTROL UNIT, FLEXICODE, MODEL: SH3-III SPXII 162/12
7083005A	CPU 8/12 WITH ETHERNET SPX 2, MODEL: 162/12,
37529940	POWER SUPPLY COMPA, MODEL: 162/12
7181005	PHOTOCELL, MODEL: 162/12,
7183019	LABEL PHOTOCELL TRANSMISSION ABOVE, MODEL: 162/12,
5088001-drive plate SPECTRA/SPE/SPX/	
9088200A	SPECTRA II 108-12 transfer printer touch including printer driver including Labelstar Office Lite - Product Safety Guide (79.60.900)
PICA II	Power 230 V AC / 50-60 HZ 2 A, Dimension 230 x 230 x 350 MM, Label Range 15-108 MM, Labeling Speed 100 MM/S, Label Size THICKNESS MAXIMUM 220 GR/M ² , Label Material PAPER, THERMAL PAPER, PP OR PE LABEL Additional Technical Specification: ? TYPE: IT IS A COMPACT, METAL BODY, INDUSTRIAL THERMAL TRANSFER LABELING MACHINE FOR PRINTING ALL KINDS OF BARCODE LOGO, GRAPHICS, FIXED TEXT, COUNTERS OR DATABASE INFORMATION ON LABELS.
7186597C	Dispensing device SPE II 16X left/SPX 16X left
37041627	thermal printhead 162-12 SPX/SPXII
37041627	Thermal print head 162-12SPX / SPX II
9029100	PICA II 104/8 transfer printer 200dpi 79,60,900 Product Safety Guide
9029782	Ethernet Option PICA II
9029550	Dispensing device with LS option PICA II
7215060	Additional core 75mm complete. for processing (2 pieces are required per printer)
THERMAL PRINTHEAD,	SPX I + II 162/12, P/N: 37041627
162/12, P/N: 5088001	

Ürün	Açıklama
THERMAL PRINTHEAD SPX I + II 162/12, P/N: 37041627	
SPECTRA II 108-12 Transferdrucker Touch	9088200A 79.60.900 Product Safety Guide