

Citel

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Citel Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Citel Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Mj8-Poe-B (581518)	Surge arrester in "gas arrester diode technology" for PoE applications Arrester: C2 Max. Transmission rate: 1000 Mbps Highest continuous voltage, Uc: 6 Vac / 8.5 Vdc, PIN 1,2,3,6 41 Vac / 58 Vdc, PIN 4,5,7,8 Max. Operating current Ic: 1 A, PIN 1-8 Nominal leakage current, In: <30 A / <200 A - Line / Line 2500 A - Line / earth Protection level, Up: <12 V / <95 V - Line / Line <640 V line / earth EN50173 standard: Cat5e Connection: input / output - RJ45
Dlu-06d3	2-pole combination arrester in "Diodes - Gas arrester technology". for RS422 applications Arresters: Type C2, D1 Nominal voltage, Un: 6 V C3 protection level, Up: 20 V D1 lightning impulse current, Iimp: 5 kA (10 / 350µs) C2 Nominal discharge current, In: 5 kA (8 / 20µs) Max. Discharge current, Imax: 20 kA (8 / 20µs) Capacitance, C: <25 pF Response time: <1 ns Installation dimensions: 1 TE Telecommunication contact: none
703-MJ8-POE-A	MFR PN: MJ8-POE-A Din Rail POE Surge S Citel Surge Suppressors RoHS: Compliant
Cm160-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Cm200-120y	120/208V, 3PH, 4W+G, WYE
Sp330-480d	480V, 3PH, 3 W+G, DELTA

Ürün	Açıklama
M200-480d	SURGE PROTECTION 480VAC 3PH DELTA 3WIRE
Sp330-347y	347/600V, 3PH, 4W+G, WYE
Sp330-120y	120/208V, 3PH, 4W+G, WYE
Ds12-230/G	
Sp165-480d	480V, 3PH, 3 W+G, DELTA
Sp165-277y	277/480V, 3PH, 4W+G, WYE
Cm80-277y	277/480V, 3PH, 4W+G, WYE
P/N: 581519 Type: Mj8-Poe-A	
M200-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
M200-120y	120/208V, 3PH, 4W+G, WYE
Cm160-120y	120/208V, 3PH, 4W+G, WYE
Cm160-480d	480V,3PH, 3W+G, DELTA
Sp165-120y	120/208V, 3PH, 4W+G, WYE
P/N: 311701 Type: Ds240-230	
Cm100-480d	480V,3PH, 3W+G, DELTA
Sp120-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Rak32-B-So	32 PORT, STAND-OFF, 8 PINS,RJ45, T1
P/N: 560303 Type: Mj8-Cat6s	
Dla-170	
Sp165-347y	347/600V, 3PH, 4W+G, WYE
Cm200-240d	240V, 3PH, 3 W+G, DELTA
Cm200-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
M200-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
M400-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
Pch48-C6	6V, CAT6, 48 PORT, FLUSH, 8 PINS
Cm80-240dct	240/120/120V, 3PH, 4W+G, HI-LEG

Ürün	Açıklama
M400-277y	277/480V, 3PH, 4W+G, WYE
Sp120-480d	480V, 3PH, 3 W+G, DELTA
M400-240d	240V, 3PH, 3 W+G, DELTA
Cm100-277y	277/480V, 3PH, 4W+G, WYE
Sp330-240d	240V, 3PH, 3 W+G, DELTA
Dla2-12d3	
Cm80-480d	480V, 3PH, 3 W+G, DELTA
P/N: 311721 Type: Ds240-230/G	
M400-347y	347/600V, 3PH, 4W+G, WYE
P/N: 390111 Type: Ds220s-12dc	
Ds42s-280/G	
Sp165-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
P/N: 159280 Type: Kp1-T	
Cm80-220y	220/380V, 3PH, 4W+G, WYE
Cm80-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Sp165-240d	240V, 3PH, 3 W+G, DELTA
Dla-12d3	
M200-347y	347/600V, 3PH, 4W+G, WYE
P/N: 390101 Type: Ds220-12dc	
M400-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Cm200-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
Dla2-24d3	
M400-480d	480V, 3PH, 3 W+G, DELTA
P/N: 461402 Model: Ds44-400	
Sp120-220y	220/380V, 3PH, 4W+G, WYE
Cm200-347y	347/600V, 3PH, 4W+G, WYE

Ürün	Açıklama
Cm200-220y	220/380V, 3PH, 4W+G, WYE
Rak32-G-So	32 PORT, STAND-OFF, 2 PINS, RJ11, TEL
Cm200-480d	480V, 3PH, 3 W+G, DELTA
Cm80-120y	120/208V, 3PH, 4W+G, WYE
Cm100-120y	120/208V, 3PH, 4W+G, WYE
Sp165-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Cm100-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
P/N: 311731 Type: Ds240s-230/G	
Rak32-T-So	32 PORT, STAND-OFF, 8 PINS, RJ45, RS232
M200-277y	277/480V, 3PH, 4W+G, WYE
Sp330-220y	220/380V, 3PH, 4W+G, WYE
M400-120y	120/208V, 3PH, 4W+G, WYE
Dlu2-06d3	
M200-240d	240V, 3PH, 3 W+G, DELTA
Sp165-220y	220/380V, 3PH, 4W+G, WYE
P8ax25-N/Mf	
Sp330-120t	120/240V, 1PH, 3W+G, SPLIT PHASE
Cm80-240d	240V, 3PH, 3 W+G, DELTA
Mj8-Poe-A(581519)	
Mj8-Poe-B	
Sp120-240d	240V, 3PH, 3 W+G, DELTA
M200-220y	220/380V, 3PH, 4W+G, WYE
Cm160-277y	277/480V, 3PH, 4W+G, WYE
Cm160-220y	220/380V, 3PH, 4W+G, WYE
Cm160-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
Sp330-240dct	240/120/120V, 3PH, 4W+G, HI-LEG

Ürün	Açıklama
Sp330-277y	277/480V, 3PH, 4W+G, WYE
Cm100-220y	220/380V, 3PH, 4W+G, WYE
Cds60vgpv	2W+G, MOV+GSG, 40 A
Sp120-277y	277/480V, 3PH, 4W+G, WYE
Cm100-240d	240V, 3PH, 3 W+G, DELTA
Cm160-240d	240V, 3PH, 3 W+G, DELTA
Sp120-347y	347/600V, 3PH, 4W+G, WYE
Cm200-277y	277/480V, 3PH, 4W+G, WYE
P/N: 461131 Type: Ds42-280g	
Cm100-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
Sp120-240dct	240/120/120V, 3PH, 4W+G, HI-LEG
Sp120-120y	120/208V, 3PH, 4W+G, WYE
Rak32-E-C6-So	32 PORT, STAND OFF, 8 PINS, RJ45, CAT6
M400-220y	220/380V, 3PH, 4W+G, WYE