



## Ckd

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Ckd** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Ckd T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	A¼ıklama
<a href="#">SC1-15</a>	CKD one-way flow control valve Rc1 / 2 " Net weight: 0.220 kg per unit
<a href="#">4F511-15-K2-FL376866</a>	CKD PN 5/2 valve, monostable Rc1 / 2 ", special valve Net weight: 1,500 kg per unit
<a href="#">4F620-20-L-DC24V-ST</a>	Rc3 / 4 ", DIN plug + LED, 24VDC, CE marking Net weight: 2,600 kg per unit
<a href="#">AB21-02-3-A-DC24V</a>	CKD 2/2 valve, NC Rc1 / 4 ", 24VDC, NW 3mm Customs tariff no .: 84812090 / Country of origin: JP Net weight: 0.380 kg per unit
<a href="#">BIBUS-BKZ-PN-CKD</a>	Temporary procurement cost surcharge CKD due to the increase in air freight costs currently € 4.00 / kg - the calculation basis is the total Net weight, see CKD article
<a href="#">SSD-32-15</a>	
<a href="#">SSD-32-15 / Repair kit</a>	
<a href="#">SSD-125-30-N</a>	
<a href="#">SSD-125-30-N / Repair kit</a>	
<a href="#">MDC2-Y-10-4</a>	CKD miniature cylinder Acting simple, Dm. 10mm, stroke 4mm, M5, Basic position extended Customs tariff no .: 84123100 / Country of origin: JP Net weight: 0.030 kg per unit
<a href="#">AX9000TH-U2</a>	CKD Absodex regulator Interface CC-Link

<a href="#">AX-CBLC1</a>	CKD resolver line Adapter between the old resolver line to the motor and the new controller T version
<a href="#">NP14-40A-12G-3-ST</a>	CKD 3/2 valve, NO Rc 1 1/2", 24VDC, DIN connector, CE marked
<a href="#">CMK2-Q-CC-40-25-R-FL384353 SERIAL 7427</a>	
<a href="#">4KA310-08-C-DC24V-ST</a>	CKD 5/2 valve, monostable Rc1/4", 24VDC, C connector with 300mm cable, CE marking
<a href="#">W4000-15G-W</a>	CKD filter regulator, 5µm G1/2", 0.5 - 8.5 bar, manual condensate drain
<a href="#">SCM-T2-32N-800-FL426104</a>	
<a href="#">F2000-10-W-F1</a>	CKD compressed air filter, 5µm Rc3/8", automatic+manual condensate drain (NC)
<a href="#">M3000-10-W-F1S</a>	CKD submicrofilter, 0.3µm, < 0.5mg/m <sup>3</sup> residual oil content Rc3/8", automatic+manual condensate drain (NC)
<a href="#">HCM-LB-40B-645-XK1</a>	CKD special cylinder Drm. 40mm, stroke 645mm, Rc1/4, 1.5-10 bar, Foot attachment, cushioned on both sides
<a href="#">4F621-20</a>	CKD 5/2 valve, bistable, PN controlled Rc3/4"
<a href="#">4F710E-25-GLP</a>	
<a href="#">4F640E-20-GLP</a>	
<a href="#">4F630E-20-GLP</a>	
<a href="#">4F530E-15-GLP</a>	
<a href="#">4F510E-10-GLP</a>	
<a href="#">4F529E-00-GP-DC24V</a>	
<a href="#">4F519E-00-GP-DC24V</a>	
<a href="#">4F520-15-L-DC24V-ST</a>	CKD 5/2 valve, bistable Rc1/2", 24VDC, DIN plug+LED, CE marking
<a href="#">4F640-15-L-DC24V-ST</a>	CKD 5/3 valve, vented in the middle position Rc1/2", 24VDC, DIN plug+LED, CE marking
<a href="#">AG41-02-2-02H-DC24V-ST</a>	CKD 3/2 media valve, NC Rc1/4", 24VDC, DIN plug+LED, CE marking
<a href="#">4F620-15-L-DC24V-ST</a>	CKD 5/2 valve, bistable Rc1/2", 24VDC, DIN plug+LED, CE marking
<a href="#">4F620-20-L-DC24V-ST</a>	CKD 5/2 valve, bistable Rc3/4", 24VDC, DIN plug+LED, CE marking
<a href="#">M8000-25G-W-F1</a>	CKD submicrofilter, 0.01µm, < 0.01mg/m <sup>3</sup> Residual oil content G1", manual condensate drain
<a href="#">W8000-25G-W-F</a>	CKD filter regulator, 5µm G1", 0.5 - 8.5 bar, automatic+manual Condensate drain (NO)
<a href="#">EVD-1900-008GAP-3</a>	CKD proportional pressure regulator G1/4", 0-9bar, 24VDC, input 0-10V, output 1-5V Net Weight: 0.360kg per unit
<a href="#">4F110-08-AC100V</a>	CKD 5/2 valve, monostable Rp1/4", 100VAC, DIN plug
<a href="#">SC1-15</a>	CKD throttle check valve Rc1/2
<a href="#">3GB1669R-00-E2A-3-ST</a>	CKD double 3/2 base plate valve, NC 24 VDC, with 300mm connecting cable and LED + freewheeling diode, Ozone and coolant resistant, CE marking
<a href="#">4GA210R-06-B-2</a>	CKD 5/2 valve, monostable Rc1/8", AC 200V, DIN plug
<a href="#">WFK3012M-15-P0</a>	

<a href="#">MD C2-8-4</a>	
<a href="#">4F640E-20-GP-S-FL143267-3</a>	CKD 5/3 valve, center position vented Rc3/4", 24VDC, bracket, pressure-tight seal, Ex protection
<a href="#">4F630E-20-GP-S-FL143267-3</a>	CKD 5/3 valve Rc3/4", 24VDC, bracket, pressure-tight seal, Ex protection
<a href="#">FILTER + REGULATOR 1 W-8000 W8000-25G-W</a>	
<a href="#">1/4 RP1000-8-07</a>	
<a href="#">PV5G-8-FG-D-1-N</a>	CKD ISO2 5/2 valve, bistable Rc3/8", 100VAC, with LED + freewheeling diode
<a href="#">W4GB419-00-M-3-ST</a>	CKD 5/2 base plate valve, monostable 24VDC, CE marking
<a href="#">W4GB439-00-M-3-ST</a>	CKD 5/3 base plate valve, center position closed 24VDC, CE marking
<a href="#">AB4X</a>	AC220V- 50/60 HZ
<a href="#">4F720-25-L</a>	110 VAC PNEUMATIC VALVE (SELEX VALVE)
<a href="#">4GD320R-C8-B-3</a>	
<a href="#">CMK2-CC-20-215-B2</a>	
<a href="#">RB500-LLC6-LTP11</a>	CKD miniature pressure regulator 0.5-3.5 bar, 6mm angle plug connection, without Pressure gauge, pressure gauge port Rc1/8", ozone resistant
<a href="#">4F620-20 SOLENOID VALVE</a>	
<a href="#">4F620-20-L-DC24V-ST Solenoid Valve</a>	Type : Electromagnetic Valve Number of Ports : 5-port valve Specifications : Standard Switching Type : 2-position exhaust Voltage : DC24V Application : [Single Use] Single Item Operating Number of Solenoids : Double Driving Type : Pilot-operated Spool Seal Type : Soft seal Applicable Cylinder Dia.(Ø) : 140~200
<a href="#">EXA-02-02HS-3-ST</a>	CKD 2/2 valve, NC Rc1/4", NBR, 24VDC, DIN connector with LED+freewheeling diode, CE marking
<a href="#">4GB129R-00-A2N-3-ST</a>	CKD 5/2 base plate valve, monostable 24VDC, without plug, CE marking
<a href="#">C4010-15G-W-F1</a>	CKD maintenance unit 5µm G1/2", filter regulator incl. automatic + manual. Condensate drain + oiler
<a href="#">SLM-M5</a>	CKD silencer M5, attenuation >20dB, metal version, - pack of 10 Piece -
<a href="#">AR-P32 Air regulator</a>	
<a href="#">ADK11-20A-02E-DC24V-ST</a>	CKD 2/2 valve, NC Rc3/4", 24VDC, brass, NBR seal, DIN connector, CE marking
<a href="#">SC991-03/00/2121</a>	
<a href="#">FX1037-25G-W-F1</a>	CKD water separator, for series 6000 + 8000 Rc1" ,G thread, Automatic emptying with manual override (NC: no emptying if no pressure is applied)
<a href="#">CMK2-CC-40-175-J</a>	CKD cylinder, double-acting Diam. 40mm, stroke 175mm, Rc1/8"
<a href="#">CMK2-TA-40-60</a>	CKD cylinder, Diam 40mm, stroke 60mm, pivot bearing on piston side
<a href="#">CMK2-00-40-80</a>	CKD cylinder, Diam. 40mm, Stroke 80mm, Rc1/8"
<a href="#">CMK2-00-40-65</a>	CKD cylinder, Diam. 40mm, stroke 65mm, Rc1/8"
<a href="#">SCS2-N-FA-200B-350-J</a>	CKD cylindersCKD cylinders, lubricated for life Diam.200mm, stroke 350mm, Rc3/4, flange piston side, stainless steel piston
<a href="#">SVB1A-20A-02HS</a>	AIR OPERATED 2-PORT VALVE

<a href="#">AB21-02-2-DC24V</a>	CKD 2/2 valve RC 1/4, bore 2 mm; 24VDC, Aluminum nitrile rubber for air/kerosene, At Tension opened
<a href="#">ABP-12-GB</a>	
<a href="#">SCM-40D70</a>	Cylinder, Cap: 40 mm, Stroke: 70 mm
<a href="#">4GB330-E2K</a>	
<a href="#">M1-Y-30</a>	
<a href="#">Ssd-32-15-N</a>	repair kit
<a href="#">Vsc-H20-10a8ls</a>	
<a href="#">Jsc3-Lb-100b-405-S</a>	
<a href="#">4f640e-20-Tp-Dc24v Ya Da 4f640e-20-Tp-Ac100v</a>	
<a href="#">4f610e-20-Tp-Dc24v Ya Da 4f610e-20-Tp-Ac100v</a>	
<a href="#">Jsc3-Ln-Fa-125b-100-T2ydp</a>	
<a href="#">4f310-BI-Coil-Ac110v</a>	
<a href="#">4f621-E20</a>	
<a href="#">4f610e-20-Gp-S-FI143267-Dc24v</a>	
<a href="#">9I00030ab</a>	
<a href="#">Hmf-25cs</a>	
<a href="#">Ab21-02-3-A-Dc24v</a>	
<a href="#">4f530e-15-Tp-P-Dc24v Ya Da 4f530e-15-Tp-P-Ac100v</a>	
<a href="#">4f519e-00-Tp-Dc24v Ya Da 4f519e-00-Tp-Ac100v</a>	
<a href="#">1126-10c-Fmg</a>	
<a href="#">5100-4c</a>	
<a href="#">Cvse2-20a-10-B2hs-3</a>	
<a href="#">Abp-12-Gsb</a>	
<a href="#">W3000 - 8 - W -FI405141</a>	
<a href="#">Jsc3-N-Ta-140b-510-K</a>	
<a href="#">Sc3w-6-6</a>	
<a href="#">Ab3x-4823-FI-135877-Ac110v</a>	
<a href="#">Jsc3-Tc-100b-300</a>	
<a href="#">Sc3w-6-4</a>	
<a href="#">J204-042</a>	
<a href="#">Ssd-D-40-5-N</a>	
<a href="#">3002e-6c-Mg</a>	
<a href="#">4f310e-10-Tp-Dc24v</a>	

<a href="#">4f520-BI-Coil-Ac110v</a>
<a href="#">1138-6c-Fmg</a>
<a href="#">J204-037</a>
<a href="#">4ka230-06-L-A-Dc24v</a>
<a href="#">L4000-8-W-LI-M</a>
<a href="#">3002e-2c-Vz 8626g</a>
<a href="#">Rb 500 - Llc6 - Lt</a>
<a href="#">Ssd-L-25-25</a>
<a href="#">4ka210-L</a>
<a href="#">4f630</a>
<a href="#">W4000 Y</a>
<a href="#">4f410-10-L-Ac100</a>
<a href="#">Cvse2-25a-10-B2hs-Y-3</a>
<a href="#">4f621-20-K2-FI290476</a>
<a href="#">Jsc3-Tc-100b-225-HI38424</a>
<a href="#">Jsc3-Ta-80b-510</a>
<a href="#">1126-16c-F</a>
<a href="#">Svb1w-15a</a>
<a href="#">Jsc3-Tc-100b-405-S</a>
<a href="#">Jsc-N-Lb-250b-1110-T-FI477633</a>
<a href="#">4sa139-D2(0829)24vdc</a>
<a href="#">4f630e-20-Tp-Dc24v Ya Da 4f630e-20-Tp-Ac100v</a>
<a href="#">2001-4cg</a>
<a href="#">4ka219-06-B-Dc24v</a>
<a href="#">4f530e-15-Gp-S-FI143265-3 Oem!!</a>
<a href="#">4ka210-06-B-Dc24v</a>
<a href="#">Ssd-D-25-15-N</a>
<a href="#">4f140-08 Ac220v</a>
<a href="#">4gb219-E2h 24 Vdc</a>
<a href="#">Ssd2-63-50</a>
<a href="#">J716-004-As-025-N</a>
<a href="#">Kd3105002</a>
<a href="#">Ab41-03-5-Ac110v 3/8quot; 100-110vac 50/60hz</a>
<a href="#">1126- 16?- Fmg</a>
<a href="#">Ppd-V01ahp-1f-FI208318+ppd-K6d-FI208362</a>

<a href="#">4sa139-C6-D2-3</a>	
<a href="#">4f610-20-L-Ac100v</a>	
<a href="#">2216-16g</a>	
<a href="#">Ev2500-008-B4</a>	FL 299930 5729-29
<a href="#">Rcc2-Fb-32-25-L</a>	
<a href="#">Lce-02-36-2gp</a>	
<a href="#">4f640-20-L-Dc24v</a>	
<a href="#">1137-2c-F-Alternative F4000-8-W</a>	
<a href="#">Ppd-P01bsp-1f-Fl208317</a>	
<a href="#">F4000</a>	
<a href="#">4f530-15-L-Dc24v</a>	
<a href="#">3003e-8c-Mg</a>	
<a href="#">Cvse2-20a-10-B2hsb-3</a>	
<a href="#">4f630-20-Ls-Fl171065-Dc24</a>	
<a href="#">J202-445-Sm</a>	
<a href="#">Ssd-25-30-N</a>	
<a href="#">1126-12c-F</a>	
<a href="#">Jsc3-Ta-80b-150</a>	
<a href="#">Jsc3-N-Ta-125b-360-K</a>	
<a href="#">Rcc2-Fb-32-25-R</a>	
<a href="#">2001-6cg</a>	
<a href="#">Jsc3-N-Tc-125b-400-Y</a>	
<a href="#">Ppd-K6d-Fl-208362</a>	
<a href="#">4f539e-00-Tp-Dc24v Ya Da 4f539e-00-Tp-Ac100v</a>	
<a href="#">Sc3u-6-6</a>	
<a href="#">2 Ovk 280</a>	
<a href="#">Cvm 01-30-100</a>	
<a href="#">4f529e-00-Tp-Dc24 Ya Da 4f529e-00-Tp-Ac100v</a>	
<a href="#">2 Dvk 280</a>	
<a href="#">4ka219-06-L-A-Dc24v</a>	
<a href="#">4f320e-10-Gp-S-Fl153558-Dc24v</a>	
<a href="#">Ap 11-151-C4a 100 Vac 50/60 Hz</a>	
<a href="#">Sca2 Tc80b 1000</a>	
<a href="#">Cvse2-32a-10-B2hs-3</a>	
<a href="#">2015-8c-G</a>	

<a href="#">Ab21-01-3-A-Ac110v</a>
<a href="#">Ppd-V01ahp-1f-Fl208318</a>
<a href="#">F4000-15g-W+a400-10-W</a>
<a href="#">2773b5001-Ac100</a>
<a href="#">4f730-25-L-Fl 171 068-Dc24v</a>
<a href="#">Scm-32bk</a>
<a href="#">Ppd-P10-Bsp-1f-Fl-208316</a>
<a href="#">J202-750</a>
<a href="#">Jsc3-N-Lb-125b-400-Y</a>
<a href="#">Sc3w-6-8 6615g</a>
<a href="#">1137-3c-Fmg Obsolete/Replaced By F4000-10-W-Fm</a>
<a href="#">Ho-25-A-Nc-Fl</a>