

Coax

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Coax Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Coax T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
MK 25 DR	3/2-way directly controlled 510038 MK 25 DR Heating oil / air / water 100 ° C 34 250410 / 0AC220A 40 Customs tariff number 84818073 Country of origin: Germany Series 3/2-way directly controlled Nominal size DN 25 Function NO - normally open Material nickel-coated steel Connection G 1 Voltage alternating current 220V-AC Electrical connection junction box Pressure level 40 bar Generation Serie A NO 1 1 limit switch inductive (B.) 1 Special seals 1 Acceptance test certificate 3.1 1 Mounting bracket 1 CE Ex nA II T3 / CE Ex tc IIIC T195 ° C 1 Ex II 3G Ex h IIC T3 Gc 1 Ex II 3D Ex h IIIC T195 ° C Dc
Kabel Coax (M17/183-00001)	LSSB-RG58:GGGGG
3-4 RP VALF COAX MK20 104370	MK20 104370, 14 200110/OAC230L, 16A
VACUUM VALVE DN15 G:1/2İNÇ 0-16 BAR COAX FMX-3	NC- 014765
VACUUM VALVE DN25 G:1İNÇ 0-16 BAR COAX FMX-5	NC - 084911
5VMK15NC DN15	G ½ 24V DC 0-40 BAR SN:16-119953 MUELLER COAX
	54 15C3 3/4P 4-80 40 B ceramic slip 54 15C3 3/4P 4-80 40B

VMK 15 (525091)	Customs tariff number 84818079 Country of origin: Germany Externally controlled 2/2-way series Nominal size DN 15 Function NC - normally closed Material nickel-plated brass Connection G 3/4 Pneumatic control voltage 4-8 bar Electrical connection without electrical connection Pressure level 40 bar Generation Series B
216293	sealing kit Spare part for item no. 525091 54 15VK ED01
0114989 COAX Si 32-3 MIDI	
CMK-15 NC 220V DC DN10	SN 15-079166 14910C1 2AC230L100
RPI-1-32NC95	
MK 10 DR NO	34 1001 1/2DC 24L 24V DC
MK10NO-1/2-16-LED-MS/N	
504571	MK 25 coolant 14 25C111/4DC 24A 16 customs tariff number 84818079 country of origin Germany series 2/2-way directly controlled nominal diameter DN 25 Function NC - normally closed Material brass connection G 1 1/4 Voltage direct current 24V-DC electrical connection junction box pressure level 16 bar Generation Serie A
RMQ15PC	
MK 10	553086 Water 100°C 14 10C1 3/8AC230L 40 Series 2/2-way directly controlled Nominal diameter DN 10 Function NC - normally closed Material brass Connection G 3/8 Voltage alternating current 230V AC Electrical connection light plug Pressure level 40 bar Generation Series A Special seals 6 Mounting bracket 6
FK 25	515259 Heating oil/air/water 100°C 15 25C42635AC230A 40 Customs tariff number 84818073 Country of origin: Germany Series 2/2-way directly controlled Nominal diameter DN 25 NC function - normally closed Material: nickel-plated steel PN 40 connection Voltage: 230V AC Electrical connection junction box Pressure rating 40 bar Generation Series A Limit switch indicator: closed Yes 1 inductive limit switch (B.) 1 Special seals 1 Acceptance test certificate 3.1 1 Mounting bracket 1 CE Ex II 3G Ex ec IIC T3 Ta -20...+80°C Gc 1 CE Ex II 3D Ex tc IIIC T195°C Ta -20...+80°C Dc Ex II 3G Ex h IIC T3 Gc 1 Ex II 3D Ex h IIIC T195°C Dc
MK 10 NC	MK 10 NC Emulsion/grinding oil 14 10C1 1/2DC 24P 40 Customs tariff number 84818079 Country of origin: Germany Series 2/2-way directly controlled - Module valve Nominal diameter DN 10 NC function - normally closed Material: Brass G 1/2 connection Voltage direct current 24V-DC Electrical connection pin plate Pressure rating 40 bar Generation Series A Special connection 1 Special seals DN 10 1
553086	MK 10 Water 100°C 14 10C1 3/8AC230L 40 series 2/2-way direct controlled Nominal diameter DN 10 NC function - normally closed Material: Brass G 3/8 connector Voltage: 230V AC Electrical connection, light plug Pressure rating 40 bar Generation Series A
Hpb-H 15 ? Art.-Nr. 71117	
Plastic Part For Gda3yvl	
502940 Mk 15 Dr Emulsion/Wasser 34 15c1 1/2dc 24a 40 Zolltarifnummer 84818079 Ursprungsland Deutschland	
Art. Num. 521546	

Fk80n02e
Vmk 15nc 1e
124-703
Vmk / Vfk 50
Vmk / Vfk 40 Dr
Fcf-K 65
Ex-Schutz - Dc Von 532429
3081/ Mk 20 Nc Mr Ex
0-16bar238618-03
Rmq 20
0 820 038 980
Mk / Fk 25
Mk / Fk 20 Dr T¼v
Mcf-H 08
Vmk-H / Vfk-H 20
Mk15nc 3/4
Drv 12
528587
Hpb-S 32
Pcd-1 / Pcd-2 10
Vmk / Vfk 15 Dr
Vfk 25 Nc
Type:Fk15
Fcf 100
Fk252c216vvaltzbt
Mk / Fk 15 Dr Ex
Fk 15 No
Vsv-F 100 Dr
Ce Ex Ii 2 Gd C T4 Von 532429
Seal Kit For Vmk 25 Dr-Nc/ 220675
Spp-3 15 Pc
541981
Fcf-K 125
Mk 10 T¼v
Vmk 32 Dr-Nc

Sonderspannung Von 532429
217343
Endschalter Induktiv (I.)
Type:N.65.03x.165,Serial No:65.85.170
531179
Vmk / Vfk 32
Hpp 20 Rs 100
11219/Mk20-406879 Mk 20 Nc Ex
Vsv-F 125
3-Hpb-H 15Á;Á; 71052
Mk / Fk 20 Dr
3-Hpb-S 15
Mk 15 Dr-No
Fk 80 Dr
Mk / Fk 32
524804
Mba11br002g336
Vmk-H / Vfk-H 15 Dr
Vmk15
548494
Hpp-3 15 Pc
Hpb-S 15
Mk20 2/2; G3/4; 24vdc
Pcd-H 15
500888
Vmk / Vfk 20 Dr
Pcd 10 Dr
537998
Vmk / Vfk 32 Dr
Vmk-H / Vfk-H 40 Dr
Anker (Elring) Ptfе Beschichtet (507231)
Pcd-H 10
Vmk 10nc
Vsv-M / Vsv-F 50

Mk / Fk 20 Dr Ex
526287
Hpb-N 15
Rg 179
Vmk-H / Vfk-H 50 Dr
Mk 10 Coax
521148
526278 5-Vmk32nc
Type:Fk25
Vmk / Vfk 15
531963
Vsv-F 80 Dr
Vmk-H / Vfk-H 20 Dr
621407
Hpp-1 / Hpp-2 15 Pc
Type:Vf 65nc,Serial No:65.03x.33.30la
Fk 65
538470
Fk 15 Tã220;V
Vmk 25 Dr Nc
Ecd-H 10 Dr
Plb 05
Mk 15 Tã220;V
14910c2 3/8ac220a100
Mk / Fk 40 Dr
Mk 25 Dr No
Rsv 50
5vfk 32 Dr No
Mk / Fk 32 Ex
31-005-D3-Ad
504623
Mk 20
Hpb 65
Mk 25 NC

Pcd-H 15 Dr
Coax-Abnahmepr3;Fzeugnis-31-Von-532429-Istanbul-Turkiye
526392
Vsv-F 125 Dr
Vmk 32 No 1quot; 1/4 Bspp
545087
Rsv 25
Vmk15drnc Nr:516866
Vmk / Vfk 25
5-Pcd-H10 No611001 3/8 Bd24l
0107124
Vmk 10 Dr
523999
Mbn12aa001a Type:Mk 15
Vsv-F 100
H59795100000
Rsv 32
34 1501 1/2dc 24 A,Female
Mk 10 Dr Ex
Mk / Fk 40
Ev 2260056536
Ecd-H 10
Cx 517829 Vmk 20 No
Mk 10 Nc Art.-N; 509734
17239
Actuator For Mk 20 Nc 14 20c110/0dc 24l (517331)
Mk / Fk 25 T¼v Ht
509356
Mk 15 Dr Nd
70972
Mk / Fk 20 Dvgw
A 45 Nc
Fk 25 Dr T¼v

Mk / Fk 25 Dr Ex
Iv 16-3
Pcd 10
Spi 08
Mk 10 Dr No
Fcf 125
Vmk 20 No
Vmk / Vfk 25 Dr
526448
Spb-S 32
Repair Kit For Solenoid Valve Model Fk252o6100vta1t6b
Vsv-F 65
Vmk-H / Vfk-H 25 Dr
Spp-1 / Spp-2 15 Dr
Vsv-M / Vsv-F 40
Vmk 10
Sonderabdichtungen Von 532429
5-120 Bar
Mk 25 No
Mk / Fk 25 Dvgw
Vmk / Vfk 20
Mba11br002g929
Fcf-K 100
Spb-H 32
Iv 10-3
112918 + 113548
Mk 15 Dr Nc, Art N: 508764
Mk15-Nc-1quot;-Laiton-16-24vcc
Vmk / Vfk 40
Nc-Lait-3/8-16-24vcc-M12-05
Mk / Fk 32 Dr Ex
Rmq 32
535700
Spb-N 15

524816
Pcd-H 10 Dr
Rsv 20
526934
Repair Kit For Mk10nc
Mk15dr 1quot; Nc 24 Vcc
Spb-H 15
(526287) 5-Vsv-M 40
Rsv 40 Nc (24v Cc)
520970 Kb 15 Nc
Pi Vmk15dmc Fabrication 74319
3-Hpb-H 15 F
523125
Kbs 15 Ex
534543
M 12x1-Desina
Mk / Fk 32 Dr
Mk / Fk 20
Fcf-K 80
Connection
Spb-S 15
216079
531835
Pcs-3 15
Mk / Fk 25 Dr
Mk15nohd 2e
511367
Mk 15 No
Vsv-M / Vsv-F 40 Dr
Kbs 15
3-Hpp-2 15 Pc
Fk 65 Dr
Mk / Fk 50 Dr
1127 Y1

549508
3/2 Mk/Dr 20 G 1 Viton.24 Vdc
541042
Pcd H 15 2fc
Coax-Ht-Sonderausf3;Hrung-Von-532429-Istanbul-Turkiye
507231
Kts-25-60-F-G
501409
Vsv-M 40 (526287) Valve Repair Kit-3 Kat001802 Coax Van15-007727 - 4
5vfk 32 Dr Nc
Spp-1 / Spp-2 15 Pc
Mk 10 Nc 14 10c1 1/2ac 230w
Mk 32
Piston Head Tube For Vmk 25 Dr-Nc/ 31196
Spb-N 32
Vmk10nclait3/8-80
519781
Rmq20
Vmk / Vfk 50 Dr
Vsv-F 200
504822
Mk 15
Kat001801
Fcf 80
Pcs-2 10
5-Vmk-25 Nc 5425 C110/0bd 24l
Mk / Fk 15 Ex
Pcd-1 / Pcd-2 15
Pcs-1 / Pcs-2 15
Kb 20
Pcb-1 10
Vmk-H / Vfk-H 50
2 Endschalter Namur (I.) Von 532429

No Von 532429
Vsv-F 80
Vmk-H / Vfk-H 25
Vmk 15 Nc
Drv 25
Rsv 12
504763
Mk / Fk 15 Dr T¼v
Mk 10 Dr Nc Mk 10 Dr Nc 24vdc
113548-01
Magnetspule M 12x1-Desina
Mk / Fk 50
542105
545549
Hpb-H 15
Mba11br002g932
5-Vmk 32 Dr No
505891
Mk / Fk 15 Dvgw
502577
Repair Kit For Fk252o216vva1tzbt
Rsv20 Sr-Wd A3lwl00371197
Rmq 15 Pc
Fcf 65
74 1501 1/2p 4-80
Hpb-S 50
Vsv-F 65 Dr
11220/Mk10 Mk 10 Nc Ex
11221/Mk10 Mk 10 Nc Mr Ex
71666
Endschalter Induktiv
Mk / Fk 15 T¼v Ht
Mcf 08
5-Vmk20 Nc Lait G3/4 16bar Led

Mk / Fk 40 Ex
Befestigungswinkel
Mk 10 Nc 14 10c1 1/2dc 24p 70375
Fk 25 T¼v
Art. Num. 521030
Mk 15 Dr-No, Art N:531201
Mk / Fk 50 Ex
Mk / Fk 20 T¼v
Vmk 20 No 3/4quot; Bsp
401734
517331
Type No: Mk25 Dr Nc1e
500793
Vsv-F 150
Vsv-F 50 Dr 73 500 22635p 4-80
Repair Kit For Fk252c216vva1tzbta
Cfm 08
113548-02
Hpb 08
Gda3yvl90t61h
510025 Mk 15 Dr Emulsion/Wasser 34 15o1 1/2dc 24a 40 Zolltarifnummer 84818079 Ursprungsland Deutschland
Sonderabdichtungen
Mk 10
Mk / Fk 50 Dr Ex
Spb 08
No (507231)
5-Vmk 32 Nc
Vsv-F 250
70973
Mini Pi12-2
Vmk-H / Vfk-H 15
Mk 10 Dr
Spi-1 / Spi-2 32

Hpi-08
Hpi-1 / Hpi-2 32
Repair Kit For Solenoid Valve Model Fk252c6100vtat1t6b
Mk / Fk 25 Ex
Mk 32 No
5-Pcs-2 15
Rmq 10 Pc
Mk 10 Ex
Mk 25 Dr Fk 25 Dr
Vsv-M / Vsv-F 50 Dr
535771 / Mk 25
3-Hpb-H32 Rb 32 211/2bd 24l120
Vmk 15 Nc / Artikel-Nr. 543059
A 45
Vmk-H / Vfk-H 40
511262 Mk 20 Wasser Verschmutzt 14 20c110/0ac230l 16 Zolltarifnummer 84818079
Mk 10 Dr 40/100 Bar
Mk / Fk 20 Ex
Mk25nchd2e
Spb-S 50
Mk15nc-Ms/Fpm
Kb 15
Fk 80
Hpb-N 32
Rsv 40
532429
Pcs-1 / Pcs-2 10
Mba11br002g325
Kb 15 Ex
Mk / Fk 15
5-Vmk 32 Dr Nc
Lvp 06
Spb 65

517939
537115 Mk 15 Nc Ggd
Mk / Fk 15 T¼v
5-Vmk 32nc54 32c1 1/2 Bd24l
Mk / Fk 15 Dr
Vsv-F 150 Dr
Mk 10 Nc Dn 10 Mm
70004
5-Vfk-H 40 Ncleex
Hpb-H 32