Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr



Coel

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Coel Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Coel Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
H63a4.3441	B-COMMAND COEL Motor H63A4 CODE 3441 Pole: 4 // Full load speed: 1340 Nominal torque (Nm): 0.92 Motor type: squirrel cage Starting procedure: full tension Frequency (Hz): 50 Nominal voltage (V): 320 Delta - 400 Star Full load current (A): 0.95 Power factor at 100% nominal load: 0.7 Starting current Is / IN: 2.8 Tightening torque Ts / TN: 1.95 Insulation class: F class Degree of protection: IP54 Maximum ambient temperature: 40 ° C // 6kg
Lifting The Engine Brake Pad And Lifting The	reducing seal for our label in 11.1330 caption
Bridge Execution Reducer Seal For Our Label In	12.2023 Titled Photo
Raise Engine Brake (Complete) For Our Label In	11.1341 caption
Lifting Motor Pad And Lifting Reducer Seal For Our	label in 11.1328 caption
040708 new	

H63 A4 B5 220/240V-380/415V 50HZ 0,13kW	
MOT.H63A4 B14 KW0.13 V.200/50-60	Drawing H143 - Weight 5,5 Kg
H63a4 Code 3441	
H63 B14	
Fk80a6	
Cod.3443	
F 90sa4 B14 Ds	
Code 3444	
F132 Vdc 200	
H 112mb4	
H63c4	
H63b4	
H63 B5	
Guide Stud Boltá;For F80a4	
Magnetic Brake For Type Fda 16 La4/16	
H63a4 Code 3440	H63A4 B-COMMAND COEL Motor
3441	
3446	
H63a4 Nr.180298	
F94-3	
S46181	
3445	
H63a4 120198	
Fk63b4b5	
Sc160fl1	
F94-1	
H63a4	
Fkdf180lb6cl296	No: 756252 SIEHE ANHANG
H100 B5	
H 71b4	

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Coel Motor H63c4	B-COMMAND COEL Motor H63C4 CODE S380595900A H 63 4P KW0.23 B14 400/50
Runner For H63a4 Code 3441	
Grfr90100mult	
Fk63b4	
H71b4	
Cod. 3441	
Type H63a4 Cod.3440	
H63 Code 3440	
Brake Springs For F160l84	
F90l4 N. 020309	
Fda160lb4/16 B5	
F 71b4 B14 Ip54	
F 90sa4 B5 Ds	
Coel Type: F180lb4b5 , Ip55motor And Brake Complete Set	MOTOR AND BRAKE SET QTY:4
3440	
0,05-0,25kw Fklda80a4/12	
F132 Dc 200	
H100 B14	
H71a4 S	
Cod. 3453	
Fk63a4	
Em80fkdc104	
Brake Springsá;For F80a4	
4440/5	
Seeger Or Gear Locking Ringá;For F80a4	
N: 210907 S/N: Oc104ac230	
H63a4, Code 3562	
Em132dc187	
Brake Group V230/400 Hz50 For Motor F132sb4	

Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

F80a4	
Fda132mc2/12	
F Spare Parts For Type Fda 16 La4/16	
H63a4, 3441	
H 63 A4 B5	
F90sa8lm	
Seeger Or Gear Locking Ring For F160l84	
F71c4	
H 63 A4 B5 Ip54	
Guide Stud Bolt For F160l84	
F80n002a7x1nauu001	
C 1993	
H63a	B-COMMAND COEL Motor H63A4 CODE 3441 Rated power: 0,13 Kw Pole: 4 Full load speed: 1340 Nominal torque (Nm): 0.92 Engine type: squirrel cage Starting procedure: full voltage Frequency (Hz): 50 Rated voltage (V): 320 delta - 400 Star Full load current (A): 0.95 Power factor at 100% rated load: 0.7 Starting current Is / IN: 2.8 Tightening torque Ts / TN: 1.95 Insulation class: F class IP54 Maximum ambient temperature: 40 ° C
Sc132fl1	
Electromagnet 3 Ph Caá;For F80a4	
Compensation Ring For F160l84	
D120 (80b14)	
3443	
Type H63b4	
Code 3440	
F100la4	
Mh56b4	
F 132sb4 B5	
F132sb4	