

Cyklop

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Cyklop Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Cyklop Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
10133384	
10544314	
16A3	
225054-201	
225055-201	
228846-201	
50510055(1832.022.169)	
50510062	
50510062 (1832.022.185)	
50510090	
62154	
71000211	
71004151	
71029620	
71035391	
71035393	
71036125	
71040709	
71054765	

Ürün	Açıklama
71057926	
71065878	
71083008	
71090506 VERSCHLISSER V80Q S3	
71098169	
71098185	
71098194	
71108781	
71501812	
71501815	
71502119	
71502557	
71502647	
71503938	
71504624	
71999800	
71999807	
72000683	
72015736 (1832.022.109)	
73021094	
73023787	
73023789	
74008721	
74504270 Cyklop Streifengeber B 6 halbautomatisch	
74504353 Cyklop Streifengeber C 25 elektronisch	

Ürün	Açıklama
AXRO-IN	
B-6	
BP555es	
BP755eS	
C 25 / 74504353	
C25	
CFH-1	
CMT 250	
KM-7-20140	
POS:1.5.5	
POS:5,2.5	
POS=1,12	
POS=5,3.3	
POS=5.3	
RAXPZ 415 C17	
AXRO FQC2 (right)	DE71501961 The AXRO FQC2 offers the latest developments in modern bundling technology. The machine is equipped with the AXRO clamping and Knotting technology that will last in years of use proven reliability. The AXRO FQC2 features an updated Threading mechanism through which products are properly loaded be bundled if the bundling time has been shortened. The machine is too Equipped with a knot system that allows you to tie and untie knots controlled. Thus, the product is bundled with the least possible pressure, what damage prevented. The bundling machine is suitable for manual bundling small products with elastic cords, such as flowers, pipes, cables and much more. Important properties: For Cylastic PES, Cylastic PCs 1300, Cylastic 3K elastic cord Can be integrated into automatic production lines Extremely simple operation Robust, suitable for continuous operation

Ürün	Açıklama
	Minimal maintenance Low noise level Up to 100 cycles/min. Impervious to dirt
G10501031----OP 03 CONTROL PANEL	04V21.001 72016945
NL87101713	Axro FQC2-R-MD35-Cable
POLYSTRAP 5045 S white	Width: 5.0 mm Thickness over tip: Approx. 0.45 mm Breaking load: Approx. 650 N Elongation at break: Approx. 14% Running length per roll: 7,500 m Pallet unit: 60 rolls Weight per roll: Approx. 10.9 kg PET Band Classic 2242E (complete delivery)
PET Band Classic 2242E	Important features: Width: 15 mm Thickness over tip: Approx. 0.70 mm Tensile strength: 450 N / mm ² Breaking load: Approx. 3,900 N Elongation at break: Approx. 11% Running length per roll: 2,000 m Pallet unit: 48 rolls, unpacked Weight per roll: Approx. 22.6 kg Core 150 - wide 150 x Ø 406.5 x wall thickness 7 mm (tolerances)
71501006(Ex.12750/600)	
71090506 Verschliesser V80q S3	
71019562	
71050025	
71029618	
71019533	
72011132	
300af	THERMOMETER
71050023	
71035390	

Ürün	Açıklama
71019528	
71029619	
71001550	
71035353	
71057917	
71057924	
73021093	
71501119	
10002795	
61.8029.320.01	
71057925	
73021105	
71054782	
74005586	
71000404	
71033617	
71035300	
71040713	
74504353	
Polystrap	
71035301	
71501790 Rundspanner Rondofix Br 13-19 Mm	
71035352	
71029653	
V 94qs3 Yedek Parcalari	

Ürün	Açıklama
72003622	
71057922	
71008552	
71029617	
Ch47-19(Exch43-19)	
71040714	
71001583	
71029655	
71040720	
71501104	
74005386	
71043422	