



Delvo

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Delvo Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Delvo Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
DLV30A20P-ASK	Art.-Nr.: 95310000 Torque range: 1.2 - 3.0 Nm / Optional 0.4 - 1.6 Nm Screw size: 2.6 - 5.0 mm (metric) 2.5 - 4.0 mm (self-forming) Speed 1,200 - 2,000 rpm Power: 44W Launch: push launch, axial push launch Direction of rotation: reversible Design: straight Features: Brushless motor, blade grounding, soft start Voltage: 40 V DC (from the control unit) Blade holder: quick-change chuck, Allen key 1/4" (6.35 mm) Weight: 0.72kg Scope of delivery: Tool with torque cap (DLW5201), cable 3 m, Suspension, additional clutch spring and bit NK35(No.2 × 7 × 75). Matching control unit: DLC70S-WGB or DLR70S-WGB (not included) Delvo electric screwdriver Item no.: 37308100 Country of origin: Japan 8467 29 85
838631	Delvo DLV16SL-CKE electric screwdriver MPN DLV16SL-CKE Manufacturer Delvo Handy, brushless electric screwdriver - Ergonomic and compact -Brushless electric screwdriver -Torque repeatability: 3% -Stepless speed adjustment -Mechanical shut-off clutch -Transparent torque protection sleeve -Quick-change chuck for blades and keys

Ürün	Açıklama
	-Blade holder according to DIN-ISO 1123: 1/4" Technical data: -Speed: 700 - 1000 rpm -Torque: 0.2 - 1.6 Nm -Starter: lever -Voltage: DC 20 - 30V -Power consumption: 48 W -Head screw: 2.2 - 4.2 mm -Tapping screw: 2.0 - 3.2 mm -Bit type: 1/4" hexagon
Dlv7331-Cme	
Dlv7335-Cke	
Dlv7325-Cke	
Dlv7321-Bmn	
Dlv30lp-Lku	
Dlv70ll-Mkg	
Dlv8234-Lku	
Dlv7321-Bku	
Dlv5820hu	
Dlv45lp-Spc(Lku)	
Dlv12sl-Cke	
Dlr5040a-Wu	
148037 Screwdriver	
Dlc 70s-Wgb	
912.154-47m	
Dvl30lp-Mkg	
Dlv30sp-Spc	
Dlv5840u	
Dlc035olu	
Dlv7419ha-Bme	

Ürün	Açıklama
Dlv02sl Cke	
Dlv30hl-Lku	
Dlv7329-Bme	
Dlv70lp-Mkg	
Dlv7349-Bme	
Dlv 8540-Mke	
Dlr5040a Screwcounter	
Dlr705-Wub	
148111 Power Cord Assembly	
Dlv30hp-Mjg	
Dlv7410a-Bme	
Dlv7331-Bmn	
DLV16SL	
Dlv30sl-Lku	
Dlv30hp-Spc(Lku)	
Dlv30hp-Mkg	
Dlv7530-Bke	
Dlr5040a-Wn	
Dlv45sp-Lku	
Dlv8244-Lku	
Dlv30hp-lke	
Dlv45sp-lke	
Dlv30hl-Mjg	
Dlv30sp-Spc(Lku)	
148033	
Dlv30ll-Lku	

Ürün	Açıklama
Dlv12sl Bke	
Dlv7134-Lku	
Dlv45sl-Mkg	
Dlv8124-Lku	
Dlv30sl-Mkg	
Dlv7331-Cke	
Dlv73-73-Cke	
Dlv30sp-Lku	
Dlv70lp-lke	
Dlv7530-Mke	
Dlv45lp-lke	
Dlv02sl-Cke	
Dlv30sl-Spc(Lku)	
Dlv12sl Cke	
Dlv 16sl-Cke	Power Driver with brushless motor, wear-resistant Torque range: 0.2-1.6 Nm Speed: 700-1000 rpm. Quick-change coupling for bit ¼ " Forward / reverse Ergo Grip Torque locking sleeve Weight: 0.47 kg Total length: 235 mm Incl. Controller -DLC1165-WGB Power switch with control LED Power and connection cable to the screwdriver
Dlv30lp-Mjg	
Dlr5040a-We	
Dlv7420ha-Bme	
Supports Vertical 70cm Orizantal 70cm	
Dlv7540-Mke	

Ürün	Açıklama
Dlv45sl-lku	
Dlv45sl-lke	
Dlv16sl Bke	
Dlv8530-Mke	
Dlv7313-Cme	
Dlv45II-Mkg	
Dlv30II-lku	
Dlv30II-Mkg	
Dlv45II-Spc(Lku)	
Dlv7335-Cme	
Dlv7321-Bke	
Dlv30sp-Mkg	
Dlr70s-Wgb	
Dlv 30lp-lke	
Dlv30hl-lke	
Dlv7550-Mke	
Dlv 7550 Bke 500 Min 0.5s/3.5s	
8144	
Dlv30hl-lku	
Dlv70II-lke	
8134	
148033 Screwdriver	
Dlv30lp-Spc(Lku)	
Dlv45lp-lku	
Dlv45II-lku	
Dlv30II-lke	

Ürün	Açıklama
Dlv7124-Lku	
Dlv45sl-Spc(Lku)	
Dlv7331-Bke	
Dlv8154-Lku	
Dlv45lp-Lku	
Dlv 8540-Mke Elektroschrauber	
912.154-47m Power Cord Assembly	
Dlv7321-Cme	
Dlv7144-Lku	
Dlv30ll-Spc(Lku)	
Dlv7333-Cme	
Ntw-1r	
Dlv7429a-Bme	
DLV30A12L-ABK	Electric screwdriver -with lever starter -for direct connection 230 V. -Speed 1,200 rpm -Torque continuously adjustable 0.4 - 3.0 Nm -with shut-off clutch
Dlv45sp-lku	
Dlv45sp-Mkg	
Dlv30sp-lku	
Dlv8134-Lku	
Dlv45lp-Mkg	
Dlv30ll-Mjg	
Dlv45sp-Spc(Lku)	
Dlv7323-Cke	
Dlv7410ha-Bme	

Ürün	Açıklama
Dlv30lp-lke	
Dlv16sl-Bke (Esd)	The variable speed adjustment allows you an optimal Screw tightening speed to choose. Equipped with a grounding mechanism Compliant with CE and UL standards specifications Starting procedure: lever start Speed: 700 - 1,000 rpm Torque: 0.2 - 1.6 Nm Screw size (cap screw): 2.2 - 4.2 mm Screw size (tapping screw): 2.0 - 3.2 mm Weight: 0.47 kg Voltage: 20 - 30 V DC Power consumption: 48 W Power supply DLC16S-WGB input voltage: 100 - 240 V AC, 50/60 Hz Output voltage: 20 - 30 V DC Function: Speed check Plug shape: Europe Mass: 0.38 kg
Dlv7540-Bke	
Dlv7321-Cke	
Dlv30sl-lke	
Dlv8144-Lku	
Tw-1r	
Dlv02sl Bke	
148037	
Dlv8540-Mke	
Dlv30sp-Mjg	
Dlv7550-Bke	
Dlv8550-Mke	
148111	
Dlv30hp-lku	
Dlv30sl-lku	

Ürün	Açıklama
Dlv30lp-Mkg	
Dlv5820u	
Dlv30hp-Sp Unknown	
Dlv30sl-Mjg	
Dlv7339-Bme	
Dlv7333-Cke	
Dlv16sl-Cke	
Dlv45sl-Lku	
Dlv8540-Bke	
Dlv7319-Bme	
Dlv30hl-Spc(Lku)	
Dlv30hl-Mkg	
Dlv30hp-Lku	
Dlv8224-Lku	
Dlv7325-Cme	
Dlv45ll-Lku	
Dlv8550-Bke	
Dlv7331-Bme	
Dlv30lp-lku	
Dlv7419a-Bme	
Dlv8130-Spc(Jke)	
Dlr5340-Wu	
Dlc1213a-Gg	
Dlv7321-Bme	
Dlc1213-Lub	
Dlv30sp-lke	

Ürün	Açıklama
Dlv45II-Ike	
Dlv7323-Cme	
Dlv8530-Bke	
Dlr5040a	
Dlv16sl Cke	
Dlc705-Wub	
Dlc1213a-Gg 5pin	
Dlc165-Wub	
Elektroschrauber Dlv8550-Mke	
Dlv7331-Bku	