

Des Case

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Des Case Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Des Case Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
DC2	DC-2 VENTILATION FILTER WITH SILICA GEL FILLING (300 GRAM) WATER ABSORPTION MAX. 118 ML CONNECTION 1 "MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW RATE 453 L / MIN. TEMPERATURE RANGE -29 TO 93 ° C Weight approx: 0.55 kg / piece Country of origin: USA Customs tariff number: 84213920 Preference authorization: NO
DC2	DC-2 VENTILATION FILTER WITH SILICA GEL FILLING (300 GRAM) WATER ABSORPTION MAX. 118 ML CONNECTION 1 "MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW RATE 453 L / MIN. TEMPERATURE RANGE -29 TO 93 ° C Weight approx: 0.55 kg / piece Country of origin: USA Customs tariff number: 84213920 Preference authorization: NO
DC2	DC-2 VENTILATION FILTER WITH SILICA GEL FILLING (300 GRAM) WATER ABSORPTION MAX. 118 ML CONNECTION 1 "MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW RATE 453 L / MIN. TEMPERATURE RANGE -29 TO 93 ° C Weight approx: 0.55 kg / piece Country of origin: Germany Customs tariff number: 84213920 Preference eligibility: YES

Ürün	Açıklama
DC-XD-6	HIGH-PERFORMANCE FILTER WITH SILICA GEL FILLING (790 GRAMS) WATER ABSORPTION MAX. 315 ML CONNECTION 1 1/2"-16 UN INTERNAL AIR FLOW 456 L/MIN. TEMPERATURE RANGE -29 TO 93 °C Weight approx.: 1.37 kg/piece
DC4	DC-4 VENTILATION FILTER WITH SILICA GEL FILLING (840 GRAMS) WATER CAPACITY MAX. 333 ML CONNECTION 1" MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW RATE 453 L/MIN. TEMPERATURE RANGE -29 TO 93 °C Weight approx.: 1.20 kg/piece
Dc-Ex-4	
Dc-Hg-8	
Dc-2	VENTILATION FILTER WITH SILICA GEL FILLING (300 GRAMS) WATER SUPPLY MAX. 118 ML CONNECTION 1 "MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW 453 L / MIN. TEMPERATURE RANGE -29 TO 93 ° C Weight approx: 0.55 kg / piece Country of origin: USA Customs tariff number: 84213920 Preferential right: NO
Dc-Nd-2	
Dc-Vg-3	
Dc-Ex-1	
Dc-Vg-2	
Dc-Vg-1	
Dc2 Filter Air Breather Dry	
Dc-Hg-1	
Dc-4 Drying Filter; With Silica Gel; Particle Retention 3 M	

Ürün	Açıklama
Dc-1	
Dc-4 Drying Filter; With Silica Gel; Particle Retention 3 ?M	
Dc-3 Filter Air Breather Dry	
Dc-Bb	
Dc-3	VENTILATION FILTER WITH SILICA GEL FILLING (560 GRAMS) WATER ABSORPTION MAX. 220ML CONNECTION 1" MULTI-FIT (NPT, BSPP, BSPT) AIR FLOW RATE 453 L/MIN. TEMPERATURE RANGE -29 TO 93°C Approx. weight: 0.85 kg/pc Country of manufacture : United States Customs tariff number: 84213920 Preference Eligibility : NO
Dc - 17- T Adapter	
Dc-Ex-3 (Pack 1x6)	
Dc-4 (Pack 1x6)	
Dc-Nd-35	
Dc-Ex-2	