Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Desoutter

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Desoutter Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Desoutter Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Pt070-T4000-S13s	Article 2051462304-77 Pneumatic impulse wrench Device is no longer produced, currently 1 piece in stock
Ptf085-T4800-S13s 1/2"	Pneumatic impulse wrench Art nr. 6151720890-77
Ptf060-T6100-S10s 3/8"	**** Alternatif **** Art nr. 6151720880-77 Pneumatic impulse wrench
zum Anziehen von Muttern	ERFORDERLICHE FUNKTIONEN: Projekt; Die Steuereinheit besteht aus einem 90-Grad-Winkelkopf. Elektrisches Anziehen mit Kabel. ☐ elektrischer Strom wird gesteuert. ☐ Die Funktionen der Steuereinheit sind wie folgt; - 15 verschiedene Zyklusprogrammspeicher Drehmoment- und Winkelregelung - Abfahrgeschwindigkeit, Endgeschwindigkeit, Drehmoment, Winkel programmierbar - Drehmoment und Winkel können am Steuergerät digital überwacht werden - Es wird 8 E / A-Ein- und Ausgänge haben - Es werden RS232- und Ethernet-Eingänge vorhanden sein ☐ Die elektrischen Anziehen sind wie folgt: - 10-30 Nm Arbeitskapazität - Mindest. Drehzahl 1140 U / min - Gewicht max. 1,7 kg - Länge max. 431 mm ☐ kabel (min.) Es wird 5m sein.
Neu Beschaffung	von unseren Kunden: Derzeit benötigen wir insgesamt 4 Luftmotoren. Anzugsmomente: 3 davon sollten 20 Nm betragen. 1 von ihnen reicht aus, um 15 Nm zu sein. Wenn Motoren mit 20 Nm die Klemmschnalle erreichen, ist der Rotor blockiert und der Stator dreht sich in Klemmrichtung und bewegt den daneben montierten Pneumatikzylinder. Das Signal des Schalters an diesem Zylinder wird als Information an die SPS gesendet, dass das Anzugsmoment erreicht wurde. Das Anzugsmoment ist erreicht. Das Signal wird nicht vom Luftmotor empfangen, der 15 Nm beträgt.
ELS6-1000	Cordless screwdriver "E-LIT premium" - Series, adjustable speed, pistol shape, lithium Ion battery technology (70% more energy, 65% longer Battery life, rechargeable at any time - without memory effect), brushless motor, two battery positions, ergonomic Design, direction of rotation reversal at the push of a button, LED display for OK / NOK screw connection, additional acoustic signal after a NOK screw connection, Low battery warning. Torque range 0.8-6 Nm, speed 300 - 1000 Rpm., Output 1/4 "SWF, weight without

	battery 0.8 kg Battery and charger are not included and must be to be ordered separately.
2050504523-D11	
2050536393-C08	
2050536413	
2051474734-D11	
2051478424-C08	
2051479244	
6151652100-D11	
6151654200-D11	
6151656310-D11	
6155703925-368	
6158100460-268	
6158105140-368	
6158116545-D11	
6159175410-168	
6159188005-368	
6159351010-D11	
9433-C08	
CP0214CELEL	
MR25-280-KL air motor	(0.12 HP)(P/N 2051478424)
PT070-T4000-S13S	
6158107000-77	D53-5 - tool stand with swiveling linear arm, max. torque absorption 5 Nm, max. load 0.8 kg, incl. tool holder D=28.5 to 41 mm, incl. 1 Balancer "5DU"
M25-1040-TL ATEX	2051478334 The offers compact, lightweight and maintenance-free air motors with Keyed output shaft for a wide range of speeds and torque requirements. They are for installation in Suitable for hand machines or industrial plants. The product line offers clockwise only executions, delivers maximum performance from 1,800 W (2.45 hp), torques from 0.17 Nm to 299 Nm, and Speeds from 35 rpm to 19,500 rpm.
MOUNTING FLANGE WITH HOLES M25	2050540623 Specification Values (Metric) Family: Accessories for Air Motors Subfamily: mounting flange Energy type: NA
	SC2-065-2RM500-S4Q compressed air built-in screwdriver,

2051474364-77	Rod shape, jump start, switching off, right and / Counterclockwise rotation, output: 1/4" SW chuck, idle speed: 470 RPM, torque range: 0.5-6.5 Nm, weight: 0.64 kg, Please compressed air hose with inner diameter min. d=6 Use mm
2051474384-77	*** Alternative *** SC2-045-2RM1000-S4Q Compressed air built-in screwdriver, rod shape, external start, switching off, clockwise and counterclockwise rotation, output: 1/4" SWF chuck, idle speed: 1000 rpm, Torque range: 0.5-4.5 Nm, weight: 0.64 kg, Please compressed air hose with inner diameter min. d=6 Use mm
Clıp Rework	DSF0016105
6159172010 POWER CORD C13 EUROPE	
DSF0025111	
DC505	Sprıng
TRN1612	Feed Hose Inlet Sensor(ITS)
DSF0026146	Cap Nut
FP1049A216	BIT
FP1049A223	Vacuum Bıt
DSF0026164	ARM
FP1049A217	Bıt Holder
553140	VAF-DB-3/8
FP1080A604	Rear Slıde
DSF0026101	Housıng
FP1080A603	Front Slıde
FP1049A208	Vacuum Tube
6151656910 ERS2-M20	
6159326810 CVIR II	
6151654810-77	ESP C LT 220V control for SLC screwdrivers, Torque range: 0.5-6 Nm Automatic stop after elapsed time and automatic left rotation IO/NIO with re-hit protection Easy to use - user-friendly keyboard Speed regulation in the respective operating step: start, application phase, final tightening I/O interface for the integration of different functions
SLC150-F320-C4Q	
T046i015msp3	NUTRUNNER 3/8IN
50062	

Tra100-2100	
Dm6-1650t	AIR MOTOR 1650RPM 6.3BAR 0.35HP 260WATT 3NM
1463064	SCREWDRIVER PNEUMATIC SHUT-OFF 1100RPM 18.4CFM
P137707 Ram-Hydraulic Ram-Hydraulic	
P136983 Nadelfuehrung Rund Nadelfuehrung Rund	
P106131 Zangendr.Hebel Zangendr.Hebel	
P103028 Plug O Ring Plug O Ring	
10092	
Vp2-X	
P100150 Druckfeder Druckfeder	
P100145 Nadelhalter Nadelhalter	
615-932-677-0	CONTROLLER
6151658830	
P138141 Blank Nutlocking Blank Nutlocking	
P136744 Feder Feder	
P109273 Head Cylinder Head Cylinder	
100443	
Afde410-1200	ELECTRIC DRIVE PNEUMATIC-FEED 1200/1450RPM 50/60HZ
D370-Sx-2000-1379464	
Sd100-Ab820-S4q	SCREW DRIVER PNEUMATIC 820RPM 8.9-88.5IN-LBS
P121598 Einlasskopf Vorm. Einlasskopf Vorm.	
6151653650	
Pt250-T4000-S19s	DESOUTTER SHUT OFF PULSE TOOL
10122	
P106132 Zangendr.Hebel Zangendr.Hebel	
6159-3504-70	NUTRUNNER
P136973 Cylinder -R Cylinder -R	
6159-3261-00d	CONTROLLER

101313	
6151-6523-70	SCREW DRIVER LOW TORQUE
Eral-2-60	TRANSDUCER CONTROLLED TOOL
P140861 Feder Feder	
P136737 Nadelhalter Nadelhalter	
92292	PNEUMATIC D05-HCU PECK KIT 50MM
P109271 Sich.-Mutter Sich.-Mutter	
P100964 Gummipuffer Gummipuffer	
6159-3264-00	CONTROLLER CVI-II
6158101040	
P113310 Head Blower Cylinder Head Blower Cylinder	
P100146 Nadelsatz 3mm (19st) Nadelsatz 3mm (19st)	
6151-7005-50	ANGLE GRINDER
P140855 Buchse Buchse	
100373	
100792	
6151653910	
102593	
P140042 Blank-Cylinder Blank-Cylinder	
Dt-2h410n60	
6151-6534-00	TOOL ELECTRIC FASTENING
P140040 Reservoir Reservoir	
P117655 Hebelarm Hebelarm	
Slb050-L1000-S4q	
Eca60	NUTRUNNER
50052	
P114616 Piston Piston	
P117653 Ventilhebel Ventilhebel	
6159-1749-20	CABLE MOTOR 5M
P140857 Coupling Regulator Coupling	

Regulator	
Els12-600-P	
P122967 Stift Stift	
615 165 215 0	DRT4 SQ180 TORQUE ROTARY TRANSDUCER
P114036 Wange Wange	
2051470394	AIR FEED DRILL
102153	
1388534	
Sbp043-T1100s4q	
P113695 Zylinder Zylinder	
6159360700	
1 2 Filter Bsp	
Afde410-1200-A6-B	ELECTRIC DRIVE PNEUMATIC FEED 1200/1450RPM 50/60HZ
P137708 Plate Retaining Plate Retaining	
101823	
2f89px450	
P139283 Ring-Retaining Ring-Retaining	
P140041 Cap-Inlet Check Cap-Inlet Check	
615 811 924 0	
6159933819	
Mr84700k	MOTOR
Erp10l	ELECTRIC TRANSDUCERIZED NUTRUNNER PISTOL GRIP
Scpt047-A550-S4q	SCREW DRIVER SHUT-OFF PISTOL GRIP TRIGGER START
Eme80-30j	
Afd-40	PNEUMATIC IC SPINDLE DRILL
Cp6031habad	
1414-164	REVERSIBLE AIR MOTOR 290RPM 0.35HP
3/8-L46mm	
102873	
P140860 Screw Screw	

Ecp20s	PISTOL GRIP
50542	
6150040471	NUTRUNNER 3/8IN
P137705 Bushing-Ram Bushing-Ram	
Twin-Cvi-Ii	CONTROLLER CVI-II
P117633 Screw Nylok Screw Nylok	
0 8 6 Nm	
Cvic-H2	CONTROLLER H-2
Esp1-A	
P137876 Balg Balg	
P136403 Nadelsatz 3mm (19st) Nadelsatz 3mm (19st)	
P113834 Cylinder Cylinder	
6159-3261-90d	CONTROLLER
6159326850	
P137979 Tragekoffer Cp9361 Tragekoffer Cp9361	
2sa8	
10162	
P121581 Ventilfeder Ventilfeder	
6151-6510-30	NUTRUNNER
05 X 80000dv	
P136736 Spindel Spindel	
Vp2-6783-Of	
P106130 Zangendr.Hebel Zangendr.Hebel	
6153-9426-20	MOTOR ASSEMBLY UE4R EME
101282	
Cvicii	CONTROLLER
6151-6520-30	PISTOL GRIP
6158101030	
6151-6520-00	SCREW DRIVER LOW TORQUE

Eral-15-70	TRANSDUCER CONTROLLED TOOL
Cable-Er-5m	CABLE MOTOR 5M
388173	TORQUE ARM 9-31IN RADIUS 21IN STROKE D53-20X
P140862 Feder Feder	
102892	
1462794	PNEUMATIC INLINE TOOL PUSH-TO-START
P106076 Druck-Keilgabel Druck-Keilgabel	
6159326800	ELECTRIC TIGHTENING TOOL CONTROLLER
P104362 Shim Shim	
Cpn/108262	PART
P122208 Kolben Kolben	
Eral2-40	ELECTRIC TRANSDUCERIZED NUTRUNNER ANGLE HEAD
615 917 432 0	TRANSDUCER CABLES DIGITAL 10 PINS
1460634	
Eral2-60	
P106454 Nadelsatz 3mm (19st) Rostfrei Nadelsatz 3mm (19st) Rostfrei	
P140856 Ring Ring	
Alpha-11	NUTRUNNER
P137639 Spacer Spacer	
K160b6	
P136242 Valve-Regulator Valve-Regulator	
P113835 Abdeckkappe Abdeckkappe	
P110745 Drive Spindle Drive Spindle	
6158116710	
6158120975	
P136974 Cylinder -S Cylinder -S	
100172	
6158101020	
P140310 Syringe-Oil Fill Syringe-Oil Fill	

2hh5-550ggmin	
10272	
6159-3261-00	CONTROLLER
100832	
Eap2-65-T1	TOOL FASTENING
P106078 Kolbenst-Gabel Kpl. Kolbenst-Gabel Kpl.	
101273	
6159175420	
P119294 Valve Kit Valve Kit	
P117632 Klemmring Klemmring	
P140854 Tube Throttle Valve Tube Throttle Valve	
P140879 Handgriff Handgriff	
100233	
P100144 Amboss Amboss	
6151-6509-30	NUTRUNNER
H410-N-350	
P105978 6-Kt-Schraube 6-Kt-Schraube	
P106129 Gegenhalter Gegenhalter	
388163	TORQUE ARM 9-30IN RADIUS 10IN STROKE D53-20
Sbp047-T550-S4q	SCREW DRIVER SHUT-OFF PISTOL GRIP
102743	
671094	
P098947 Hammer Spacer Hammer Spacer	
P140863 O-Ring 6.1x1.6 O-Ring 6.1x1.6	
Sd075-Lb1100-S4q	SCREW DRIVER PNEUMATIC 1100RPM 22.1-66.4IN-LBS
P136738 Housing Needles Housing Needles	
102723	
2hm5-550-1309524	
Ecd20	NUTRUNNER

2f89px500	
108262	CONTROL CARD 5OPTION
6151653880	
199-Swf	
P117630 Gehaeuse Gehaeuse	
P137709 Seat-Inlet Check Seat-Inlet Check	
615-165-3630	ELECTRIC TRANSDUCERIZED NUTRUNNER ANGLE HEAD
P140858 Sleeve Regulator Sleeve Regulator	
P122968 Retainer-Collar Pin Retainer-Collar Pin	
P140859 Stift Stift	
1458854	SCREW DRIVER SHUT-OFF PISTOL GRIP TRIGGER START