

Dezurik

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Dezurik Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Dezurik Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
ECCENTRIC VALVE- AB050057 FİG 300	Size: 12 Inch End Connection: Flanged Drilling; ISA 75.08.02 and IEC 534-3-2F-F; ANSI 150 Body Material: 317 Stainless Steel Packing: PTFE Chevron; Temperature to 500 Degree F. (250 Degree C.) Plug Material: 317 Stainless Steel; Electroless Nickel Coated to 800 Degree F. Seat Seal: 317 Stainless Steel; Electroless Nickel Coated; Temperature to 800 Degree F. Trim Size: High Capacity Shaft: 17-4PH Stainless Steel to 800 Degree F. Bushing: 440C Stainless Steel to 800 Degree F. Act Type: Diaphragm; 145 Sq In; 60 PSI; Spring To Close Actuator will be double action. Air Filter Regulator with Gage; 1/4" NPT Valve will work on-off.,DEZURIK
BLADE VALVE 12" 150LB , PC , L , CE -	It will be used for muddy water transfer. ANSI150LB, 12" DKGV1221Blade Gate Valve, Lug type with Pneumatic Actuator, flange connection according to ANSI150LB2, Body AISI316 Stainless Steel Blade material AISI316+Stellit Gr.6, Sit Hard Crom Clad Double Acting Pneumatic Actuator. The results of the analysis of muddy water are attached. The values below refer to gas scrubbing water that has not been treated in water facilities after scrubbing. Our valve is located at this point. Total Hardness (mg CaCO3/l) 440

Calcium Hardness (mg CaCO ₃ /l) 352 Suspended Solids (mg / l) 275 PRESSURE 2,5-3 BAR (MAX: 3 BAR) CAN BE TAKEN.	
KCB 14 F110 S1 TDP S1 EPDM CY-PC10	
KCB 4 F110 S1 TDP EPDM CY-PC10	
KCB 6 F110 S1 TDP EPDM CY-PC10	
V200 E	
Bhp,2,W1,S2,Tc,S2-S10-Ft-Tt*Pr-R1a-Pc4 Dn 50	
Vpb4f2ss2g2s3nhs	VALVE
Model Vpb-4-F2s-S2-G2-S3s-S3-S9	
A7 For Upb-4-F2s-S2-G2-S3s-S3-S9	
P.38	
Kgc,12,Es,F1,S2,Tdp,S2-X,Cmc-Psc*X,Seh94 Modified	
Kgc, 12, Es, F1, S2, Smp, S2-X, Psc, Dcs23-12, Cmc * P12004 * Seh94* M00518 Obsolete Replaced By Kgc,12,Es,F1,S2,Tdp,S2-X,Cmc-Psc*X,Seh94 Modified	
A16 For Upb-3-F2s-S2-G2-S3s-S3-S9	
P36c	
870020-012-11-00-01-18-00	ELECTRO PNEUMATIC ACTUATOR 4-20MA 24VDC NEMA ENCL3
P41dpmv2050	ACCESSORY
Pec,4,F1,Ci,Nbr,Nbr*Nt	
Ep5n-De/90p-Ta	VALVE POSITIONER
8516051da02c419p	VALVE
Ansi 600 304ss 8quot; Bonneted Knife Gate	
Model Vpb-3-F2s-S2-G2-S3s-S3-S9	
A10 For Upb-3-F2s-S2-G2-S3s-S3-S9	
Kgc,Mv,F1,S1,Msp,S2,Fkm*Mn-Hd16	
P/N: A2 For Upb-3-F2s-S2-G2-S3s-S3-S9	
1221727	
Ep5xx-Hpgu-04k01-Pv9da-4z	

P-1500	VALVE POSITIONER
Rcv,12,F1s,S3,Tc,S3-S3-H-S5-S9*Dr-145a-Sp60-R,Afr2	
Hd 4,Bxb	
P2000	VALVE POSITIONER
9491535	CONTROL VALVE 4IN BUTTERFLY PNEUMATIC
P 5 N-De/90 P-Ta S26-K1	
Cpe-104	
Pr-R1a-Pc4	
1067162	
9076686	
1278836	MODULE
150psi 316 Ss Trim 18quot; Bonnetless Knife Gate	
Ansi 300 410ss 40quot; Thru-Port Knife Gate	
1134032	DISC
861m1a11122	ACTUATOR
A10 For Upb-4-F2s-S2-G2-S3s-S3-S9	
91-79041-10 Obsolete	
1250608 Size: 12?	