



## Digmesa

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Digmesa** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Digmesa Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Flowmeter Fhksc</a>	in PVDF, 1.2mm nozzle, with fastening pin, O-ring: Viton Turbine with 2 magnets (medium not touching) Item no .: 932-9301 / P2 Country of origin: CH Customs tariff number: 9026.1000
<a href="#">Flowmeter Fhku 70</a>	in PPS, hose 11 / 12mm ", nozzle 7.0mm, O-ring: silicone, Position pin: Inox 1.4305 el.Connection: 3 pin amp, turbine: 2 magnets (Touching medium) Item no .: 938-3270 / 01
<a href="#">938-6500/01</a>	Flowmeter FHKU, G 1/2 ", in Arnite, 10.0mm nozzle, O-ring: silicone, Bearing pin: Inox 1.4305, turbine: 2 magnets (medium in contact) Article number: 938-6500 / 01 Country of origin: CH Customs tariff: 9026.1000
<a href="#">FLOWMETER FHK 20 PNP G1/4" Arnite (PBT 35%GF)</a>	2 x G1/4" female threads (BSP), el. Anschluss: 3 pin - AMP 2.8 x 0.8 mm PNP Dse: PPS Ø2,0 mm, Lagerstift: INOX 1.4305, O-Ring MVQ (silicon) Turbine: FT36, PVDF, 2 Magnete, Sr Fe OArtikel Nr.: 937-1520/F18
<a href="#">09193142 10</a>	
<a href="#">18021AUTO</a>	
<a href="#">350-0410</a>	
<a href="#">527-0303</a>	
<a href="#">935-1500/2</a>	Multivac su flowmetresi
<a href="#">935-1500/4</a>	

<a href="#">937-1510/F01</a>	
<a href="#">937-1556/03</a>	
<a href="#">938-1540/01</a>	
<a href="#">938-1556/01</a>	Flowmeter FHKU 56 in Arnite, G ¼", nozzle: 5.6mm, O-ring: silicone, Bearing pin: Stainless steel 1.4305, Electrical connection: 3-pin AMP Turbine: 2 magnets (Medium touching)
<a href="#">938-6300/C014</a>	
<a href="#">938-6500/014</a>	
<a href="#">938-6800/CE01 4</a>	
<a href="#">938-6800/K344</a>	
<a href="#">941-0010/3</a>	
<a href="#">FT 36 2M</a>	
<a href="#">PNP 938-1320 / AE182</a>	
<a href="#">932-9301/P2</a>	Flowmeter FHKSC in PVDF, Schlauch 6,5/6,0mm, O-Ring: Viton Turbine: PFA 2 Magnete (Medium nicht ber¼hrend), Artikel Nr.: 932-9301/P2
<a href="#">937-1556/03</a>	Flowmeter FHKC in Arnite, 2 x G1/4", nozzle 5.6 mm, O-ring: silicone Bearing pin: Inox 1.4305, turbine: 2 magnets (touching the medium), electrical connection: Pancon Mas-Con Article No.: 937-1556/03
<a href="#">932-9301/P2</a>	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not touching the medium),
<a href="#">flowmetre CH-2563</a>	
<a href="#">01B2</a>	
<a href="#">937-1520/F01</a>	FHK 20, in Arnite, G1/4", electrical connection 3-pin AMP, PPS nozzle 2.0mm, Bearing pin 1.4305, O-ring silicone, turbine FT36 2 magnets
<a href="#">932-930/P2</a>	
<a href="#">937-1520/FO1</a>	
<a href="#">80431320100</a>	
<a href="#">Flowmeter: FHKU 100 Highflow,</a>	Flowmeter: FHKU 100 Highflow, in PPS (Lartan), with 10.0mm nozzle, G ½", O-ring: silicone, bearing pin and bearing: zirconium oxide, Turbine: 4 magnets (does not touch medium), electrical connection: 3 pin AMP Item no.: 938-6200/K344
<a href="#">938-3270/182</a>	
<a href="#">932-9301/P2</a>	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not in contact with medium), Country of origin: CH Customs tariff number: 9026.1000 Article number: Article number: 932-9301/P2
<a href="#">932-9301/P2</a>	Flowmeter FHKSC in PVDF, hose 6.5/6.0mm, O-ring: Viton Turbine: PFA 2 magnets (not in contact with medium), Country of origin: CH Customs tariff number: 9026.1000 Article number: Article number: 932-9301/P2
<a href="#">938-6300/C014</a>	FHKU 100, material: PVDF, G 1/2", nozzle: 10mm, bearing: PCTFE, O-ring: Viton, turbine: 4 magnets (non-contacting medium) el. connection: 3Pin AMP 2.8x0.8mm,
<a href="#">941-0010/3</a>	Connector set, 3-pole connector, seal and screw
<a href="#">Ch-Ipsach</a>	
<a href="#">938-1556/01 Flowmeter Fhku</a>	

<a href="#">938-6500/01 Flowmeter Fhku</a>	
<a href="#">935-2500/4</a>	
<a href="#">930-0073 Oem</a>	
<a href="#">Fhksc 932-9506/B</a>	
<a href="#">93b-0620/F01</a>	Flowmeter FH slim, full Brass, G1/4", 2,0 mm D¼se aus Ryton, O-Ring: Silikon Lagerstift: INOX 1.4305, Turbine FT36 (2 Magnete, Medium ber¼hrend)
<a href="#">938-3270/012</a>	
<a href="#">932-9301 / P2</a>	Flow meter FHKSC in PVDF, hose 6.5 / 6.0mm, O-ring: Viton Turbine: PFA 2 magnets (medium not in contact),
<a href="#">937-1825/09</a>	
<a href="#">938-6500/014 Ch-2563 Ipsach</a>	
<a href="#">932.9301/P2</a>	
<a href="#">934-1550</a>	
<a href="#">932-9308m2</a>	
<a href="#">937-1520/F01</a>	
<a href="#">938-6500/014 Flowmeter</a>	
<a href="#">Fhk 5.6mm Pbt (Arnite)</a>	