Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Dixon

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Dixon Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Dixon Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
13MHHM-3P100150	
150E	
200E	
525	
A190032	
A190038	
A190050	
A235012BU	
BBV200FP	
BBV300	
DIXON	
DXHPBV25	
HO22012	
P4F3	
SC13x5SS	
SC25x6SS	
V2F2	
Style 30 3 in. Carbon Steel	V-Ring Swivel Joints w/ 150# Flange Ends - Nitrile Rubber
A430-T2-038	1.5in Dixon Oil S&D Type A430-T2 Hose -40° to +90°, Oil + 100°, 10 bar

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	40 Metre Coil
A430-T2-050	2" A430 Oil Suction and Delivery Hose ID 51 mm OD 62 mm w. p.: 10 bar, Temperature : +100°C
A430-T2-076	3" A430 Oil Suction and Delivery Hose ID 76 mm w. p.: 10 bar, Temperature : +100°C
DAL200AB	2" Cam & Groove Adaptor Type A 2" BSP female thread, die cast aluminium
DAL300AB	3" Cam & Groove Adaptor Type A 3" BSP female thread, die cast aluminium
DAL400AB	4" Cam & Groove Adaptor Type A 4" BSP female thread, die cast aluminium
DAL200DC	2" Cam & Groove Dust Cap Type DC; die cast aluminium
DAL300DC	3" Cam & Groove Dust Cap Type DC, die cast aluminium
DAL400DC	4" Cam & Groove Dust Cap Type DC; die cast aluminium
FT101-18-ATEX	BAYCO API Optic Sensor Typ FT101 5-Wire, 2in BSPT housing c/w 18in Probe ATEX acc. to 94/9/EC Art. 9
FT100-18-ATEX	BAYCO API Optic Probe Typ FT100, 5-wire +++Probe only++, Length: 18in ATEX acc. to 94/9/EC Art. 9 Ta = -40°C to +70°C
FT304	DIXON-BAYCOSingle Thermistor Socket with Aluminium J-Slot 10 pin and 4 J-Slots (Canada, Europe) Stainless steel hardware and contact pins Modified Version of FT304VI: See quotation 626054 (03/12-14)
FT304VI	Single Optic Socket with Aluminium J-Sl API/WOGA, 10 pin and 4 J slots (U.S.) socket with vapour recovery interlock
10366HC-002	FloTech® Replacement Parts Replacement 3-J aluminum socket nose ring

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
FT391-6	FT390 Dual socket with 4J-10 pin and 4J-6 pin
5204	4" API Bottom Loading/Unloading Valve With fixed handle and sightglass Mat.: Aluminium, Baylast seals
5500BL	4" API Bottom Rack loading Coupler 4" TTMA mounting inlet flange Mat.: Aluminium, Baylast seals Body: 356 T6 aluminum anodized hard-coat Cam: stainless steel Poppet: 356T6 aluminum annodized hard-coat Link, shaft, pin, crank: hardened 17-4PH stainless steel Handle: aluminum
4030-DVR-AL	4" Vapor coupler with probe 3" Female NPT, Aluminium
VRC3000AL	3" Vapor coupler with probe 3" hose shank, Aluminium
4030-CVR-AL	4" Vapor coupler with probe 3" hose shank, Aluminium, Buna-N
4030-DVR-AL	4" Vapor coupler with probe 3" Female NPT, Aluminium
5205	API Dust Cap with Quick Release Lever Mat.: Aluminium, Buna Seal
VR4000	4" Vapor Return Valve x 4" adaptor 4" TTMA Flange Bulb Design Aluminium, Buna Gaskets acrylic sight glasses
VR4100	Vapor Return Valve Material: Aluminum Fuel Compatability: Gasoline and diesel, up to E100 & B20 biofuels
5000AIV	Air Interlock Valve Paddle Plunger Seal: Baylast TM, Mat.: Aluminium
VR4050PL-1200	4" lockable vapour cap for 4" vapour valve, Mat: Nylon, Orange coloured with chain
VR4050PL	4" lockable vapour cap for 4" vapour valve, Mat: Nylon, Orange coloured
VR6030SQ	Sequential Vapor Vent Threaded Gasoline and Diesel up to E100/B100

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Aluminium
VR6035SQ	Sequential Vapor Vent TTMA Flange Aluminium, for Gasoline and Diesel up to E100 and B100 Biofuels
4530	3" API Drop Adapter Material Aluminum Seal BaylastT O-ring
4540	4" API Drop Adapter Material Aluminum Seal BaylastT O-ring
FT400	5 conductor cable 100' (30,48 m) (for use w/5 wire optic systems)
FT402E	20 Strain Relief Ftgs M20 x 1.5"
V6M6-B-E	3/4" quick release connector series V External thread NPT 3/4" -not shut-off- Gasket: Buna, material: brass
FSGLBV200	DIXON Forged Steel Globe Valve, 2" NPT Threaded
HU100200	Dixon Weco Hammer Union 2 Inch FIG-100, Threaded End (Yellow Sub, Black Nut)
EL90100SS	1 in. NPT Threaded - 90 Degree Elbow - 150# Cast 304 Stainless Steel Pipe Fitting
HN100SS	1 Inch 304 Stainless Steel Hex Nipple
RHC100SS	1″ NPT FULL COUPLING 6K 316L Stainless Steel
AM12	Air King 2-Claw Universal Coupling NPT external thread 1" pc. Material: Malleable cast iron
AM2	Air King 2-Claw Universal Coupling NPT 1/2" external thread Wst.: Tempergu
AM0	Dixon 2-Lug Blank End
AM10	Air King 2-Claw Universal Coupling

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
AWR4	Air King seal for 2-jaw coupling Sealing material natural rubber, pack of 50
AC1	Safety clip for Air King couplings St. Material: Steel, galvanized VE 25
WB1SS	Dixon King Cable / Whip Check Size: 1/8" Length: 20-1/4" (for Hose I.D: 3/4")
WA2SS	Dixon King Cable / Whip Check Size: 1/4" Length: 38" (for Hose I.D: 2")
WA4SS	Dixon King Cable / Whip Check Size: 3/8" Length: 44" (for Hose I.D: 4")
HU206200	Dixon Weco Hammer Union 2 Inch FIG-206, Threaded End (Gray Sub, Blue Nut)
AM11WF-1	Air King 2-Claw Universal Coupling Hose connector 1" Wst.. Malleable cast iron Complete with crimp sleeve for hose OD 32.5 to 38.9 mm. Material: steel, galvanized.
GAM1	Air King 2-claw universal coupling Hose connector 1/2"
GAM11	Air King 2-claw universal coupling Hose connector 1"
AC1/	Safety clip for Air King couplings
DD	Boss clamps 1/2" Hose outer diameter Ï 20.5-24.0 mm Material: galvanized steel
BU9	Boss clamps 3/4" ,Hose outer diameter 30.0-33.0 mm
BU14	Boss clamps 1" Hose outer diameter 39.0-43.5 mm
150FBRN	Camlock coupling 1 1/2" type F (VK) MIL-C-27487, NPT 1 1/2" external thread
200FBRN	Camlock coupling 2" type F (VK) MIL-C-27487, NPT external thread 2"

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
BB150	Boss-Lock Cam & Groove Type B Coupler x Male NPT Size 1-1/2" material Brass Seal Nitrile Rubber
BB200	Boss-Lock Cam & Groove Type B Coupler x Male NPT Size 2" Material Brass Seal Nitrile Rubber
150-F-BR TYPE F ADAPTER X MALE NPT BRASS	
150-B-BR TYPE B COUPLER X MALE NPT BRASS	
200-B-BR TYPE B COUPLER X MALE NPT BRASS	
200-F-BR TYPE F ADAPTER X MALE NPT BRASS	
Qdf75m	
K8f8	
13mhhm-3p100150 (Alternative To K13 1quot;1/2)	
Rn80	8 316SS KING TURNED BACK NIPPLE FOR FLOATING FLANGES, M017-172
03450815	
AM7	Air King 2-Claw Universal Coupling External thread NPT 3/4" St. Wst.: Tempergu
AM3	Air King 2-Claw Universal Coupling NPT internal thread 1/2" St. Material: Malleable cast iron
Wb1	
Dn25 X 5000 Mm	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
A101hp010	
AM8	Air King 2-Claw Universal Coupling NPT 3/4" internal thread, steel. Material: Malleable cast iron
Tsk34	
Wb1c	
H360y50uc	6 50 HD YELLOW UNCOUPLED HOSE
Dn25 X 3000 Mm	
Qdhe75m	
Bpn-22	
Ab-8 (Hz-360272p003-13)	
R18-C05r	2 SERIES-1 REGULATOR W/OUT GAUGE
Aksp25	
Dxbn15f	
4nf6	
N4m6-Ls	
A101hp020	
08/013/14/000 (1 Box = 350 Pcs)	
08/013/17/000 (1 Box = 550 Pcs)	
H450y50sz	5 X 50 HD YELLOW NITRILE HOSE CPLD WITH ALUM STORZ ENDS
1waybv400	4 ALUM 1-WAY FULL FLOW BALL VALVE W/FNPT ENDS, FPM SEALS
08/013/19/000 (1 Box = 450 Pcs)	
Wb-1	
A101hp012	
AM6	Air King 2-Claw Universal Coupling Hose connector 3/4" st. Stainless steel, galvanized

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
A101hp025	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.