**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

# Druck

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

**Druck** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Druck Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün | Açıklama |
|---|---|
| PM620 absolute ranges | PM 620 pressure module<br>Measuring range: 0 to 100 bar absolute<br>Delivery with factory calibration certificate from the manufacturer |
| Calibration | Calibration according to DKD-R 6-1 (DAkkS), procedure A<br>Measuring range: 0 to 100 bar abs |
| AKS APP 3160 | AKS APP 3160 case with internal gas tank and automatic pressure control from daily pressure to 100 bar abs. (also version up to 160 bar abs. available)<br><br>Advantage: automatic pressure control |
| Minerva MNR 350 | Minerva MNR 350 case with internal gas tank and manual pressure control from the daily pressure to the final value of the PM620 used, but a maximum of 200 bar.<br><br>Advantage: the existing DPI 620 (gray version) and the existing PM 620 can be used<br><br>Disadvantage: Difficult to set because manual control |
| PV212 Set of BSP to BSP Adap | enthält folgende Adapter:<br>1/4" BSP Male x 1/8" BSP Male<br>1/4" BSP Male x 1/8" BSP Female<br>1/4" BSP Male x 3/8" BSP Female<br>1/4" BSP Male x 1/2" BSP Female<br>1/4" BSP Male x 1/4" BSP Male<br>Zolltarifnummer: 8413910090<br>Herstellungsland: CN |
| PV212 Set of BSP to NPT Adapt | enthält folgende Adapter:<br>1/4" BSP Male x 1/2" NPT Female<br>1/4" BSP Male x 3/8" NPT Female<br>1/4" BSP Male x 1/8" NPT Female<br>1/4" BSP Male x 1/4" NPT Female<br>1/4" BSP Male x 1/4" BSP Male<br>1/4" BSP Male x 1/4" NPT Male |

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Zolltarifnummer: 8413910090<br>Herstellungsland: CN |
| PV212 Set of NPT to NPT Adaptors | enthält folgende Adapter:<br>1/4" NPT Male x 1/4" NPT Male<br>1/4" NPT Male x 1/8" NPT Male<br>1/4" NPT Male x 1/8" NPT Female<br>1/4" NPT Male x 3/8" NPT Female<br>1/4" NPT Male x 1/2" NPT Female<br>1/4" NPT Male X 1/4" BSP Female<br>Zolltarifnummer: 7307298090<br>Herstellungsland: CN |
| High Pressure Hose Kit (1m BSP) | Zolltarifnummer: 8414900090<br>Herstellungsland: CN |
| High Pressure Hose Kit (2m BSP) | |
| High Pressure Hose Kit (1m NPT) | |
| High Pressure Hose Kit (2m NPT) | |
| PTX1800 | Measuring range: from 0 to 60 $mH^2O$ relative<br>Cable length: 135 meters (vented depth cabe)<br>Delivery with factory calibration certificate from the manufacturer |
| DPI620G-IS | Basic Instrument<br>Basic device with HART communicator, IS version<br>Delivery with battery (part no. IO620-BATTERY),<br>Universal power supply / charger (part no. IO620-PSU), IO620-AC<br>300 VAC true RMS probe, test leads, quick start guide and<br>Factory calibration certificate from the manufacturer. |
| PV622-IS | Pneumatic Pressure Station 100 bar (Ex)<br>Pneumatic pumping station for DPI 620G-IS, 100 bar,<br>IS version<br>Pump pressure range: -95% vacuum up to 100 bar |
| PM620S IS gauge ranges | PM 620 pressure module, IS variant<br>Measuring range: -1 to 20 bar relative<br>Delivery with factory calibration certificate from the manufacturer<br><br>****Measuring range: 0 to 100 bar relative*** Alternatifi de mevcuttur . |
| MC620-IS Pressure Module Carrier (Ex) | Module carrier for two PM 620 pressure modules, IS variant |
| Pressure Adaptor Set - BSP | Print Adapter Kit: A set of adapters to connect to<br>the tool-free quick connection of the DPI 611/612/620.<br>The following adapters are included: G1 / 8 male thread and<br>G1 / 4 external thread, G1 / 4 internal thread, G3 / 8 internal |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | thread<br>and G1 / 2 internal thread. Supplied in a padded<br>Plastic box. |
| Pressure Adaptor Set - NPT | Print Adapter Kit: A set of adapters to connect to<br>the tool-free quick connection of the DPI 611/612/620.<br>The following adapters are included: 1/8 "male thread and 1/4"<br>External thread, 1/4 "internal thread, 3/8" internal thread and 1/2 "<br>Inner thread. Delivery in a padded plastic box |
| AS405-62-1729M0 | Hose Assembly Blue 10m ST/OPN |
| PV621G | Pneumatic Pressure Station 20 bar<br>Pneumatic pumping station for DPI 620G, 20 bar<br>Pressure range of the pump: -95% vacuum up to 20 bar |
| DPI620G-IS | 2. Every part of the calibration system must have CE as well as Baseefa 16ATEX0002X Ex II 1 G, Ex ib IIC T4 Gb (-10°C ≤ Ta ≤ +50°C), IECEx BAS 16.0010X approvals for use in hazardous environment.<br>4. The system should be able to operate smoothly between -10 °C and +40 °C.<br>5. IP55 |
| 4Sight2 V1.5 Light License | Manual calibration with DPI 611, 612 and 620G<br>2 users<br>Installation of 1000 test equipment<br>1 customizable calibration certificate template |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to -250 mbar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 250 mbar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 4 bar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 6 bar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 10 bar relative<br>Delivery with factory calibration certificate from the manufacturer |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 16 bar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PTX5072-TA-A1-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 40 bar relative<br>Delivery with factory calibration certificate from the manufacturer |
| PV212 23: 1000 bar/15000 psi | Hydraulic hand pump PV 212-23-TK, pressure range 1000 bar<br>Delivery with the following adapters:<br>1/4 BSP male x 1/4 NPT male<br>3/8 BSP male x 1/4 NPT male<br>3/8 BSP male x 1/4 BSP female |
| PTX691-A139 | |
| PTX-1400 | OIL PRESSURE CHECK |
| DPI 610 / 615 IS | |
| VAK SEN DRUCKUNIK 500 PTX-TA-A1-CA-HO-RB - | 0-250 mBar ABS NKE-E28.16.000 |
| DPI 615 | |
| Druck DPI 104 Manometer Sensitivity 1mbar | |
| PV411A-HP | PV 411A-HP Pneumatic and Hydraulic Test Kit<br>Pneumatic/hydraulic hand pump in a set<br>Pneumatic pressure range: -950 mbar to 40 bar<br>Hydraulic pressure range: 0 to 700 bar<br>Pressure connection: BSP or NPT<br>Supplied with 50 cm high-pressure hose, various<br>Adapter, gasket set, practical hard case with<br>compartments, hydraulic reservoir with a volume of 100 ccm for<br>direct screwing onto the PV 411A |
| DPI104 1/4 NPT Male Calibrated in psi | Measuring range: from 0 to 70 bar relative<br>Accuracy: 0.05% FS E |
| DPI104IS 1/4 NPT Male Calibrated in psi IS | Measuring range: from 0 to 2 bar relative (gauge) |
| DPI104IS 1/4 NPT Male Calibrated in psi IS | Measuring range: from 0 to 7 bar relative (gauge) |
| DPI104IS 1/4 NPT Male Calibrated in psi IS | Measuring range: from 0 to 70 bar relative (gauge) |
| DPI104IS 1/4 NPT Male Calibrated in psi IS | Measuring range: from 0 to 700 bar relative (sealed gauge) |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| PTX5072-TA-A2-CA-H0-PA | UNIK 5000 pressure transmitter<br>Measuring range: from 0 to 40 bar relative |
| DPI612 pFlex 20 bar system with PM 620 | Mobile, pneumatic pressure calibrator with built-in<br>hand pump<br>Pump pressure range: -95% vacuum to 20 bar<br>Measuring range PM 620: 2 bar absolute<br>Delivery includes battery and charger, hose,<br>Transport bag, dirt and moisture trap, carrying strap,<br>Test cable, G1/8 IG and 1/8 NPT IG adapter, instructions,<br>4Sight2 Lite calibration software and factory calibration certificate<br>dated<br>Manufacturer |
| PV212 22: 700 bar/10000 psi | Hydraulic hand pump PV 212, pressure range 700 bar<br>Supplied with the following adapters:<br>1/4 BSP male x 1/4 NPT male<br>3/8 BSP male x 1/4 NPT male<br>3/8 BSP Male x 1/4 BSP Female |
| PV212 23: 1000 bar/15000 psi | alternative position<br>Hydraulic hand pump PV 212, pressure range 1000 bar<br>Supplied with the following adapters:<br>1/4 BSP male x 1/4 NPT male<br>3/8 BSP male x 1/4 NPT male<br>3/8 BSP Male x 1/4 BSP Female |
| DPI610E | Portable Pressure Calibrator Hazardous Area<br>Mobile, pneumatic pressure calibrator with built-in<br>Hand pump, internal barometer and HART communicator for<br>EX areas with ATEX/IECEx certification<br>Configuration: DPI610E-SPC-13G-U0-B0-1M<br>Pump pressure range: -95% vacuum to 35 bar<br>Measuring range: from -1 to 20 bar relative / from 0 to 21 bar<br>absolute<br>Delivery including lithium-ion battery, charger, carrying strap,<br>Test leads, G1/8 IG and 1/8 NPT IG adapter, dirt trap, 1<br>m hose, brief instructions and factory calibration certificate dated<br>Manufacturer |
| 611e | |
| DPI 615 ( 0-400 BAR) | |
| DPI705EIS-1-10G-P1-H1-U0-OP0 | DPI705EIS Handheld Pressure Indicator Standard IS<br>Hand-held measuring device with internal pressure sensor for EX<br>areas<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-10G-P1-H1-U0-OP0<br>Measuring range: from -1 to 7 bar relative<br>Accuracy: 0.08% of E |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Pressure connection: G1/8 female thread |
| DPI104 G1/4 Male Calibrated in bar | Measuring range: from 0 to 200 bar sealed gauge |
| DPI 620 Genii | option 2 : FLUKE 729 300G FC FLUKE 300 PSI |
| DPI620PC Pressure Calibrator | Package Commercial Lite<br>Pressure calibrator complete set consisting of:<br>DPI620G-L basic device without HART<br>PV621G Pneumatic pump station 20 bar<br>Pump pressure range: -95% vacuum to 20 bar<br>PM620 pressure module<br>Measuring range: -1 to 20 bar relative<br>Delivery includes battery and charger, True RMS measuring probe, Test lines, G1/8 female and 1/8 NPT female adapter, pressure relief valve,<br>Carrying strap, quick guide, 4Sight2 Lite calibration software and Factory calibration certificate from the manufacturer |
| PMP 4060 15psiA | |
| PTX1400 | PRESSURE SENSOR 0/25MBAR DRUCK(CINETIC) |
| PTX510 | PRESSURE SENSOR 0/250MBAR ABS. G1/4 4-02MA DRUCK |
| DPI610E Portable Pressure Calibrator Hazardous Are | Mobile, pneumatic pressure calibrator with built-in hand pump, internal barometer and HART communicator for EX areas with ATEX/IECEx certification<br>Configuration: DPI610E-SPC-13G-U0-B0<br>Pump pressure range: -95% vacuum to 35 bar<br>Measuring range: from -1 to 20 bar relative / from 0 to 21 bar absolute<br>Delivery includes lithium-ion battery, charger, carrying strap, test leads, G1/8 IG and 1/8 NPT IG adapter, dirt trap, quick guide and factory calibration certificate from the manufacturer |
| PMP5036-TB-A3-CA-H0-PB | UNIK 5000 Pressure Sensing Platform<br>Configuration: PMP5036-TB-A3-CA-H0-PB<br>Measuring range: from 0 to 20 bar absolute<br>Supplied with factory calibration certificate from the manufacturer |
| Pressure Calibrator Set 1 Piece | Package Contents;<br>• DPI610E-PC-14G-U0-B0-M 1 piece<br>• PV212-22-TK-N 1 piece<br>• PM700E-15 1 piece<br>• IO620-HOSE-H1 1 piece |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | • 182-190 1 piece |
| CM1-B | High Control Module with Barometer<br>Pressure control module for Pace, accuracy class CM1<br>Measuring and control range: from -1 to 100 bar relative (with Barometer)<br>Accuracy: 0.01% of M. + 0.01% of E<br>Controller stability: +/- 0.003 % of E. Precision barometric Reference: +/- 0.05 mbar |
| CM1 | High Control Module Gauge<br>Pressure control module for Pace, accuracy class CM1<br>Measuring and control range: from -1 to 210 bar relative<br>Accuracy: 0.01% of M. + 0.01% of E<br>Controller stability: +/- 0.003% of full scale |
| CM1-B | igh Control Module with Barometer<br>Druckregelmodul für Pace, Genauigkeitsklasse CM1<br>Mess- und Regelbereich: von -1 bis 35 bar relativ (mit Barometer)<br>Genauigkeit: 0,01 % v. M. + 0,01% v. E.<br>Reglerstabilität: +/- 0,003 % v. E.<br>Präzision barometrische Referenz: +/- 0,05 mbar |
| DPI705E-DPI705E-1-10G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Standard<br>Handheld measuring device with internal pressure sensor<br>Configuration: DPI705E-DPI705E-1-10G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-3-10G-P3-H1-U0-0PO | DPI705E Handheld Pressure Indicator Premium IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-3-10G-P3-H1-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.018% of reading<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H0-U0-0PO | DPI705EIS Handheld Pressure Indicator Standard IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-165G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| :DPI705EIS-1-10G-P4-H1-U0-0PO | DPI705EIS Handheld Pressure Indicator Standard IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration:DPI705EIS-1-10G-P4-H1-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H1-U0-0PO | DPI705EIS Handheld Pressure Indicator Standard IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration:DPI705EIS-1-165G-P4-H1-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-05G-P4-H1-U0-0PO | DPI705EIS Handheld Pressure Indicator Standard IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-05G-P4-H1-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705E-1-10G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Standard<br>Handheld measuring device with internal pressure sensor<br>Configuration: DPI705E-1-10G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705E-1-10G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Standard<br>Handheld measuring device with internal pressure sensor<br>Configuration: DPI705E-1-10G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.08% of E. (70 mbar: 0.1% of E., 25 mbar: 0.3% v. E.)<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Premium IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-165G-P4-H0-U0-0PO |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Measuring range: **please specify when ordering**<br>Accuracy: 0.018% of reading<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Premium IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-165G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.018% of reading<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Premium IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-165G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.018% of reading<br>Pressure connection: G1/8 internal thread |
| DPI705EIS-1-165G-P4-H0-U0-0PO | DPI705E Handheld Pressure Indicator Premium IS<br>Handheld measuring device with internal pressure sensor for EX areas with<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-165G-P4-H0-U0-0PO<br>Measuring range: **please specify when ordering**<br>Accuracy: 0.018% of reading<br>Pressure connection: G1/8 internal thread |
| PTC165 | Premium Temperature Calibrator Multi-Function<br>Temperature range: -35 to 165 °C<br>Delivery includes dry block insert with 8 holes,<br>Calibration bath insert with cover, pliers for removal<br>the inserts, external temperature sensor, mains and<br>Ethernet cable and manufacturer's factory calibration certificate |
| PTC165i | remium Temperature Calibrator Multi-Function with<br>integrated measuring module<br>Temperature range: -35 to 165 °C<br>Measuring module: PT100/1000, TC, 0 to 24 mA DC, 0 to 12 V DC<br>Measure; 24 V DC, max. 24 mA output<br>Delivery includes dry block insert with 8 holes,<br>Calibration bath insert with cover, pliers for removal<br>the inserts, external temperature sensor, banana plugs, mains<br>and Ethernet cable as well as the manufacturer's factory calibration certificate |
| DPI705EIS 10GD | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| DPI705EIS 10GD | |
| DPI705EIS | DPI705EIS Handheld Pressure Indicator (Standard IS)<br>Handheld measuring device with internal pressure sensor for hazardous (Ex) areas<br>Certified: ATEX / IECEx<br>Configuration: DPI705EIS-1-XXGAL-P1-H1-U0-OP0 (XXGAL to be selected from datasheet)<br>Measurement range: 135 bar relative<br>Accuracy: 0.08% full scale<br>Pressure connection: G1/8 internal thread<br>Includes factory calibration certificate |
| DPI705E 10G | |
| Dpi705r-500psia | Digital Pressure Indicator, 500PSIA, External Sensor |
| Type Pdcr 250 2967 Range -50a To 300 Mbar G - 5.6 To 6 Volts | |
| Dpi800-30 | Pressure Indicator, Single Range, Std.Accuracy 30PSIG |
| Dpi705r-500psig | Digital Pressure Gauge, 500 PSIG |
| 0-350barsg Sensor | |
| Dpi802ps-100 | Press.Indicator/Loop Calibrator Single Range, PremierAcc., 100PSI |
| Lpe2610 0-200 | |
| Dpi104-2-300psig | Digital Pressure Gauge, 300 PSI |
| Dpi800-300a | Pressure Indicator, Single Range, Std.Accuracy 300PSIA |
| Dpi800p-1000 | Pressure Indicator, Single Range Premier Accuracy, 1000PSI |
| Dpi705-15psid | Digital Pressure Gauge, 15 PSID |
| Ni-Cd | |
| Dpi104-2-1000psia | Digital Pressure Gauge, 1000 PSI Absolute |
| Ipm 620-Is-11g | IS Pressure Module -14.5 to 150 psi Gauge |
| Ipm 620-Is-10a | IS Pressure Module 100 psi Absolute |
| Dpi104-1-200bar-Sg | Digital Pressure Gauge w/Sealed Gauge, 3000PSI, 1/4in NPTM |
| Dpi802-300 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 300PSI |
| Dpi800pd-15-1500 | Pressure Indicator, Dual Range, 15-1500PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Ptx5072-Tb-A2-Cb-H1-Pa | |
| Gegenstecker | |
| Ptx5072-Tba3cah6pe-5kpsisg | 5000 PSI SG Pressure Transmitter |
| Dpi800-15 | Pressure Indicator, Single Range, Std.Accuracy 15PSIG |
| Ipm 620-Is-05g | IS Pressure Module -14.5 to 15 psi Gauge |
| Dpi705is-30psia | IS Digital Pressure Gauge 30PSIA |
| Ptx5012-Tba3cah6pe-5kpsisg | 5000 PSI SG Pressure Transmitter 10 FT Cable |
| Io610b-1-15psia | Remote Pressure Sensor for DPI610-615, 15PSIA |
| Pdcr 941-1102-4 - Oem!! | |
| Dpi104is-2-30psi-A | IS Digital Test Gauge, 30PSIA Absolute, 1/4in NPTM |
| Ptx-1290 | PRESSURE TRANSDUCER 0-5PSI 9-32VDC |
| Dpi104-2-10psig I104-2 | Digital Pressure Gauge, 10 PSI |
| Dpi800-150 | Pressure Indicator, Single Range, Std.Accuracy 150PSIG |
| Pv210-Dpi104-P-2-07-G | Low Pressure Pneumatic Test Kit |
| Dpi104is-2-300psi-A | IS Digital Test Gauge, 300PSIA Absolute, 1/4in NPTM |
| Dpi610is02bar | CALIBRATOR |
| Pv211-Ha | Hand Pump with Accessory Case |
| Dpi705r-30psia | Digital Pressure Indicator, 30PSIA, External Sensor |
| Dpi800-2000psig | Pressure Indicator, Single Range, Std.Accuracy 2000PSIG |
| Dpi-705 | PRESSURE INDICATOR HANDHELD 20BAR |
| Dpi705s-3psid | Digital Pressure Indicator, Intrinsically Safe, 3 PSID |
| 24174p-150kit | PNEUMATIC CALIBRATOR KIT 150PSI |
| Tcdkd | DKD Accredited Calibration |
| Pm620-05g | Pressure Module for DPI620 -14.7 TO 15 PSI |
| Dpi104-1-70bar-G | Digital Pressure Gauge, 1000 psi |
| Iupm3000 | External IDOS Pressure Module 3000PSI |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi800p-3 | Pressure Indicator, Single Range Premier Accuracy, 3PSI |
| D2200-2273-1000psig | 1000 PSIG Pressure Sensor |
| Io610b-1-10psig | Remote Sensor, 0-10 PSIG for DPI610/615 |
| Dpi600 | PRESSURE CALIB. |
| Pv212-Hp-700 | HandPump Kit, 700bar-BSP |
| Iupm10 | Standard IDOS Module, +/-10 PSIG |
| Dpi104-1-2bar-A | Digital Pressure Gauge, 0-30psi Absolute |
| Dpi104-2-5000psi-Sg | Digital Pressure Gauge, 5000 PSI Sealed Gauge |
| Dpi705-3psid | Portable Pressure Indicator 3PSI Differential |
| Dpi705isr-100a | IS Digital Pressure Indicator 100PSIG, ABS, External Sensor |
| 0-135barsg Sensor | |
| I5000-2-Lt-Tp | Pace 5000 Sngl Press.Controller w/Leak Test & Test Program |
| Dpi802ps-2-3psi | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 3 PSI |
| Dpi-101 | DIGITAL PRESSURE INDICATOR 50HZ 240VAC |
| Dpi705r-100psig | Digital Pressure Gauge, 100 PSIG |
| Dpi802ps-2000 | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 2K PSI |
| Pdcr2200-A145-5psig | Remote Sensor 0-5 PSIG for DPI610/615 |
| Dpi705r-15psig | Digital Pressure Gauge, 15PSIG, External Sensor |
| Dpi800-5000 | Pressure Indicator, Single Range, Std.Accuracy 5000PSIG |
| Dpi740-1/103 | Portable Precision Barometer 35-3500 mbar |
| Cm2-B-100 | Premium Control Module 100 PSI |
| Dpi800-1500 | Pressure Indicator, Single Range, Std.Accuracy 1500PSIG |
| Dpi802d-15/300 | Std.Dual Sensor Pressure Loop Calibrator, 15/300PSI |
| Dpi800p-2000 | Pressure Indicator, Single Range Premier Accuracy, 2000PSI |
| Dpi800p-50 | Pressure Indicator, Single Range Premier Accuracy, 50PSI |
| I5000-1-St | Pace 5000 Sngl Press.Controller w/Switch Test option |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi104-1-350bar-Sg | Digital Pressure Gauge w/Sealed Gauge, 350bar, 1/4in NPTM |
| Ipm 620-Is-20a | IS Pressure Module 5000 psi Absolute |
| Cm2-3000 | Premium Control Module 3000 PSIG |
| Pv210-Dpi104-P-2-04-G | Low Pressure Pneumatic Test Kit 10 PSIG (700mbar) |
| Pm620-04g | Pressure Module for DPI620 +/-10 PSI |
| Dpi802-1000 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 1000PSI |
| Iupm-2-0-300psi | External IDOS Pressure Module 300PSI |
| Dpi705is-300psig | Intrinsically Safe Digital Pressure Gauge, 300PSIG |
| Pm620-008g | Pressure Module for DPI620 +/-10"H2O PSI |
| Io610b-1-10psia | Remote Pressure Sensor for DPI610/615, 10PSIA |
| Iupmp500 | Premium IDOS Module, 0-500PSIG |
| Iupm-2-0-100psig | External IDOS Pressure Module 100PSIG |
| Dpi705r-300psia | Digital Pressure Indicator, 300 PSIA Absolute |
| Ipm620s_A2 | Pressure Module (Ex) -14.5 to 300PSIG |
| Io620-Hose-P2-Is | 2 Meter Intrinsically Safe Micro Bore Hose Pnuematic |
| Tcbath | Interchangeable Liquid Bath |
| Iupm50 | Standard IDOS Module, -15 to 50 PSIG |
| Iupm10000 | Standard IDOS Module, 0-10, 000PSIG |
| Iupm-2-15 | External IDOS Pressure Module 15PSIG |
| 23620p-Kit | Low Pressure and Vacuum Test Pump Kit |
| Dpi104is-2-10000psi-Sg | Intrinsically Safe Digital Test Gauge 10, 000 PSI |
| Ptx5072-Tba3cah6pe-10kpsisg | 10000 PSI SG Pressure Transmitter |
| Pm620-01g | Pressure Module, +/-1 PSI |
| Dpi800-10 | Pressure Indicator, Single Range, Std.Accuracy 10PSIG |
| Dpi104is-2-100psi-A | IS Digital Test Gauge, 100PSI Absolute, 1/4in NPTM |
| Mc 620 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi800-500 | Pressure Indicator, Single Range, Std.Accuracy 500PSIG |
| Iupmp-2-15-300psi | External IDOS Pressure Module 300PSI |
| Ups - Ii | |
| Dpi800p-100 | Pressure Indicator, Single Range Premier Accuracy, 100PSI |
| Dpi705sr-3000psia | Pressure Calibrator, IS, 3K PSI Absolute |
| Ipm 620-Is-08a | IS Pressure Module 50 psi Absolute |
| D2200-A145-500psig | Remote Pressure Sensor for DPI610/615, 500PSIG |
| Dpi802-15 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 15PSI |
| Ptx5104psi | PRESSURE TRANSMITTER 4PSI |
| Dpi705sr-2000psia | Pressure Calibrator, IS, 2K PSI Absolute |
| Dpi802-10"h20 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 10"H2O |
| I1000/Op1 | PACE1000 Pressure Indicator / Chassis Only w/Leak Test |
| Dpi800p-1 | Pressure Indicator, Single Range Premier Accuracy, 1PSI |
| Iupmp150 | Premium IDOS Module, -15 TO 150PSIG |
| Ptx661100 | TRANSDUCER |
| Pdcr2200-A145-1500psig | Remote Sensor, 0-1500PSIG for DPI610 |
| Pdcr2200-A145-5000psig | Remote Sensor for DPI610 0-5000 PSIG |
| Dpi104-4-15kpsi-Sg | Digital Pressure Gauge w/Sealed Gauge, 15K PSI, 9/16in x 18UNF |
| Dpi800d-30psig-3000psig | Pressure Indicator, Dual Range 30-3000PSIG |
| Dpi800p-10"h20 | Pressure Indicator, Single Range Premier Accuracy, 10"H2O |
| Ptx660 (16bar Relativ)+ Mil-C-26482 | |
| Pm620-13a | Pressure Module for DPI620 300 PSIA |
| Io610b-1-3k Psig | Remote Pressure Sensor for DPI610/615, 3K PSIG |
| Dpi802ps-2-1000 | Press.Indicator/Loop Calibrator Single Range, PremierAcc., 1K PSI |
| Io620-Hose-H2-Is | 2 Meter Intrinsically Safe Micro Bore Hose Hydraulic |
| Dpi705-300psig | Digital Pressure Gauge, 300PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| D2200-22s-A145 | Remote Pressure Sensor for DPI610/615, 10K PSIG |
| Pm620-800-1200 | |
| I5000-2 | Pace 5000 Sngl Press.Controller Chassis w/2 or more Modules |
| Io610b-1-30psig | Remote Sensor 0-30 PSIG for DPI610/615 |
| Dpi705r-50psia | Digital Pressure Indicator, 50PSIA, External Sensor |
| Dpi104-10psig | Digital Pressure Gauge, 10PSIG 1/4in NPTM |
| Pv623g | |
| Pv211-104-P-2-13-G | Pneumatic Test Kit |
| Pdcr2200-A145-14.5/30psig | Remote Sensor, -14.5 TO 30PSIG |
| Pv210-Dpi104s-P-2-07-G | Low Pressure Pneumatic Test Kit |
| Pv411a-104-Hp-2-18-Sg | HYDRAULIC / PNEUMATIC KIT (NPT) 3000psig (200bar) |
| Pm620-10a | Pressure Module for DPI620 ABSOLUTE 100 PSI |
| Dpi802d-30-300psia | Dual Pressure Loop Calibrator Dual Range, 30-300PSIA |
| Ptx5072-Tba3cah6pe-3kpsisg | 3000 PSI SG Pressure Transmitter |
| Pv411a-P | Pneumatic Test Kit, BSP ADAPTOR+FITTINGS |
| Cm2-B-10 | Premium Control Module 10 PSI |
| Dpi802-3000 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 3000PSI |
| Dpi620-Is-Kit1 | Multi-Funct.Calibrator, IS+HART Low Pressure Accessory Kit |
| Ptx5072 -Tb-A2-Ca-H0-Pa-135gptx Oem!! | |
| Rtx1000h-07-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0-30PSIG |
| Dpi800d-2-100psia-50psig | 50PSIG |
| Dpi740-22/34 | Portable Precision Barometer 750 to 1150mbar |
| Iupm5 | Standard IDOS Module, +/-5 PSIG |
| Rtx1000h-16-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0 to 1000PSIG, with Display |
| Dpi800d-15psig-10"h20 | 10in H20 |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi104-3-1400bar-Sg | Digital Pressure Gauge, 20K PSI Sealed Gauge |
| Dpi104-1-7bar-G | Digital Pressure Gauge, 7bar G 1/4in NPTM |
| Dpi104is-2-1000psi-G | Intrinsically Safe Digital Test Gauge 1000 PSIG |
| Iupm2000 | Standard IDOS Module, 0-2000PSIG |
| Dpi611 | UNIT |
| Dpi800-3 | Pressure Indicator, Single Range, Std.Accuracy 3PSIG |
| Dpi104-2-700bar-Sg | Digital Pressure Gauge, 10K PSI Sealed Gauge |
| Dpi802ps-30 | Press.Indicator/Loop Calibrator Single Range, Premier Acc., 30PSI |
| Dpi104-2-30psia | Digital Pressure Gauge, 30 PSI |
| Io610b-1-300psia | Remote Pressure Sensor for DPI610/615, 300PSIA |
| Dpi802-10000 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 10K PSI |
| Cm2-2000 | Premium Control Module 2000 PSIG |
| Dpi800p-150 | Pressure Indicator, Single Range Premier Accuracy, 150PSI |
| Pv411a-Hp Pressure Pump | |
| Dpi104is-2-30psi-G | IS Digital Test Gauge, 30PSI 1/4in NPTM |
| Dpi822 | Thermocouple Loop Calibrator |
| Dpi705r-19psid | Digital Pressure Indicator, 19 PSIG with Sensor |
| Dpi800-3000 | Pressure Indicator, Single Range, Std.Accuracy 3000PSIG |
| Dpi740-1/38 | Portable Precision Barometer 35-1300 mbar |
| Ipm 620-Is-01g | IS Pressure Module +/-1 psi Gauge |
| Dpi705sr-10000psia | Pressure Calibrator, IS, 10K PSI Absolute |
| Pv411ahp | |
| Ipm 620-165g | Pressure Module, Range: 0 to 1500 PSI gauge |
| Pv621g | 300 PSI Pneumatic Station for Genii |
| I5000-1-Ao | Pace 5000 Sngl Press.Controller for 1 mod. w/Analog output opt. |
| Ptx5012-Tba3cah6pe-2kpsisg | 2000 PSI SG Pressure Transmitter 10 FT Cable |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi 610 | 94V-0 E203640<br>(2 bar) |
| Pdcr2200-A145-2000psig | Remote Sensor 0-2000PSIG for DPI610 |
| Io620-Hose-P1is | |
| Dpi705-100psig-D | Digital Pressure Gauge with D Option 100 PSIG |
| Iupmp1000 | Premium IDOS Module, 0-1000PSIG |
| Dpi104-2-10kpsi-Sg | Digital Pressure Gauge, 10K PSI Sealed Gauge |
| Pv212-104-H-2-16-G | Hydraulic Test Kit 1000PSIG 70 BAR |
| Dpi104-2-30psig | Digital Pressure Gauge, 30 PSI |
| Dpi705isr-10000psia | Digital Pressure Indicator, 10000PSIA, External Sensor |
| I0620-Hose-H1-Is | Intrinsically Safe 1m Micro Bore Hose |
| Dpi104-1-0.7bar-G | Digital Pressure Gauge, 1-0.7ba |
| Cm2-B-300 | Module with Barometric Sensor 300 PSI |
| Cm2-B-30 | Premium Control Module 30 PSI |
| Io610b-1-1k Psig | Remote Pressure Sensor for DPI610/615, 1K PSIG |
| Ptx5072-Tba3cah6pe-2kpsisg | 2000 PSI SG Pressure Transmitter |
| Iupmp30 | External IDOS Pressure Module 30PSI |
| Dpi800p-5 | Pressure Indicator, Single Range Premier Accuracy, 5PSI |
| Ipm620-G1 | Pressure Module, 1500PSI |
| Dpi705r-3000a | Digital Pressure Indicator, 3000 PSIA, External Sensor |
| Dpi104-2-300psia | Digital Pressure Gauge, 300 PSI Absolute |
| Dpi104-1-20bar-A | Digital Pressure Gauge, 20bar Absolute |
| Dpi802ps-300 | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 300PSI |
| Dpi610hcis | CALIBRATOR |
| Iupm-2 | Standard IDOS Module, +/-3 PSIG |
| Io620-Case-4 | GE Druck Modular System Transit |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Pdcr2200-A145-1000psia | Remote Sensor, 0-1000PSIA for DPI610 |
| Vps 5810kitcovps | |
| Pv212-15k | Hydraulic Hand Pump, 15K PSI Standard for water, alcohol/oil |
| Dpi705s-100psig | Pressure Calibrator, Intrinsically Safe, 100PSIG |
| Dpi104-1-7bar-A | Digital Pressure Gauge, 7bar Absolute, 1/4in NPTM |
| Rtx1000h-22-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0-10, 000PSIG, with Display |
| Dpi802-500 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 500PSI |
| Pv411a-Hp | Hand Pump Kit with BSP Fittings |
| Ptx1400 | |
| Io610b-1-15psid | Remote Pressure Sensor for DPI610/615, 15PSID |
| Dpi615hc6000sg | METER |
| Ptx5072-Tba3cah6pe-1psig | 1 PSIG Pressure Transmitter |
| Dpi705r-1000psia | Digital Pressure Indicator 1000PSIA, External Sensor |
| Io610b-1-100psig | Remote Pressure Sensor for DPI610/615, 100PSIG |
| Dpi610is | PRESSURE CALIB |
| Dpi610pc-1/10 | |
| Pm620-1-20 | |
| Dpi800d-15psig-1500psig | Pressure Indicator, Dual Range 15-1500PSIG |
| Io610b-1-500psig | Remote Pressure Sensor for DPI610/615, 500PSIG |
| Cm1-1500 | High Standard Control Module 1500 PSIG |
| Dpi802-150 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 150PSI |
| Dpi800-100 | Pressure Indicator, Single Range, Std.Accuracy 100PSIG |
| X5062-Tb-A3_Ca-H0-Pb | |
| 781-016-B | Intecal Calibration Software |
| Dpi610pcis | PRESSURE CALIBRATOR |
| Pv411a-104-Hp-2-22-Sg | Hydraulic/Pneumatic Kit(NPT) 10, 000psig (700bar) |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi620g | MULTIFUNCTION CALIBR 30VDC, 300VAC 55MA 1000BAR |
| S/N: 2887161/2008 ; Type Pdcr 250-2967 | |
| Ptx1400-0-250 | |
| Io610b-1-300psig | Remote Pressure Sensor for DPI610/615, 300PSIG |
| DPI620G Calibrator with HART | Multifunctional calibrator with HART and Bluetooth connectivity<br>Configuration: DPI620G-B1<br>Supplied with battery and charger, True-RMS measuring probe, Test leads, quick start guide, 4Sight2 Lite calibration software<br>Freemium license and factory calibration certificate from the manufacturer |
| Pdcr2200-A145-6000psig | Remote Sensor, 0-6000PSIG |
| Io620is-Battery | Spare/replacement NiMH Rechargeable Battery |
| Dpi-603 | PRESSURE CALIBRATOR 10BAR DPI 603 |
| Dpi104is2100psi | PRESSURE GAUGE |
| Cm2-B-500 | Module with Barometric Sensor 500 PSI |
| Pm620-16a | Pressure Module for DPI620 1000 PSIA |
| Pm620-11g | Pressure Module for DPI620 -14.7 to 150 PSI |
| Rtx1000h-13-G-4-M-0-0-Lh | Pressure Transmitter with Digital Indicator, 300PSIG |
| Ptx1400 100mbar | |
| Ptx5012-Tba3cah6pe-1psig | 1 PSIG Pressure Transmitter 10 FT Cable |
| Dpi802d-15-300 | Std.Dual Sensor Pressure Loop Calibrator, 15PSIG/300PSIG |
| Pv621-Is | IS Pneumatic Pressure Station 20 bar/300 psi |
| Dpi832 | Process Loop Calibrator |
| Ipm 620-Is-18a | IS Pressure Module 3000 psi Absolute |
| Dpi705sr-100a | Pressure Calibrator, IS, 100PSI Absolute |
| Ipm 620-Is-11a | IS Pressure Module 150 psi Absolute |
| Io610b-1-2k Psig | Remote Pressure Sensor for DPI610/615, 2000PSIG |
| Dpi104s-2-10, 000psi-G | Intrinsically Safe Digital Test Gauge 10, 000PSI-G |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Druck-Akku-F3;R-Dpi-610dpi-615-Istanbul-Turkiye | |
| Ipm 620-Is-06a | IS Pressure Module 35 inHg Absolute |
| Dpi802ps-5 | Press.Indicator/Loop Calibrator Single Range, Premier Acc., 5PSID |
| Dpi800p-1500 | Pressure Indicator, Single Range Premier Accuracy, 1500PSI |
| Cm1-B-2000 | High Standard Control Module 1500 PSIA |
| Iupmp3000 | External IDOS Pressure Module 3000PSI |
| Dpi800p-15 | Pressure Indicator, Single Range Premier Accuracy, 15PSI |
| Rtx1010h-16a-2-N-0-F-Lh | Pressure Transmitter, HART |
| Dpi800pd-3-500 | Pressure Indicator, Dual Range, +/-3 with H4381/8"NPT |
| Pv212-104s-H-2-16-G | Hydraulic Test Kit NPT-Atex 1000PSI |
| Dpi104-3-1000bar-Sg | Digital Pressure Gauge, 15K PSI Sealed Gauge |
| Pm620-03a | Pressure Module for DPI620 5 PSIA |
| Dpi705r-5000psia | Digital Pressure Indicator, 5000PSIA, External Sensor |
| I705s-30psig | IS Digital Pressure Gauge 30PSIG 1/8 NPT Female |
| Dpi705r-5psid | Digital Pressure Indicator, 5 PSID, Remote Sensor |
| Dpi802ps-500 | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 500PSI |
| Io620-Hose-H1-Is | 1 Meter Intriniscally Safe Micro Bore Hose Hydraulic |
| I0620-Hose-P1-Is | Intrinsically Safe 1m Micro Bore Hose |
| Cm2-1500 | Premium Control Module 1500 PSIG |
| Dpi800-1 | Pressure Indicator, Single Range, Std.Accuracy 1PSIG |
| Druck-Netzteil-F3;R-Dpi-610615-Istanbul-Turkiye | |
| Dpi802d-15-1000 | Dual Pressure Loop Calibrator Standard Accuracy |
| I5000-2-St-Tp | Pace 5000 Sngl Press.Controller w/Switch Test &Test Prog.option |
| Pm620-11a | Pressure Module for DPI620 150 PSIA |
| Dpi800p-10 | Pressure Indicator, Single Range Premier Accuracy, 10PSI |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Ipm 620-Is-03g | IS Pressure Module +/-5 psi Gauge |
| Pace1002 | PRESSURE IND |
| Iupmp3 | Premium IDOS Module, +/-3PSIG |
| Pm620-17g | Pressure Module for DPI620 2000 PSI |
| Pdcr2200-A145-50psig | Remote Sensor 0-50 PSIG |
| Vps 5810 | |
| Pm620-16g | Pressure Module, 1000PSI |
| Pm620-18a | Pressure Module for DPI620 ABSOLUTE 3000 PSI |
| Pm620-07a | Pressure Module for DPI620 ABSOLUTE 30 PSIA |
| Ipm 620-Is-13a | IS Pressure Module 300 psi Absolute |
| Ipm 620-Is-04g | IS Pressure Module +/-10 Gauge |
| Dpi104-1-20bar-G | Digital Pressure Gauge, 20bar G 300PSI, 1/4"NPTM |
| Dpi802ps-50 | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 50PSI |
| Ipm 620-13g | Pressure Module, Range: -14.5 to 300 PSI gauge |
| Ptx660 (250mbar Absolut)+mil-C-26482 | |
| Ipm 620-Is-165g | IPM620S IS Pressure Module (Ex) 1500PSIG |
| Iupm-10in-H2o-G/D | STD Accy. -0.025 to 0.025 bar Diff., 1/8 NPT-f, cal-INH20, USA |
| Pm620-07g | Pressure Module, -14.7 to 30 PS |
| Io620-Psu | DPI 620 Mains Adapter<br>Power supply |
| Pv212-104-H-2-23-Sg | HYDRAULIC TEST KIT 15, 000PSIG, 1000 BAR |
| Dpi740-1/77a | Portable Precision Barometer 35-2600 mbar |
| Iupm1500 | External IDOS Pressure Module 1500PSI |
| Dpi 620 | |
| I6000-2 | Pace 6000 Dual Press.Controller w/2 or more Control Modules |
| Ptx-651-A031 | PRESSURE TRANSDUCER 9/30VDC 1000PSI 4/20MA 4FT |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi610pc | PORTABLE PRESSURE CALIBRATOR |
| Io610b-1-50psia | 50 PSIA Pressure Sensor |
| Io620g-Is-Charge | DPI620G-IS LiIon Battery Charger |
| ??? 1400, 0-100 Bar | |
| Dpi800-10000 | Pressure Indicator, Single Range, Std.Accuracy 10000PSIG |
| Iupmp5 | Premium IDOS Module, +/-5PSIG |
| Ptx660 (160bar Relativ)+ Mil-C-26482 | |
| Ipm 620-Is-02g | IS Pressure Module +/-3 psi Gauge |
| Dpi800pd-30-3000 | Pressure Indicator, Dual Range 30-3000PSIG |
| Ipm 620-Is-07a | IS Pressure Module 30 psi Absolute |
| Pv212-10k-S | Hydraulic Hand Pump, 10K PSI SKYDROL |
| Pm620-10g | Pressure Module, -14.7 to 100 psi |
| Rtx1000h-18-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0 to 3000PSIG, with Display |
| Pm620-03g | Pressure Module, +/-5 PSI |
| Pv-411-115 | |
| Io610b-1-5k Psig | Remote Pressure Sensor for DPI610/615, 5K PSIG |
| Lpe2610-0-10 | |
| Io610b-1-10k Psig | Remote Pressure Sensor for DPI610/615, 10K PSIG |
| Iupmp10 | Premium IDOS Module, +/-10PSIG |
| Io610b-1-10k Psia | Remote Sensor Module for DPI610/615 10, 000 PSIA |
| Ipm 620-Is-165a | IS Pressure Module 1500 psi Absolute |
| Dpi802ps-1 | Press.Indicator/Loop Calibrator Single Range, Premier Acc., 1PSI |
| Dpi104-2-20-Sg | Digital Pressure Sealed Gauge, 20 PSI |
| Ipm 620-Is-16a | IS Pressure Module 1000 psi Absolute |
| Io610b-1-30psid | Remote Pressure Sensor for DPI610/615, 30PSID |
| Ups-Iii-Is | Intrinsically Safe Loop Calibrator |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi610pc300 | CALIBRATOR |
| Dpi104s-2-100psi-G | Intrinsically Safe Digital Test Gauge 100PSIG |
| Dpi705sr-3000psig-Is | IS Digital Pressure Indicator 3000PSIG, External Sensor |
| Dpi705r-300psig | Digital Pressure Gauge, Remote Sensor Version, 300PSIG |
| Pm620-14a | Pressure Module for DPI620 ABSOLUTE 500 PSI |
| Lpx5000 | SENSOR |
| Dpi610lp | CALIBRATOR |
| Io610-1-5g | Pressure Transducer 0-2.5PSIG |
| Dpi705-100psig | Digital Pressure Gauge, 100 PSIG |
| Pm620-02g | Pressure Module for DPI620 +/-3 PSI |
| Pdcr2200-A145-1000psi | Remote Pressure Sensor, 1000PSI |
| Dpi601 | PORTABLE PRESSURE INDICATOR CALIBRATOR |
| Dpi802d-15-1 | Dual Range -15 to +15 psi and -1 to +1 psi |
| I620g-Ff | Genii Fieldbus Communicator/ Calibrator |
| Ipm 620-Is-14a | IS Pressure Module 500 psi Absolute |
| Ptx5012-Tba3cah6pe-3kpsisg | 3000 PSI SG Pressure Transmitter 10 FT Cable |
| Io620-Case-3-Is | |
| Dpi802-2000 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 2000PSI |
| Druck Ptx1400 | |
| Mc620-Is | IS Pressure Module Carrier (Ex) |
| Dpi880 | Multifunction Calibrator |
| Io610b-1-500psia | Remote Pressure Sensor for DPI610/615, 500PSIA |
| Io610b-1-150psia | Remote Pressure Sensor for DPI610/615, 150PSIA |
| Ups3si | CALIBRATOR |
| Mc620g | Genii Pressure Module Carrier w/G1/8 & 1/8NPT Female Adapters |
| Dpi740-22/34-B | 1150 mbar |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Rtx1000h-13-G-2-N-S-F-Lh-B | Pressure Transmitter 0-300 PSIG w/Mounting Bracket |
| Dpi800d-1000/10000psig-Sg | Dual Sensor Pressure Indicator 1000/10000PSIG |
| Dpi802-30psia | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 30PSIA |
| Dpi802-1500 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 1500PSI |
| Dpi705r-10000psia | Digital Pressure Indicator, 10000 PSIA, External Sensor |
| Pm620-14g | Pressure Module for DPI620 500PSIG |
| Dpi802-50 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 50PSI |
| Dpi705r-2000psia | Digital Pressure Indicator, 2000 PSIA, External Sensor |
| Iupmp100 | Premium IDOS Module, -15 TO 100SPIG |
| Ptx660 (250bar Relativ)+ Mil-C-26482 | |
| Dpi705isr-1000psig | IS Digital Pressure Gauge 10000PSIG EXTERNAL SENSOR |
| Io620-Bsp | |
| Ptx5072-Tb-A1-C (Ex.Ptx 1400) | |
| Ptx-651-2364 0-30 Bar | |
| I0620-Hose-H2-Is | Intrinsically Safe 2m Micro Bore Hose |
| Dpi802-300a | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 300PSIA |
| Dpi335 | CALIBRATOR |
| Ipm 620-Is-17g | IS Pressure Module 2000 psi Gauge |
| Dpi705isr-3000psia | IS Digital Pressure Gauge, 3000PSIA, External Sensor |
| Pdcr2200-A148-2.5psid | Remote Sensor, 0-2.5PSID |
| Dpi705s-30psia | Pressure Calibrator, IS, 30PSI Absolute |
| Iups-Ii | Smart Loop Milliamp Calibrator |
| Ups-Iii | Compact mA Loop Calibrator |
| Dpi802ps-3000 | Press.Indicator/Loop Calibrator Sngle.Range, Premier Acc., 3K PSI |
| Io610b-1-100psia | Remote Pressure Sensor for DPI610/615, 100PSIA |
| Io620met | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi800pd-100psig/1500psig | Dual Sensor Pressure Indicator 0.01% |
| Pv411a-104-H-2-13-G | HYDRAULIC PUMP KIT (NPT) 300psig 20bar |
| Dpi800-10"h20 | Pressure Indicator, Single Range, Std.Accuracy 10 H2O |
| Iupm-2-5000psi-Sg | External IDOS Pressure Module 5000PSI |
| Dpi705r-1000psig | Digital Pressure Gauge 1000 PSI External Sensor |
| Ptx660 (2,5bar Absolut)+ Mil-C-26482 | |
| Tcstand | Probe Support Stand |
| Rtx1000h-13-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0-300PSIG |
| Pm620-08g | Pressure Module for DPI620 -14.7 to 50PSI |
| Cm2-B-20 | Premium Control Module 20 PSI |
| Pv-411-125 | |
| Pv-411-120 | |
| Ptx510 | |
| Iupm300a | External IDOS Pressure Module 0-300PSIA |
| Cm1-2000 | High Standard Control Module 2000 PSIG |
| Pm620-20a | Pressure Module for DPI620 ABSOLUTE 5000 PSI |
| Dpi705r/Is-5000psia | HANDHELD PRESSURE INDICATOR 0-5000PSI |
| Pm620-1500psig | |
| Ipm 620-Is-03a | IS Pressure Module 5 psi Absolute |
| I620g-Is-Ff | Genii Fieldbus Communicator/ Calibrator Intrinsically Safe |
| Ipm 620-Is-23a | IS Pressure Module 15000 psi Absolute |
| Pdcr 250 ? 2967  S/N 2672780 | |
| Dpi705-30psig | Digital Pressure Gauge, 30 PSIG 1/8 NPT Female |
| Rtx1000h-13-A-4-N-O-F-Lh | Pressure Transmitter 0-200bar 1/2" NPT MALE |
| Dpi802ps-10"h2o | Press.Indicator/Loop Calibrator Single Range, Prem. Acc., 10"H2O |
| Dpi802d-30-300psig | Dual Pressure Loop Calibrator Dual Range, 30-300PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi104-2-100psia | Digital Pressure Gauge, 100 PSI |
| Dpi705r-150psig | Digital Pressure Indicator, 150 PSIG External Sensor |
| Dpi820 | |
| Ipm 620-Is-22a | IS Pressure Module 10000 psi Absolute |
| Dpi802-100 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 100PSI |
| I5000-1 | Pace 5000 Sngl Press.Controller Chassis w/1 or no Modules |
| Dpi104-2-3000psi-Sg | Digital Pressure Gauge, 3000 PSI Sealed Gauge |
| Dpi705-1psid | Digital Pressure Gauge, 1PSID |
| Dpi104-4-20kpsi-Sg | Digital Pressure Gauge, 20, 000 PSI |
| Dpi705is-100psig | IS Digital Pressure Gauge 100 PSIG |
| Dpi802d-1psi-10psi | Dual Range -1 to +1 psi G/D & -10 to +10 psi G/D 1/8 STD ACCY |
| Cm2-B-5 | Premium Control Module 5 PSI |
| Iupmp15 | Premium IDOS Module, +/-15PSID |
| Ipm 620-Is-10g | IS Pressure Module -14.5 to 100 psi Gauge |
| Dpi610-6101722 | TRANSDUCER PRESSURE CALIBER 400BAR 14.7-10000PSI |
| Dpi104is-4-20000psi-Sg | Intrinsically Safe Digital Test Gauge 20, 000 PSI |
| Dpi802ps-15 | Press.Indicator/Loop Calibrator Single Range, Premier Acc., 15PSI |
| Ups-Ii Smart Loop Milliamp Calibrator | |
| Dpi802ps-150 | Press.Indicator/Loop Calibrator Single Range, PremierAcc., 150PSI |
| Rtx1000h-13-G-2-N-0-F-Lh-B | Pressure Transmitter 0-300 PSIG w/Mounting Bracket |
| Dpi800-50 | Pressure Indicator, Single Range, Std.Accuracy 50PSIG |
| Dpi705isr-2000psia | IS Digital Pressure Gauge, 2000PSIA, External Sensor |
| Iupm150 | External IDOS Pressure Module 150PSI |
| Cm2-B-1000 | Module with Barometric Sensor 300 to 1000PSI |
| Pv211-104s-P-2-13-G | Atex INTRINSCALLY SAFE |
| Dpi705is-10psig | IS Digital Pressure Gauge 10PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| D2200-A145-150psig | Remote Pressure Sensor for DPI610/615, 150PSIG |
| Iupm-P-1500psig | Premium IDOS Module, 1500PSIG |
| Io620-Npt | |
| Io610b-1-30"h2o | Remote Pressure Sensor for DPI610/615, 30"H2O |
| Dpi800d-10-300psi | Dual Sensor Pressure Indicator 10-300 PSI |
| Dpi802-5000 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 5000PSI |
| Lpe2610 0-200 Mbar | |
| Dpi-700 | PRESSURE INDICATOR HAND HELD 0-2 BAR |
| Dpi802d-30-500 | Dual Pressure Loop Calibrator Standard Accuracy |
| I0620-Hose-P2-Is | Intrinsically Safe 2m Micro Bore Hose |
| Dpi705-30psig-D | Digital Pressure Indicator with Opt D for Negative Calibration |
| Dpi705isr-5000psia | IS Digital Pressure Gauge, 5000PSIA, External Sensor |
| Dpi615spc30g | CALIBRATOR |
| Dpi705is-15psid | IS Digital Pressure Gauge, 15PSID |
| Dpi705s-1psid | Pressure Calibrator, IS, 1PSI Differential |
| Opzione B1+opzione B2 | |
| Ipm 620-Is-16g | IS Pressure Module 1000 psi Gauge |
| Iupm30a | Standard IDOS Module, 0-30PSIA |
| Pm620-17a | Pressure Module for DPI620 2000 PSIA |
| P4639 | MODULE |
| Ipm 620-Is-17a | IS Pressure Module 2000 psi Absolute |
| Dpi104is-2-10psi-G | IS Digital Test Gauge, 10PSI 1/4"NPTM |
| Dpi610pc300g | CALIBRATOR |
| Upsiiiis | CALIBRATOR |
| Io610b-1-30psia | Remote Pressure Sensor for DPI610/615, 30PSIA |
| Dpi705r-100psia | Digital Pressure Indicator 100 PSIA Absolute |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Is620g-6 | Spares Kit-DPI620 GenII Display Case Top |
| Ipm 620-Is-08g | IS Pressure Module -14.5 to 50 psi Gauge |
| Dpi104is-2-3000psi-Sg | Intrinsically Safe Digital Test Gauge 3000 PSI |
| Dpi104is-2-16g-1000psi | Intrinsically Safe Digital Test Gauge 1, 000 PSI |
| Io610b-1-15psig | Remote Pressure Sensor for DPI610/615, 15PSIG |
| Pdcr2200a148 | TRANSDUCER |
| Dpi802d-15-1500 | Dual Pressure, Loop Calibrator Dual Range 15-1500PSIG |
| I1000 | PACE1000 Pressure Indicator/Chassis Only |
| Dpi802s-2-10psid | Press.Indicator/Loop Calibrator Single Range, Std.Accuracy, 10PSI |
| Pm620-06a | Pressure Module for DPI620 Absolute 35"Hg |
| Ptx 510 (Absolut) | |
| Dpi-603-774/97-03 | CALIBRATOR PRESSURE |
| Dpi104-2-1000psig | Digital Pressure Gauge, 1000PSI |
| Dpi104-2-100psig | Digital Pressure Gauge, 100PSI |
| Iupmp2000 | Premium IDOS Module, 0-2000PSIG |
| Pv212-104-H-2-20-Sg | Hydraulic Test Kit 5000 PSIG 350 BAR |
| Ptx661300 | PRESSURE TRANS |
| Dpi104is-4-15000psi-Sg | IS Digital Test Gauge w/Sealed Gauge, 15K PSI, 9/16in x 18UNF |
| 0-135barsg Sensor Ukas Accredited | |
| Dpi800p-500 | Pressure Indicator, Single Range Premier Accuracy, 500PSI |
| Dpi800pd-7bar-20bar | Dual Sensor Pressure Indicator 7BAR-20BAR |
| Dpi705s-15psid | Pressure Calibrator, IS, 15PSI Differential |
| Ipm 620-Is-008g | IS Pressure Module +/-10 inH2O |
| Cm2-B-3000 | Premium Control Module 3000 PSI |
| Dpi330 | CALIBRATOR |
| Cm2-B-50 | Premium Control Module 50 PSI |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| D2200-2273-1000psia | 100 PSIA Pressure Sensor |
| Pv622g | 1500 PSI Pneumatic Station for Genii |
| Rtx1000h-22g-4-M-0-F-B-T | Pressure Transmitter, HART |
| Iupm1 | External IDOS Pressure Module 1PSID |
| Dpi104s-1-700bar-G | IS Digital Test Gauge 1/4in BSP MALE, 0.05%FS |
| Pm620-13g | Pressure Module, -14.7 to 300PS |
| Cm1-B-3000 | High Standard Control Module 3000 PSIA |
| Cm1-3000 | High Standard Control Module 3000 PSIG |
| Ptx5012-Tba3cah6pe-10kpsisg | 10000 PSI SG Pressure Transmitter 10 FT Cable |
| Rtx1000h-07g-Y2-N-0-0-Lh-B | Pressure Transmitter 0-50MBAR, with Mounting Bracket |
| Dpi800p-300 | Pressure Indicator, Single Range Premier Accuracy, 300PSI |
| Dpi610pc-1/20 | |
| Rtx1000h-10-G-2-N-0-F-Lh | Pressure Transmitter, HART, 0 to 100PSIG, with Display |
| Cm2-B-1500 | Premium Control Module 1500 PSI |
| Pm620-18g | Pressure Module, 3000PSI |
| Dpi705sr-300psig-Is | IS Digital Pressure Indicator 300PSIG, Remote Sensor |
| Pdcr2200-A145-14.5/30psia | Remote Sensor, -14.5 TO 30PSIA |
| Dpi802d-15-2000 | Dual Pressure, Loop Calibrator Dual Range 15-2000PSIG |
| Dpi800d-30-10000psi | Dual Sensor Pressure Indicator 10, 000 PSI |
| Pdcr 2200-A145 | 150" H2O Pressure Sensor |
| Dpi802-5 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 5PSIA |
| Dpi705sr-5000psia | Pressure Calibrator, IS, 5K PSI Absolute |
| I5000-2-Ao | Pace 5000 Sngl Press.Controller for 2 mod. w/Analog output opt. |
| 95997pr-Kit2 | DPI Hand Pump and Accessory Kit 5000PSI |
| Dpi800p-3000 | Pressure Indicator, Single Range Premier Accuracy, 3000PSI |
| Dpi705sr-500psig | IS Digital Pressure Gauge, 500PSIG, External Sensor |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi812 | RTD Calibrator with FREE Items |
| Dpi802ps-1500 | Press.Indicator/Loop Calibrator Single Range, Prem.Acc., 1500PSI |
| Cm2-B-150 | Premium Control Module 150 PSIA |
| Dpi104is-2-300psi-G | IS Digital Test Gauge, 300PSI 1/4in NPTM |
| DPI705EIS Handheld Pressure Indicator Standard IS | Hand-held measuring device with internal pressure sensor for EX areas<br>ATEX/IECEx certification<br>Configuration: DPI705EIS-1-02L-P1-H1-U0-OP0<br>Measuring range: from 0 to 200 mbar (0 to 3 psi) difference<br>Accuracy: 0.08% of E<br>Pressure connection: G1/8 female thread<br>Delivered with factory calibration certificate from the manufacturer |
| Dpi802ps-2-10psig | Press.Indicator/Loop Calibrator Single Range, Premier Acc., 10PSI |
| I615spc-13g | PRESSURE CALIBRATOR 20BAR GAUGE, MODEL DPI 615 |
| Dpi800-1000psig | Pressure Indicator, Single Range, Std.Accuracy 1000PSIG |
| Iupmp10wc | External IDOS Pressure Module 10"H2O |
| Pv212-104-H-2-22-G | Hudraulic Test Kit, 10, 000PSIG/ 700bar |
| Dpi104-1-70bar-A | Digital Pressure Gauge, 70bar Absolute, 1/4in NPTM |
| Dpi705sr-1000psig | Pressure Calibrator, IS, 1K PSIG |
| Dpi800p-30psid | Pressure Indicator, Single Range Premier Accuracy, 30PSID |
| Iupm30 | External IDOS Pressure Module 30PSI |
| Io610b-1-1500psig | Remote Pressure Sensor for DPI610/615, 1500PSIG |
| Dpi705-300psig-D | Digital Pressure Gauge with Differential output, 300 PSIG |
| Ipm 620-Is-14g | IS Pressure Module 500 psi Gauge |
| Dpi802-3 | Press.Indicator/Loop Calibrator Single Range, Std.Accur., 3PSI |
| Cm2-B-2000 | Premium Control Module 2000 PSI |
| Pm620-22a | Pressure Module for DPI620 ABSOLUTE 10000 PSI |
| Upsiii | LOOP CALIBRAT |
| Dpi800-5 | Pressure Indicator, Single Range, Std.Accuracy 5PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Dpi802d-50g-5000gg | Dual Range Loop Calibrator 50/5000PSIG |
| Iupmp | Premium IDOS Module, +/-1 PSIG |
| Intecal10 | Intecal Advanced Software |
| 23614p-Kit | Hydraulic Hand Pump, 10, 000 PSI |
| Pv411a-Ha | |
| Iupm1000 | External IDOS Pressure Module 0-1000PSIG |
| Iupm500 | Standard IDOS Module, 0-500 PSIG |
| Dpi802-1 | Press.Indicator/Loop Calibrator Single Range, Std.Accuracy, 1PSI |
| Iupmp50 | Premium IDOS Module, -15 TO 50PSIG |
| Dpi800d-5-500 | Pressure Indicator, Dual Range Standard Accuracy |
| Ipm 620-Is-18g | IS Pressure Module 3000PSI Gauge |
| Dpi705is-1psid | IS Digital Pressure Gauge, 1PSID |
| Pm620-08a | Pressure Module for DPI620 ABSOLUTE 50 PSIA |
| Pv623 | |
| Dpi705-30psia | Digital Pressure Gauge, 30 PSIA |
| Pm620-23a | Pressure Module for DPI620 ABSOLUTE 15000 PSI |
| Dpi740-22/34-D | Portable Precision Barometer 750-1150 mbar |
| Dpi104-1-2bar-G | Digital Pressure Gauge, 2bar G 1/4in NPTM |
| Pm620-165a | Pressure Module for DPI620 ABSOLUTE 1500 PSI |
| Iupm100a | Standard IDOS Module, 0-100PSIA |
| Dpi802d-30-3000 | Dual Pressure, Loop Calibrator Dual Range 30-3000PSIG |
| Pdcr 941-1102-4, 350 Mbar | |
| Ups-11 | |
| Dpi705isr-1000psia | IS Digital Pressure Gauge 1000PSIA EXTERNAL SENSOR |
| Dpi802ps-2-700kpa | Pressure Loop Calibrator, Single Range, 700 kPA |
| Dpi705sr-100psig-Is | IS Digital Pressure Indicator 100PSIG, Remote Sensor |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| 23622p-Kit | 600 PSI Pneumatic Hand Pump |
| Ptx5072-Tb-A1-Cb-H1-Pa ( | |
| 0-350barsg Sensor Ukas Accredited | |
| Iupm100 | External IDOS Pressure Module 0-100PSIG |
| Ipm 620-Is-07g | IS Pressure Module -14.5 to 30 psi Gauge |
| Pdcr2200-A145-3000psisg | Remote Pressure Sensor, 3000PSIG |
| Iupm5a | Standard IDOS Module, 0-5PSIA |
| Dpi104is-2-1000psi-A | Intrinsically Safe Digital Test Gauge 1000 PSI |
| 95997pr-Kit1 | DPI Hand Pump and Accessory Kit 1000PSI |
| Pdcr2200-A145-100psig | Remote Sensor, 0-100PSIG |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*