

Dungs



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Dungs Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Dungs Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|---|--|
| Mb-Dle 407 B01 S20 Ac230v | DUNGS GasMultiBloc slowly opening Pmax. 360 mbar Outlet pressure: 4 - 20 mbar Degree of protection: IP 54 Customs tariff no.84818059 Unit weight: 5 kg Country of origin: DE |
| Lqw 10 A2 | Ag-M-V9 Air pressure switch 1 - 10 mbar Customs tariff no.90262080 |
| Lqw 150 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switches 30-150 mbar |
| LGW 3 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure monitors 0.4 - 3 mbar |
| GW 150 A6 | Ag-G3-MS9-V0 Pressure switch 5 - 150 mbar Protection class: IP 54 |
| Gw 500 A6 | Ag-G3-MS9-V0-VS3 fa-se 1P Compact pressure switch 100 - 500 mbar Degree of protection: IP 54 |
| 88.90006-0010 | Ers.Magnet kpl.Nr.1215 AC 230 V IP 54 Dungsnr .: 227251 |
| MPA22 S02 V1.30 kpl. 230V/50-60Hz | Burner control |
| DMV-DLE 5065/11 AC 230V | Double solenoid valve slowly opening DN 65 flange Pmax. 500 mbar Protection class: IP 54 |
| VPS 504 S02 | Valve test system 230V, 50Hz max. 500 mbar with plug |
| GW 150 A5 | Ag-G3-MS6-V12 Pressure switch 5 - 150 mbar Protection class: IP 54 |
| GW 500 A5 | Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar |
| | Double solenoid valve Pmax. 500 mbar AC 220-240 V |

| | |
|--|--|
| DMV-D 503/11 220-240 V | Protection class: IP 54 |
| Nr.1011 | 224980 Replacement magnet No. 1011 230 VAC for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Net weight 7 KG Country of origin: DE |
| FRNG 510 | Gas zero and constant pressure regulator DN 25 - Rp 1 " Pmax. 500 mbar Pmax. 50 mbar at zero pressure Pmax. 200 mbar at constant pressure |
| VPS 504 S02 | Valve test system 230V 50Hz IP 40 including plug Customs tariff number 90262080 |
| GW 500 A5 | Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar |
| 210318 | Mating connector 3-pin. + E gr. Standard device plug for GW |
| MVDLE 210/5 230 VAC | 013524 Gas solenoid valve normally closed opening slowly, closing quickly DN 25, Rp 1 " Pmax. 360 mbar Protection class: IP 54 |
| Dungs MB-DLE 407 B01, S20 AC230V | Art nr. 015.SBDU226561 |
| LGW 50 A2P | Ag-M-MS3-V0 Air pressure switch with test button 2.5 - 50 mbar |
| VPS 504 S02 | Art Nr: 95219877 valve proving system 230V 50Hz IP 40 incl. plug |
| 231580 | MPA display AM01 with connector coding |
| MB ZRDLE B01 S20 VALF | |
| GW 3 A6 | Ag-G3-MS9-V0-VS3 Compact pressure switch 0.7 - 3 mbar Pmax. 500 mbar Customs Tariff No. 90262080 Unit weight: 0.3 kg Country of origin: DE |
| 214209 | Replacement magnet 400 230 VAC for use as a replacement drive Protection class: IP 54 |
| MB-VEF 412 B01 S10 AC230V FS G | 95216648 GasMultiBloc gas-air conn.reg Customs tariff number 84818059 |
| (157530) MVD 507/5 Rp3/4 | |
| 011767 | |
| 013524 | |
| 015412 | |
| 015446 | |
| 058446 | |
| 058446 FRS 515 | |
| 058628 | |

| |
|---|
| 058628 FRS 520 |
| 058792 FRS 5065 |
| 068932 |
| 070409 |
| 077222 |
| 078980 |
| 100-500M BAR |
| 107409 |
| 1100 S50 AC 230V |
| 1100 AC 110V IP 54 |
| 1100 S50 |
| 110379 |
| 1117119 |
| 1120 IP 54 (272337) |
| 13009689 |
| 135437515 LGW150A4/2 |
| 138630 |
| 1411 IP 54 AC 230 V |
| 157060 |
| 157530 MVD 507.5 |
| 157550 |
| 169130 |
| 169410 |
| 171/2P |
| 178940 |
| 209 898 |
| 210931 |
| 211202 |
| 213 793 AC 50-60HZ 230V IP 54 15 VA ED 100% |
| 215242 |

| |
|--|
| 219006 |
| 219877 |
| 219877 VPS 504 S02 |
| 219881 VPS 504 S04 |
| 221207 |
| 221924 |
| 222331 |
| 222331 (DMV-D 507/11) |
| 222332 DMV-DLE 507/11 |
| 222343 |
| 222825 DMV-D 520 /11 24 VDC |
| 223155 |
| 224424 |
| 224554 |
| 224980 |
| 224983 |
| 225009 |
| 225940 GW 150 A5 |
| 225940/GW 150 A5 AG-G3-MS6-V12 FA-SE SET |
| 226 382 |
| 226107 DMV-DLE 5125/11 |
| 226561 |
| 226721 |
| 226799 |
| 226803 MB-DLE 420 B01 S20 |
| 226868 |
| 227639 GW 500 A5 |
| 227639/GW 500 A5 AG-G3-MS6-V12 FA-SE SET |
| 228724 |
| 228725 GW 50 A6 |

[231111](#)

[231113](#)

[231168](#)

[232046 \(LGW 10 A4/2 Ag-M-MS9-V0-VS3
st-se 1P\)](#)

[232048](#)

[232719](#)

[233-12"- 5 bar-72 DN 50.](#)

[239077](#)

[240115](#)

[240324](#)

[241246 GW 50 A5/1](#)

[241247](#)

[241281 SV-D 507 V1](#)

[241352](#)

[242033](#)

[242639](#)

[242676 GW 50 A6/1](#)

[242678](#)

[243051](#)

[243413](#)

[244294](#)

[244299](#)

[244300](#)

[244427](#)

[244428](#)

[246023](#)

[246159](#)

[246665](#)

[247322](#)

[247986](#)

| |
|--|
| 248494 |
| 248688 (GGW 50 A4/2 Au-M-MS9-V0- VS3 st-se 1P) |
| 249012 |
| 250376 |
| 253459 |
| 254 176 IP54 |
| 254285 (GW 500 A4 HP Au-G3-V0 st-se 1P) |
| 255477 |
| 256206 |
| 256296 |
| 256459 |
| 257434 |
| 257435 |
| 257604 |
| 261646 |
| 261654 |
| 270279 |
| 272336 |
| 272338 |
| 272339 |
| 272340 |
| 272353 |
| 272355 |
| 30253125 |
| 400 |
| 40055150 |
| 407B01S30 |
| 5065 |
| 5065/11 |

| |
|--|
| 605321 |
| 660300 AM20.02 24V DC |
| 691378 |
| 691381 |
| 85210537 |
| 88.70215-0012 |
| 88.70215-0015 |
| 88.75000-0110 |
| A3220 |
| AA-A2-6-3 |
| AO3220 |
| AQM0673 |
| ART. 135435700 |
| Art.Nr. 211222 VDK 200A S02 230V 50Hz |
| BCS 300 |
| BCS 330 |
| BCS EM1 |
| BCS FLW 4I |
| DG6U-3 |
| DMV 5040/5050 |
| DMV 5065/11 eco AC 230V IP 54 |
| DMV 5080/12 (244427) |
| DMV-D 503/11 |
| DMV-D 512/11 (222336) |
| DMV-D 5125/11 AC 220-240 V IP 54 STECK-A |
| DMV-D 5125/11, 241532 |
| DMV-D 525/11 ECO 110 V |
| DMV-D 702/622 |
| dmv-del 507/11 |

| |
|--|
| DMV-DLE 5125/11, Nr. 256459 |
| DMV-SE 507/11 520 |
| DN 100, FRS 5100, |
| DUNGS GW 150 A5 AG-G3-MS6-V12 FA-SE SET |
| DUNGS GW 500 A6 Ag-G3-MS9-V0 fa-se Druckwachter GW A.. |
| DUNGS MBC-700-SE-S22 AC 230 V |
| DUUR01REZ001 |
| filter housing for a gas train used on Jenbacher J320 |
| FRNG 505 |
| FRNG 507 Gas zero and pressure regulator |
| FRNG 5080 (226874) |
| FRNG 515, Rp 1 ?" |
| FRS 505 |
| FRS 507 |
| FRS 510 |
| FRS 520 RP |
| FRS415 |
| FRS505 30-70mbar |
| FRS5125 |
| FRSBV 1010 |
| FRSBV 1010 (226284) |
| FRSBV 226284 |
| GF 40080/4 |
| GF40100/3, DN100, |
| GGW 10 A4-U , Art. nr. 240358 |
| GGW 50 A4-U/2 , Art. nr. 248692 |
| GW 150 A4 AG-M-MS9-V0 ST-SE |
| GW 150 A5, 5-150mbar |
| GW 150 A6 , 228726 |

| |
|---|
| GW 150 A6 AG-G3-MS9-V0 FA-SE |
| GW 1500 |
| GW 2000 A4 HP |
| GW 2000 A4. |
| GW 50 A4 |
| GW 50 A5 |
| GW 50 A6 , Art. nr.228725 |
| GW 50 A6 5-50mbar |
| GW 50/150 A6 (229241) |
| GW 500 A4 157060 |
| GW 500 A4 Ag-M-MS9-V0 st-se |
| GW 500 A42 ID NO:CE-0085A 03200 |
| GW 500 A6 (272618) |
| GW 500 A6 , 228727 |
| GW 500 A6 AG-G3-MS9-V0 FA-SE |
| GW10 A6 |
| GW500A4 AG-M-VO |
| GW500A6/S-special for Japan |
| IR243-12-52 |
| KH 160065 |
| LGW 10 A2P |
| LGW 10 A4 |
| LGW 10 A4 (221591) |
| LGW 150 A2 |
| LGW 150 A4 (221593) |
| LGW 3 A4 Ag-M-MS9-V0-VS3 |
| LGW 50 A |
| LGW 50 A2P (221207) |
| LGW 50 A4 AG-M-MS9-V0-VS3 ST-SE |
| LGW 6 A2-7 |
| LGW50 A4 272342 |

| |
|--|
| LV-D 215/4 (256861) |
| MAG NR 1105 – MAT NR 222092 |
| MAG.NR.300 |
| MB DLE 415 B01 S50 |
| MBC 1900 SE |
| MBC 700 SE 82 |
| MBC-1200 SE S22 |
| MBC-1200-SE S82 |
| MBC-65-DLE-S20 |
| MBC-700-SE-S22 |
| MB-DLE 405 B01 S50 |
| MB-DLE 407 B01 S20 AC230V (Ord.Nr. 226561) |
| MB-DLE 410 B01 |
| MB-DLE 410 B01 S20 226562 |
| MB-DLE 412 B01 S20 |
| MB-DLE 420 B01 S20 |
| MB-VEF 407 B01 S30 AC230V |
| MB-VEF 407 B01 S30 AC230V gem. NF |
| MB-VEF 407 B01 S32 AC230V |
| MB-VEF 412 B01 |
| MB-VEF 425 B01 S32 |
| MB-ZRD-412 B01 S52 |
| MB-ZRDLE 412 B01 S50 |
| MPA22 S03 OEM!! |
| MPA4111 V1.1 (259058) |
| MPA4112/230V |
| MVD 205/4 |
| MVD 2050/5 |
| MVD 2065/5 |
| MVD 207/5 |

| | |
|--|--|
| MVD510 1" | |
| MVDLE 210/5 (013524) | |
| NB 50 A4 | |
| Nr.200, 230VAC, IP54, | |
| position 21 | |
| SL 10 , RP 1" | |
| TYP: DMV-D 5100/11 | |
| UB 150 A2 | |
| VDK 200A S02 | |
| VDK 200A S02 230V 50HZ. | |
| VDK200A | |
| VPS 504 S02 230V | |
| VPS 504 S02 230V 50HZ | |
| VPS 504 S02 Bestellnr. 219877 | |
| VPS 504 S04 223426 | |
| VPS 504S02 | |
| VPS504S04 | |
| VPS504S04, IP54 | |
| W-FM25 V1.1 - OEM | |
| W-MF SE512 S22 | |
| W-MF-SLE 507 C01 S22 | |
| ZM 300-1 230V (029312) | |
| MB-VEF 420 B01 S32 | Gas-Multi-Bloc AC230V getr. NF m. |
| MPA22 S02 V1.30 kpl. 230V/50-6 | 95250780 |
| LGW 3 A4 Ag-M-MS9-V0-VS3 st-se | Gas pressure switch Air differential pressure switch Customs tariff number 90262080 |
| LGW 150 A4 Ag-M-MS9-V0-VS3 st- | Gas pressure switch Air differential pressure switch Customs tariff number 90262080 |
| LGW 150 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar |
| Mbc-1900-Se-65 (248139) | |
| MVDLE 507/5 AC 230V | 222079 gas solenoid valve normally closed slow opening, fast closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: |

| | |
|--|--|
| | IP 54 |
| LGW 3 A2 Ag-M-V9 st-se 1P | Gas pressure switch Air differential pressure switch Customs tariff number 90262080 Unit weight: 0.190 kg Item weight: 0.760 kg |
| SAD 1.5, 24V 7W 1.5NM STEP MOTOR | |
| GSVDLE 207 AC 230VRp3/4" | |
| DMA 50 A 06(230V-D-)+ | DTR-F 5065 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ.(DN65) komplett |
| DMA 50A 06 (230V-D-) | 7SN/90 |
| DMA 50 A 15(230V-S-) | DTR-F 50100 BUTTERFLY VALVE SHAFT + DMA/DTR 5065-125 BAGLANTI SETÝ (DN100) |
| MB-DLE 407 B01 S50 AC230V | Gas Multi Bloc slowly opening Rp 1/2" to 1" Pmax. 360 mbar Degree of protection: IP 54 Customs Tariff No. 84818059 Unit weight: 6 kg Country of origin: DE |
| MB-VEF 412 B01 S30 AC230V FS G | GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 5.670 kg Position weight: 5.670 kg |
| 229987 | Replacement magnet no. 400 230 VAC for use as a replacement drive Protection class: IP 65 |
| 229982 | Replacement magnet no. 100 230 VAC for use as a replacement drive Protection class: IP 65 |
| 232719 | LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar Pmax. 500 mbar Degree of protection IP 54 |
| LGW 3 A4 Ag-M-MS9-V0-VS3 st-se | Gas pressure switch Air differential pressure switch |
| GW 150 A5 Ag-G3-MS6-V12 fa-se | |
| LGW 50 A4 Ag-M-MS9-V0-VS3 st-s | |
| 95222698 | Replacement filter insert GF 40200 with O ring Customs tariff number 84219900 |
| 95264353 | Z¼ndtrafo DIZ 100 230VAC |
| MVD 215/5 230 VAC | gas solenoid valve normally closed quick opening, quick closing DN 40, Rp 1 1/2" Pmax. 200 mbar Degree of protection: IP 54 |
| MVD 210/5 230 VAC | gas solenoid valve normally closed quick opening, quick closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54 |
| 95214209 | Replacement magnet cpl. No. 400 AC 230 V |
| 95214206 | Replacement magnet cpl. no. 100 AC 230 V |
| 95232719 | LGW 150 A4/2 Ag-G3-MS9-V0-VS3 Gas pressure switch Air differential pressure switch Customs tariff number 90262080 |

| | |
|---|--|
| 95270282 | FRM 100040 MD/SAV MD Flange DN 40 with SAV pe max: 10 bar, pa 90-420 mbar Customs tariff number 90322000 ***** OPERATING DATA: Medium: natural gas Inlet pressure pe/pu: unknown mbar Max. permitted inlet pressure pe/PS: 10 bar Outlet pressure pa/pe: 130 mbar SAV upper switch-off point pso: 180 mbar SAV lower switch-off point psu: unknown mbar SBV blow-off pressure psa: 190 mbar Volume flow standard Qmin: unknown /Qmax: unknown m ³ /h (n) ***** ***** |
| 95226284 | FRSBV 1010 safety relief valve, female thread Rp 1" pe max: 1 bar, Response pressure: 70 ... 830 mbar Customs tariff number 90322000 |
| LGW 50 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar |
| Mbc-1900-Se-65 | |
| MB-DLE 407 B01 S20 AC230V | (Ord.Nr. 226561) |
| 226803 MB DLE 420 B01 s20multibloks | |
| 272615 | GW 50 A6 5- 50 mbar /gaz prosestadi |
| VPS 504 | |
| MPA4112 V1.1 kpl. 230VAC | 259066 burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization |
| 95226870 | MB-ZRDLE 407 B01 S50 AC230V w. GasMultiBloc two-stage |
| MB-ZRDLE-410 P01 S20 | |
| 259066 | MPA4112 V1.1 cpl. 230VAC burner management system for optimization and monitoring of oil and gas burners compound control Mains voltage 230 VAC complete with base without parameterization |
| 256692 | UV41 Sensor UV-Sonde |
| LGW 50 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar Degree of protection: IP 54 |
| GW 500 A4 | Au-M-MS9-V0-VS3 gas pressure switch 100 - 500 mbar Degree of protection: IP 54 |
| LGW 150 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar |
| GW 50 A4 | 153600 |
| GW 150 A5/1 | Ag-G3-MS6-V12 gas pressure switch with damping nozzle 5 - 150 mbar Pmax. 500 mbar |
| | double solenoid valve normally closed quick opening, quick |

| | |
|---|---|
| DMV 5080/12 AC 220-240 V | closing Pmax. 500 mbar DN 80 flange Degree of protection: IP-54 |
| Gw 150 A6 (272616) | Ag-G3-MS9-V0 pressure switch 5 - 150 mbar Degree of protection: IP 54 |
| 263729 | |
| 262585 | |
| 262585 | |
| 263729 | |
| 263728 | |
| ¼B 150 A4 | A4 Ag-PG-MS9-V0 Part: 138630 gas pressure limiter 30 - 150 mbar Pmax. 600 mbar Degree of protection: IP 54 |
| 070383 FRS 505 | Gas-Druckregler DN 15, Rp 1/2" Pmax. 500 mbar |
| 222326 DMV-D 503/11 220-240 V | double solenoid valve Pmax. 500 mbar AC 220-240V Degree of protection: IP 54 |
| GW 500 A5 | Ag-G3-MS6-V12 Compact pressure switch with line socket 100 - 500 mbar |
| 251984 | GW 500 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 100 - 500 mbar Degree of protection: IP 65 |
| 251985 | Au-M-V0st-se gas pressure switch ATEX version 400 - 2000 mbar Degree of protection: IP 65 |
| 251986 | GW 6000 A4/2 HP X Au-M-V0st-se gas pressure switch ATEX version 1000-6000 Degree of protection: IP 65 |
| 245811 | GGW 50 A4/2 X Au-M-V0st-se gas pressure switch ATEX version 2.5 to 50 mbar Degree of protection: IP 65 |
| 259696 | VPM-VC V1.0 230V Control unit for system and valve leak tests Degree of protection: IP 42 complete with base Mains voltage: 230 VAC |
| 224980 | Replacement magnet #1011 for use as a replacement drive 230VAC, IP 54 |
| MVDLE 210/5 230 VAC* | gas solenoid valve normally closed slow opening, fast closing DN 25, Rp 1" Pmax. 360 mbar Degree of protection: IP 54 |
| DG-50 Air Pressure Switch | |
| VPS 504 S02 230V, 50Hz | valve proving system 230V, 50Hz max. 500 mbar with plug |
| MB-DLE 412 B07 S22 AC 230V | 182040 Gas Multi Bloc slowly opening 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54 |
| MB ZRDLE 410 S 50 | |
| 1011 MAT-NR.217488 | |
| | 95226868 GasMultiBloc two-stage OPERATING DATA: |

| | |
|--|--|
| MB-ZRDLE 412 B01 S50 AC230V FS | Medium: unknown Inlet pressure pe/ps: unknown mbar Max. permissible inlet pressure pe/PS: 0.36 bar Outlet pressure pa/pe: unknown mbar Volume flow standard Qmin: unknown /Qmax: unknown m ³ /h (n) |
| LGW 50 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 2.5 - 50 mbar |
| LGW 150 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar |
| 0085A03220 | |
| W-FM25 V2.0 | |
| LGW 10 A2 pMax: 500mbar | |
| 95219878 | VPS 504 S02 valve proving system 230V 50Hz IP 40 or plug |
| SAD 1.5, 24V 7W 1.5NM | |
| VPS 504 S02 | 219878 valve proving system 230V, 50Hz max. 500 mbar without plug |
| LGV 507/5 230V | 119271 Bleed Gas Solenoid Valve normally open quick opening, quick closing DN 20 - Rp 3/4" Pmax. 500 mbar Degree of protection: IP 54 |
| MB-DLE 412 B01 S20 AC 230V | 226563 Gas Multi Bloc slowly opening Rp 3/4" to 1 1/4" 4 to 20 mbar Pmax. 360 mbar Degree of protection: IP 54 |
| LGW 3A1 | |
| 95232716 | LGW 3 A4/2 Ag-G3-MS9-V0-VS3 st Gas pressure switch Air differential pressure switch |
| 95259066 | MPA4112 V1.1 Burner Control cpl. 230VAC |
| 95259070 | MPA4112 V1.1 Burner Control Alternative cpl. 115VAC |
| MB-VEF 412 B01 S30 AC230V FS G | 95223143 GasMultiBloc gas-air conn.reg |
| 95274807 | DMA 100 A 06 (230V -S-) |
| MVD 507/5 230V | 232420 gas solenoid valve normally closed quick opening, quick closing DN 20, Rp 3/4" Pmax. 500 mbar Degree of protection: IP 65 |
| LGW 50 A4 | Ag-M-MS9-V0-VS3 272342 Air and gas pressure switch 2,5 - 50 mbar |
| Multiblok MB ZR DLEB 420 | " " VEF425 B02 510 MVD 215 " BOBİN ART-NR 224 400MAGN Nr:150 " " MVD " " ART-NR 219 916 0,16 - 0,30A " " ART-NR 219 917 0,00-0,15A " 40065/3 " " " 40080/3 " " " GF510-515/1 " " " 1/2" " " " 7/C " " " GF520/1 " " " MB VEF 420 |
| LGW 150 A4 | Ag-M-MS9-V0-VS3 Air and gas pressure switch 30 - 150 mbar |
| VD-V-AC | |
| GW 500 A6 | Ag-G3-MS9-V0 Compact pressure switch 100 - 500 mbar Degree of protection: IP 54 |

| | |
|--|--|
| GW 150 A5- | Ag-G3-MS6-V12 Pressure switch 5 - 150 mbar Protection class: IP 54 |
| DMA 100 A 06 (230V -S-) | |
| GW 150 A 5 Ag-G3-MS6 O RİNG,5-150 Mbar | |
| DMA 100 A A 06 (230-S-)+ DTR-F 50150 | |
| MBC-65-ND-S00 | Gas Multi Bloc Voltage: AC 230V Degree of protection: IP 54 |
| GW 150 A5 | Ag-G3-MS6-V12 pressure switch 5 - 150 mbar Degree of protection: IP 54 |
| GW 3 A6 | Ag-G3-MS9-V0 pressure switch 0.7 - 3 mbar Degree of protection: IP 54 |
| MBC65-ND-S00 251 195 1506 0T6 | |
| 80W NO:500 ART.NR:213799 | |
| 100W NO:550 ART.NR:213800 | |
| GW 3 A6 | Ag-G3-MS9-V0 pressure switch for gas, air, smoke and exhaust gases Pressure connection G 1/4 0.7 - 3 mbar Degree of protection: IP 54 |
| MB-VEF 412 B01 S30 220 VAC | 223143 Dungs-GasMultiBloc with compound controller Pmax. 360 mbar Degree of protection: IP 54 according to NF with GW |
| 95256692 | UV41 Sensor kpl. |
| 95272342 | LGW 50 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch |
| 95219877 | VPS 504 S02 valve testing system 230V 50Hz IP40 including plug |
| 95259066 | MPA4112 V1.1 Burner control unit complete 230VAC |
| 95226805 | MB-DLE 420 B01 S50 AC230V acc. GasMultiBloc single stage |
| 95272340 | GW 50 A5 Ag-G3-MS6-V12 fa-se S Optional Gas pressure switch |
| MB-DLE 420 B01 S50 | |
| FRNG 5100 | Gas zero and constant pressure regulator Flange DN 100 Pmax. 500 mbar Input pressure range Zero pressure regulator/constant pressure regulator: 5 to 200 mbar Pmax. 500 mbar |
| 95272349 | GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch |
| MBC-1900-SE-65 AC 230 V | Gas Multi-Bloc 248139 as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Input 15 - 500 mbar Burner 4 - 140 mbar (depending on |

| | |
|--|--|
| | spring) |
| MB-VEF 412 B01 S30 220 VAC | Dung-GasMultiBloc 223143 with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW |
| 80 20 04/1 DN80 | |
| GGW 50 A4 Au-M-MS9-V0-VS3 st-s | Gas differential pressure switch 95246176 |
| GW 150 A5 Ag-G3-MS6-V12 fa-se | |
| GW 500 A6 Ag-G3-MS9-V0-VS3 fa | |
| GW 150 A6 Ag-G3-MS9-V0 fa-se 1 | |
| GW 50 A6 Ag-G3-MS9-V0-VS3 fa-s | |
| 223143 | MB-VEF 412 B01 S30 220 VAC Dung-GasMultiBloc with compound controller Pmax. 360 mbar Protection class: IP 54 according to NF with GW |
| 95221688 | DMV-D 5100/11 AC 220-240 V IP Double solenoid valve quick opening and closing |
| 95221593 | LGW 150 A4 Ag-M-MS9-V0-VS3 st pressure switch gas Air differential pressure switch Large packaging of 48 pieces each |
| 95272344 | LGW 10 A4 Ag-M-MS9-V0-VS3 st-s Gas pressure switch Air differential pressure switch |
| W-FM25 V1.1 | |
| LGW 10 A4 | Ag-G3-MS9-V0-VS3 Air and gas pressure monitors 1 - 10 mbar |
| 100 LGV 507/5 | |
| 95261654 | MBC-700-VEF AC 230 V GasMuliBloc multiple control device |
| MVD507 | |
| 95256356 | DMV 5080/11 eco AC 230V IP 54 Double solenoid valve quick opening and closing |
| 95224380 | DMV-D 5040/11 AC 220-240 V IP Double solenoid valve quick opening and closing |
| 2300036958 | |
| 95158110 | MVD 505/5 solenoid valve Internal thread Rp 1/2", 230 VAC pe max: 500 mbar |
| 95272615 | GW 50 A6 Ag-G3-MS9-V0 fa-se 1P Gas pressure switch |
| 95272339 | GW 150 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch |
| 95272349 | GW 500 A5 Ag-G3-MS6-V12 fa-se Gas pressure switch |
| GW 2000 A4/2 HP X | Au-M-V0 st-se gas pressure switch ATEX version 400 - 2000 mbar Protection class: IP 65 |

| | |
|--|---|
| GW 50 A6 Ag-G3-MS9-V0 fa-se 1P | 95272615 |
| GGW 50 A4/2 | Au-M-MS9-V0-VS3 Gas differential pressure switch 2.5 to 50 mbar Protection class IP 65 |
| GGW 10 A4/2 | Au-M-MS9-V0-VS3 Gas differential pressure switch 1 to 10 mbar Protection class IP 65 |
| GW 500 A4/2 | Ag-G3-MS9-V0-VS3 Gas pressure switch 100 - 500 mbar Protection class: IP 65 |
| GW 2000 A4/2 | Au-G3-V0 Gas high-pressure switch 400 - 2000 mbar Pmax. 4 bar Protection class: IP 65 |
| GW500 A6 | Ag-G3-MS9-V0 Compact pressure switch 100 - 500 mbar |
| GW500 A5 | Ag-G3-MS6-V12 Compact pressure switch with cable socket 100 - 500 mbar |
| GW500 A5 | LEAK DETECTION SWITCH |
| MB-ZRDLE 407 B01 S50 | Gas Multi-Bloc slowly opening AC 230V Pmax. 360 mbar pa: 4 mbar - 50 mbar |
| DMK507 | D = 11 mm |
| Mag.Nr200 | 271 236 |
| 305486 | MVD 520/5 230V Gas solenoid valve closed when de-energized quick opening, quick closing DN 50, Rp 2" Pmax. 500 mbar Protection class: IP 54 |
| Mag.Nr. 400 | 271965 |
| MB-ZRDLE 405 B01 S20 AC230V | Gas Multi-Bloc slowly opening DN 15, Rp 1/2" 4 to 20 mbar Pmax. 360 mbar Protection class: IP 54 |
| DMV-D 5050/11 24 VDC | Double solenoid valve Closed when de-energized fast opening, fast closing DN 50 flange according to ISO 7005 Pmax. 500 mbar Protection class: IP 54 |
| VPS 504 S05 | Valve test system 24 VDC, IP 54 |
| ¼B 50 A4 | Ag-G3-MS9-V0 Gas pressure limiter 5 - 50 mbar Protection class: IP 54 |
| No. 1611 900 X Ip54 Ac 230v | |
| Kdgo-2/71a | |
| 227141 | |
| 241006 | MVD 530/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 4 (FORMERLY 241-006) |
| 226465 | FRG 730/6 PROPORTIONATOR / ZERO GOVERNOR 3 NPT(FORMERLY 226-465) |
| | DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED |

| | |
|--|--|
| 258-321pp | VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC |
| 267098 | DMV-ZRDLE 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE |
| 46060-17 | |
| 228223 | |
| 242659 | |
| Lqw 3a4/2, Ip 65, G3, 0,4 - 3 Mbar | |
| Pr390054 | |
| 226108 | DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-108) |
| 269265 | |
| 224385 | DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE (FORMERLY 224-385) |
| 225-378 | |
| 267312 | |
| Gw 3 A5 | |
| 240837 | |
| 225004 | |
| 267256 | |
| 267027 | DMV-DLE 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 9 |
| 251762 | DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP65 (FORMERLY 251-762) |
| 269225 | |
| 217441 | MVD 525/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 217-441) |
| 220758 | FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 220-758) |
| 266940 | |
| 258-313pp | DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC |

| | |
|--|--|
| 229841 | |
| 222876 | DMV-DLE 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY 222-876) |
| 77396 | |
| Gw 150 A6 Sensor | |
| 231791 | |
| Gw 50 | |
| 238582 | |
| 258-336np | DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDCVITON SEAT |
| 058792 Druckregler Gas | |
| 238582 Kh-160050 | |
| 229850 | |
| Id No. Ce-0085 Aq0673 Tu 12/94 0163 S-15t70 / Lgw 50 A2p | |
| 267042 | SV-D 520 SINGLE AUTOMATIC SHUT-OFF VALVE IP 65 VARIANT 7 220 VAC (+10%/-15%), 50/60 HZ 50 VA, IP 65 LARGE BODY (FORMERLY 240-332NP) |
| 48070-14 | |
| 242227 | |
| 229613 | FRS 730/6 STAND ALONE PRESSURE REGULATOR 2 1/2" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12 W.C. (BLUE) (FORMERLY 229-613) |
| Gw 150 A6 Ag-G3-Ms9-V0 Fa-Se (272616) | |
| 260774 | |
| Dmv 525/12 | |
| 226239 | |
| 266853 | |
| 266908 | |
| 079681 | FLANGED DN. 80 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 3 |
| 229848 | |
| 267040 | |

| | |
|---|--|
| 223158 | |
| Lgw 3 A2 | |
| 224926 | DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-926) |
| 229362 | |
| Frg-707/6 | |
| 254280 Type Gw 500 A4 Hp | |
| Gw 150 A6/1 | |
| 267327 | VCW-755 BRASS ORIFICES VENTURI METERS 10 NPT HEAD LOSS 10% (FORMERLY 48070-12) |
| 269239 | |
| 226102 | DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-102) |
| 266938 | |
| 243690 | |
| 266932 | |
| 267473 | |
| 268449 | |
| 228731 | |
| 228724 Drucksensor | |
| Druckregler 25050025 Frs 510 Pmax- 500mbar Dn 25 | |
| 269411 | |
| 230989 | |
| 248183 | |
| 226075 | DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 135 VA, NEMA TYPE 12 (FORMERLY 226-075) |
| 217641 | |
| Gw 150 A6 (272616) | |
| 248507 , Ers.Lp.Kpl.Mag.Nr.1511- 1811/2p Dc (1 Pack 1x4pcs) | |
| 240804 | |

| | |
|--|--|
| Dmv-D512/11 | VALVE DUAL MODULAR 110VAC 1INCH |
| 229839 | |
| 225043 | |
| 229852 | |
| Mbdle412b01s20 | |
| 46060-6 | |
| 267095 | DMV-ZRDLE 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORME |
| 229826 | |
| 269273 | |
| 255018 | |
| 229853 | |
| 267079 | |
| 1212 | |
| 227639 Druckschalterttyp Gw 500 A5 | |
| 268451 | |
| 238585 | |
| 244-731vp | DMV-ZRDLE 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ |
| 222889 | DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-889) |
| 224844 | DMV-D 703/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-844) |
| 266934 | |
| GW 50 A5/1 | Ag-G3-MS6-V12 Gas pressure monitor with damping nozzle 5 - 50 mbar Pmax. 500 mbar |
| 242221 | |
| 120212a | |
| 225170 | MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 24 VDC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-170) |
| Frng-520 | |

| | |
|---|--|
| 11775 | |
| 229869 | |
| 88.90006-0010 Mbc 300 Se S02 Ac 230 Vdungsnr: 261380 | |
| 228222 | DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 80 VA, NEMA TYPE 12 (FORMERLY 228-222) |
| 240-339np | |
| 70409 | |
| 267016 | DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 23 |
| 267070 | |
| 217606 | |
| Lgw 50 A2p | |
| 13284 | |
| 231844 | DMV-ZRD 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 231-844) |
| 229906 | |
| Mb-Dle 407 B01 S20 (223746) | |
| W-Mf Se 507 (For Weishaupt) | |
| 221926 | |
| 269237 | |
| 217322 | |
| 229873 | |
| 229913 | |
| 261303 | |
| Mb-Dle 410 B01 S50 (Ord. Code 226873) | |
| 222873 | DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-873) |
| 229657 | |
| 241003 | |
| | DMV-DLE 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED |

| | |
|--|--|
| 258-320np | VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 267054 | DMV-DLE 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490 |
| 267228 | |
| 91876 | |
| 227146 | |
| 224382 | DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-382) |
| Gw50a4 Type Gwa By Lgw 50 A4 | |
| 269388 | |
| 43032-6 | |
| Vps 504 S04 | |
| 227139 | |
| 267156 | DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-242NP) |
| 269253 | |
| 107417 | |
| Two Single-Stage Solenoid Valvesdmv-D 507/11 | |
| 257846 | |
| 238823 | |
| Vdk 200a S02 Valve Proving Systemtype: Vdk200a S02 , 120vac 60hz | |
| Gw 2000 A4 Hp Au-G3-V0 | |
| Gf 25065/2 | |
| Vdk-200a | |
| 229846 | |
| 266847 | |
| 242229 | |
| 267245 | EMP-9430550 IN LB OUTPUT, 90 DEG 100 OHM, 20S FIXED 120 VAC, 60 HZ, 1.8A, AUX SW 6A @ 120 VAC, REQUIRES CRANK ARM (267239), REQUIRES (2) 50007 AND (1) |

| | |
|--|--|
| 217442 | MVD 530/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY 217-442) |
| 267471 | |
| Gw500a6 | |
| Emp-423-5 | |
| 229881 | |
| 266939 | |
| 223112 | |
| 217326a | |
| 209064 | |
| 013268 | FLANGED DN. 150 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) |
| 267022 | DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 (FORMERLY 230-793P) |
| 229838 | |
| Gw 50 A6 Ag-G3-MS9-V0 Fa-Se | 95228725 |
| Gw150a5/1 | |
| 222695 | |
| Art N: 214207 Type Magnet Kpl.Nr.200 | |
| 269259 | |
| 222697 | |
| 266956 | |
| 219659 | |
| 267020 | DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA |
| P/N: 211 222 Type: Vdk 200 A S02 | |
| 226991 | DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-991) |
| 232173 | DMV-ZRDLE 701/602 DUAL MODULAR VALVE TWO STAGE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERLY 232-173) |
| 48060-18 | |

| | |
|--|---|
| 266893 | |
| 267087 | DMV-D 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) |
| Gw_150_A5/1_Sensor | |
| 269414 | |
| 267535 | |
| 240458 | |
| 269263 | |
| 229900 | |
| 227143 | |
| 224983 Vps 504 S05 | |
| 222878 | DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-878) |
| Gw500a4 100-500mbar 1/4i | |
| Gw50 A4 G2p | |
| Mvd5065-5 | |
| Ce-0085ap0168 | |
| 209068 | FLANGED DN. 65 2 1/2" NOMINAL PIPE SIZE (FORMERLY 209-068) |
| 257126 | |
| Mvd 2080/5 | |
| 260769 | |
| 266928 | |
| 232-214v | DMV-ZRDLE 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, |
| 228725 | |
| Dmv-D 507/11 Dc 24- 28 V Ip 54 Steck-Ans | |
| 223376 | DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 223-376) |
| 230 609 - , No | |

| | |
|---|--|
| 46020-2 | |
| Mvd510 1quot; | |
| 267782 | |
| Sv-1007/614 | |
| 107425 | |
| 270012 | |
| 228787 | |
| 230-472 | |
| 217-331a | |
| 222884 | DMV-DLE 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY222-884) |
| 258-312np | DMV-DLE 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 229658 | |
| 229822 | |
| 66209 | |
| 217251 | MVDLE 230/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA TYPE 12 (FORMERLY217-251) |
| 266936 | |
| Vps 504 S02 219 877 | |
| 221590 Lgw 3 A4 | |
| VPS 504 S04 230V, 50Hz | 219881 valve proving system max. 500 mbar conn. on screw terminals |
| 267097 | DMV-ZRD 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5 |
| 13250 | |
| Lgw 150 A5, Pmax500mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;225940/ Gw 150 A5 Ag-G3-Ms6-V12 Fa-Se Set | |
| 220566 | |
| Stecksocket Mpa41xx (Ord. Nr. 261413) | |
| 224384 | DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- |

| | |
|---|---|
| 60 HZ, 135 VA, NEMA TYPE (FORMERLY 224-384) | |
| 266901 | |
| Mvdle 515/5 (222081) | |
| Emp-454-1 | |
| 213910 | |
| 238822 | |
| 266919 | |
| 221-591 | |
| 222689 | |
| 229614 | FRS 730/6 STAND ALONE PRESSURE REGULATOR 3" NPT OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO (FORMERLY 229-614) |
| 267052 | DMV-D 704/634 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489PP) |
| 258-336pp | DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC VITON SEAT |
| 6w 50 Ab | |
| 269267 | |
| 267051 | DMV-D 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-489P) |
| 269258 | |
| Aa-A2-4-5 | |
| Art. Nr. 211840 Type: Mb-Dle 410 B01 S20 | |
| Aa-A2-6-3, Art N: 266934 (Old: 217- 330a) | |
| 266949 | |
| 267423 | |
| 225217 | MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225- 217) |
| 259696 | |
| D228294 | |
| 267805 | |

| | |
|--|---|
| 216-965 | |
| 103697 | |
| 217-086a | |
| 222003 | |
| Gaoa448 | |
| 223373 | DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-373) |
| 269335 | |
| 224382 Einheit Gas-Ventile | |
| 269408 | |
| 228770 | |
| Gf40100 | |
| 251876 | DN. 150 LUG BUTTERFLY VALVES MANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 251-876) |
| 166150 | |
| 226103 | DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-103) |
| Gw50 A4 | |
| 269281 | |
| 219881 Vps 504 S04 | |
| Lgw-50-A2-P | |
| 260778 | |
| 216-864a | |
| 267311 | |
| FRS 520 Rp2 | Pmax: 500 mbar – Pmin: 30 - 70 mbar (12-28 inc W.C.) |
| Dungs Lgw 50 A2 | |
| 232079 | DMV-ZRD 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-079) |
| 269392 | |
| Coil For Electromagnet ?1100 | |

| | |
|---|--|
| Emp-423-1 | |
| 269346 | |
| 252113 | |
| 268447 | |
| 229871 | |
| 267332 | |
| Wegeventil 30153250 Dmv - D 520/11 1.1/2" 220v Ac Pmax-500 Mbar | |
| 157530 | |
| 225167 | MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 230 VAC NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-167) |
| 267292 | |
| 219968 | |
| 68940 | |
| 247986 Mbc-65-Dle-S20 | |
| 83410 | |
| 267108 | |
| 269409 | |
| 267010 | LINEREGULATOR1 1/2 CL1 LINE PRESSURE REGULATOR 1 1/2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-611LP1) |
| 269387 | |
| 222342 | |
| 229876 | |
| 222687 | |
| 241000 | |
| 43033 | |
| 222616 | |
| 252120 | |
| 269256 | |
| Lqw-10-A2 | |
| 222370 | |

| | |
|---|--|
| Mb-Dle-412-B01-S20 | |
| 214210 | |
| 266828 | |
| Ord.Code: 157 550 Type: Mvd 515/5 230 Vac Ip 54 | |
| 266971 | DMV-D 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (F |
| 266974 | DMV-DLE 703/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 |
| K01/1 | |
| 266930 | |
| 221-593a | |
| 43158-6 | |
| 225009 Mb-Dle 412 B01 S22multieinheiteinstufige,Pmax=360 Mbar, Pout=4-20mbar, Eingang: 1 1/4" | |
| Ord.Nr. 272353 (Type: Lgw 150 A4 Ag- M-MS9-V0-Vs3) | |
| 069005 | FRS 5125 REPAIR KITFITS FRS 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-005) |
| 83386 | |
| 6w 150 Ab | |
| 267341 | |
| 253274 | |
| 268444 | |
| P/N: 058 453 350.3 Not Sold Separately 229657 | |
| 229610 | |
| 228754 | |
| P/N: 272339 Type: Gw 150 A5 | |
| 159350 | |
| Lgw50 | |
| 66217 | |

| | |
|---|--|
| 269223 | |
| 267319 | |
| 267323 | |
| 267163 | DMV-DLE 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 258-308PP) |
| 267154 | DMV 5080/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 DN 80 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-220NP) |
| Mb-Dle-412-B01 | |
| 82552 | |
| 267194 | |
| 267541 | VENT LINE KIT ACCESSORIES VENT LINE KIT 24VDC FOR THE DMV704/525-5125, INCLUDES LGV 507, K01 3/4" PIPE WIRING NOT INCLUDED. (FORMERLY 50252) |
| Gw 3 A6 Ag-G3-Ms9-V0-Vs3 Fa-Se 1p | |
| 267293 | |
| 267103 | |
| 88.90006-0010 Mbc 300 Se S22 Ac 230 Vdungsnr: 229645 | |
| 223374 | DMV-DLE 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 (FORMERLY 223-374) |
| 226462 | |
| Ks 1000 A2-7 Au-M-V9 St-Se Pa Ce 1p | |
| 258411 | |
| Dkh Rp 1/2 | |
| 224843 | DMV-D 702/602 DUAL MODULAR VALVE 1/2",11/4", 1 1/2, 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-843) |
| 195550 | |
| Mb-Dle 407 | |
| 229884 | |
| 267305 | |
| 240994 | MVDLE 210/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 1" NPT 120 VAC (+10%/-15%), 60 HZ 25 VA, NEMA |

| | |
|---|--|
| | TYPE 4 (FORMERLY 240-994) |
| 258-312pp | DMV-DLE 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 222326 | |
| 217439 | |
| 241001 | |
| Vpm-Vc V1.0 | |
| Gao-A2-4-3 | |
| 245044 | |
| 267314 | |
| Art.Nr. 272352 Type: Lgw 3 A2p Ag-M- Ms3-V0 | |
| Druckschalter 40055050 Gw50a5 P 5- 50mbar | |
| 267472 | |
| Mb-Vef-407-412-B01 | |
| Lgw 3 A4/2 | |
| A4-A2-6-2 | |
| 238583 | |
| 225048 | MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE5040, DMV 5050, DMV-DLE 5050 (FORMERLY 22 |
| Dmv-Vef5080 | |
| 267101 | |
| Dmv-Dle702/622 | |
| 267236 | |
| 228555 | |
| Rs257 Dn250 Pn16 | |
| 107-425a | |
| 243760 | |
| 267096 | DMV-ZRD 702/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 |
| Vdk200a-02 | |

| | |
|---|--|
| Lgw-50-A2 | |
| 267002 | |
| 258-313np | DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC |
| Sv-D 520 !! By Mvd 520/5 | |
| 267208 | |
| 227137 | |
| 267073 | |
| 232402 | |
| Mbc-1200-Vef | |
| 267304 | |
| 271331 | |
| 228723 Gw 3 A6 | |
| 269235 | |
| Dmv-D520/11 | DOUBLE SOLENOID VALVE 500MBAR 220-240VAC 50/60HZ |
| 266855 | |
| 266993 | |
| 229891 | |
| 226111 | DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE (FORMERLY 226-111) |
| 058446 Frs 515 Druckregler | |
| 226114 | DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),135 VA, NEMA TYPE 12 (FORMERLY 226-114) |
| Lgw 500 A5, Pmax600mbar Gt;Gt; Discontinuedgt;Gt; Gt;Gt;227639/ Gw 500 A5 Ag-G3-Ms6-V12 Fa-Se Set | |
| 267298 | |
| 269229 | |
| Aa-A1-0-3 | |
| MB-VEF 407 B01 S30 AC230V m. G | GasMultiBloc gas-air conn.reg Customs tariff number 84818059 Unit weight: 2.660 kg Position weight: 2.660 kg ***** OPERATING DATA: Medium: unknown Inlet pressure pe/pu: unknown Outlet pressure |

| | |
|--|--|
| | pa/pd: unknown (ONLY FOR REGULATORS) Heat output H: unknown Flow rate Qn: unknown Flow rate Qb: unknown |
| 267012 | LINEREGULATOR2 CL1 OPD LINE PRESSURE REGULATOR 2" NPT, NPTF 4-10" WC SETTING 10-22" WC OPD (FORMERLY 229-612LP1) |
| 219 006 | |
| Nr 280 | |
| 226112 | DMV-DLE 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-112) |
| Rp 1/2 Pvb - Usa Version, Eu Version - Dkh Rp 1/2 | |
| 267021 | DMV-DLE 702/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 6 |
| 267025 | DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/- 15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY |
| 104307 | |
| 46014-6 | |
| Dmv-Dle 5125/11 | |
| Dmv-Dle5065/11 | |
| 238584 Kh-160080 | |
| 222608 | |
| 267342 | |
| 225222 | MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225- 222) |
| Druckregler Dungs Frs 520 Dn50 (140- 200 Mbar) | |
| 267105 | |
| 269231 | |
| 217102 | |
| 266892 | |
| Ce-0085-Aq0673 | |
| Line Socket For The Electrical Connection Of The Dmv | |

| | |
|--|---|
| 267331 240996 | |
| 266973 | DMV-DLE 702/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 |
| 269243 | |
| 229892 | |
| 269240 | |
| 266947 | |
| 269318 | |
| Ks 3000 A2-7 , 257846 | |
| Druckregler Dungs Frs 515 Dn40 | |
| 217321 | |
| 233150 | MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 110 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 233-150) |
| Mb-Dle 410 B01 S50 (229780) | |
| 223368 | DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY223-368) |
| 269269 | |
| 229823 | |
| 266979 | |
| 220970 | |
| 229897 | |
| 222161 | VALVE DUAL MODULAR DN80 500MBAR 24-28VDC |
| 226069 | DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-069) |
| 269418 | |
| 211229 , Type Vdk 200a S02 240v 50hz | |
| 246516 | |
| 221 207 | |
| Gw150a6/150a6 | |
| 70391 | |

| | |
|--|--|
| 230444 | |
| 222599 | DMV-DLE 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY222-599) |
| 267001 | |
| 222696 Filtrierendes Einbauteil Gf 40125 | |
| Lqw 50 A4/2 Ag-M-Ms9-V0-Vs3 St-Se | |
| 229896 | |
| 242032 | |
| Frsbv 226284 Sicherheitsventil | |
| Lqw 1,5 A1 | |
| 232407 | |
| 267094 | DMV-ZRD 701/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 (FORMERL |
| 214209 | |
| 267044 | |
| 266923 | |
| Lgv507/5 | |
| Lqw 3 A2 Ag-M-V9 St-Se | |
| 243416 | |
| 258-308np | DMV-DLE 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 229834 | |
| 222621 | |
| 267008 | |
| 266890 | |
| Dmvd506511 | FLANGED VALVE DUAL MODULAR 24VDC |
| 226992 | DMV-D 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-992) |
| 210318 | |
| 267075 | |

| | |
|--|--|
| Lgw3a4 | |
| 107-417 | |
| Magnet Nr. 1200 | |
| 224381 | DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-381) |
| Frs520 | |
| 229903 | |
| 266926 | |
| W-Mf 507 S22 230v | |
| 258-317pp | DMV 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 24 VDC |
| 267345 | |
| 258-316pp | DMV-DLE 5100/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 225228 | MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-228) |
| 269221 | |
| 224924 | DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE (FORMERLY 224-924) |
| 252121 | |
| 260773 | |
| 222611 | |
| Mb-Dle 405 B01 S20 Ac230v (226560) | |
| 229893 | |
| Mvd-2050/5 | VALVE SOLENOID AUTO SHUT-OFF W/COIL DN50 FLANGE |
| Dg50u | |
| Gw 50 A6 | |
| Ema-418-1 | |
| 226188 | |
| 46014-5 Low | |
| 15412 | |

| | |
|--|--|
| Kh 160065 238583 Metallsitzhahn, Pmax 16 Bar,Der Beitritt Dn65 | |
| 267041 | |
| 082552 | FLANGED DN. 100 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) |
| 157550 Ventil Mvd 515/5 11/2" 500mbar 230v | |
| 224925 | DMV-DLE 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50- 60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-925) |
| Rp3/4 | |
| 225220 | MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225- 220) |
| 85210537 Drucksensor | |
| Gw 10 A5 | |
| 229663 | FRNG 5150 REPAIR KITFITS FRNG 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-663) |
| 227156 | HIGH PRESSURES DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 227-156) |
| 269413 | |
| 226555 | |
| Mpa 4112 V1.1 Ord. Nr. 259066 | |
| 267157 | DMV 5100/602 ECO DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 DN100 PN 16 DUAL SSOV NBR CSA CE NEMA 12 (FORMERLY 257-256NP) |
| 217-092a | |
| 266921 | |
| 225047 | |
| Lgw22406 Id02-Lgw22406 00 KI Id02 | |
| Frs-520 | |
| 41306-1 | |
| K01/1 Ip 65 | |
| Dmv 5080/12 | |
| Vdk200as02 | |

| | |
|--|--|
| 267083 | DMV-DLE 703/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15% |
| 224093 | |
| 226805 | |
| Dmv-D 5040/11 | |
| Ggw 3 A4/2 X-Au-M-Ms9-V0-Vs3 St-Se 1p, Art. Nr. 245810 | |
| 223159 | |
| 223280 | |
| 267309 | |
| 268488 | |
| 267315 | |
| 35.1 230vac Ip54 Art.216878 | |
| Gw 500 A4 Hp | |
| 225940 | |
| 229911 | |
| 224383 Valve Dmv-D 5080/11 224383 | |
| 227153 | HIGH PRESSURES DN. 25 1" NOMINAL PIPE SIZE (FORMERLY 227-153) |
| 230992 | |
| 244021 | |
| 217-324a | |
| 217329a | |
| Mvd-512/6 | |
| 269340 | |
| 225167 , Type Ers.Magnet Kpl.Nr.1411 Ip 54 Ac 230 V | |
| Gw 3 A6 (272343) | |
| Gw 500 A5 Druckschalterttyp Gw 500 A5 | |
| Mbdle415b01s20 | |
| 266849 | |
| 217438 | |

| | |
|---|--|
| 240997 | |
| Pe 360 | |
| 256410 | |
| 226106 | DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106) |
| 228726 | |
| 254849 | DMV 50050 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN16 230 VAC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, (+10%/-15%) 50-60HZ, I |
| 217202 | |
| 269389 | |
| 230993 | MAG. TYPE 550 ACCESSORIES REPLACEMENT COILS 120 VAC, NEMA TYPE 12 FITS: MVD 530/6 (FORMERLY 230-993) |
| 267089 | DMV-DLE 702/624L WITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) |
| Gw500a5 Relais Druckdifferenz | |
| 228225 | DMV-DLE 703/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 228-225) |
| 229912 | |
| Mag Nr 1105 ? Mat Nr 222092 | |
| 148830 | |
| 209065 | |
| 178940 , Type Fru 5050 | |
| Dmv-Dle512/11, Art N: 216904 | |
| 267467 | |
| 267252 | |
| 267011 | |
| 221073 , Type Vps 504 S06 | |
| Mbc-700-Se-S22 Gas Valve | |
| 269252 | |
| Ks600c2 | |
| 58792 | |

| | |
|---|---|
| 221356 | |
| 266941 | |
| 266996 | |
| 266914 | |
| 267058 | |
| Gw 500 A6 Gas Pressure Switch Adjustable Adjustment Range: 100-500 Mbar | |
| 269255 | |
| 266994 | |
| 267324 | |
| 269228 | |
| 225003 | |
| 237675 | |
| 267069 | DMV-DLE 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4", 1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEM |
| 135930 | |
| 300 Mvd - , - Nr.300 Ac 230 V Ip 54 (Ord.Nr. 214208) | |
| 229240 | |
| 223367 | DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 220 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 223-367) |
| 058628 Frs 520 Druckregler | |
| Mb-Vef 412 B01 S30 220 Vac | Dungs-GasMultiBloc mit Verbundregler Pmax. 360 mbar Schutzart: IP 54 Nennweite: Rp 1" - Rp 1 1/4" (abh¼ngig von Zubeh¼r) |
| Lgw 50 A4 (272355) | |
| 222614 | |
| 68932 | |
| 242226 | |
| 267107 | |
| 267343 | |
| | DMV-ZRD 703/612 DUAL MODULAR VALVE TWO STAGE WITH |

| | |
|--|--|
| 267099 | PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 |
| 267081 | SV-DLE 1020/614 SINGLE AUTOMATIC SHUT-OFF VALVES NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT 120 VAC (+10%/-15%), 50/60 HZ 45 VA, NEMA TYPE 4 (FORMERLY 2 |
| Dmk 710/6 | |
| 229833 | |
| 266957 | |
| 217330a | |
| 213795 | |
| 266906 | |
| 219878 | |
| 269404 | |
| Dmv-D 507/11 | |
| 46060-16 | |
| Gw50a6 | |
| 231944 | |
| 269250 | |
| 214206 | |
| 214207 | Replacement magnet No. 200 230 VAC for use as a replacement drive Protection class: IP 54 |
| Gw3 - A4 | |
| 167200 | MVD 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 167-200) |
| Lqw 6 A2-7 Drucksensor | |
| 225 167 | |
| 247481 | |
| 222344 | |
| 266856 | |
| 267253 | |
| 226076 | DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE 12 (FORMERLY 226-076) |

| | |
|--|--|
| 266961 | |
| 214975 | |
| 266912 | |
| Gw-500-A6 | |
| Line Socket For The Electrical Connection Of The Gw | |
| Sad1.2 (229813) | |
| 269257 | |
| Gw150a5 | |
| 227157 | HIGH PRESSURES DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 227-157) |
| Lgw 50 | |
| Gao-A2-4-6 | |
| 134450210 | |
| 217101 | |
| 269401 | |
| 50007 | |
| Druckregler Gas | |
| 269233 | |
| 157530 Mvd 507/5magnetventil Mitdrossel Durchfluss,Pmax=500 Mbar, 230 Vac,Prozessanschluss: 3/4" | |
| 69005 | |
| 266966 | |
| 219008 | |
| Ga-262-450pp | |
| 230475 | |
| 267303 | |
| 225-256 | |
| 226284 | |
| 225000 | |
| 48070-7 | |
| | DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION |

| | |
|--|--|
| 226120 | DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%),90 VA, NEMA TYPE 12 (FORMERLY 226-120) |
| 222693 | |
| 229661 | FRNG 5100 REPAIR KITFITS FRNG 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO INTERNAL HARDWARE TO REBUILD THE CONTROL.(FORMERLY 229-661) |
| Gw 500 (272349) | |
| 226063 | DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 226-063) |
| 226107 | DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 200 VA, NEMA TYPE (FORMERLY 226-107) |
| 267307 | |
| 267300 | CO-792-12 BRASS ORIFICES VENTURI METERS 12 BETA RATIO 0.792, HEAD LOSS 25% (FORMERLY 48050-14) |
| 217-093a | |
| 267061 | DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY243-761P) |
| 267077 | |
| 267224 | |
| 222341 | |
| Frs 5065 | |
| 268443 | |
| 267310 | |
| 268347 | |
| 229849 | |
| 266920 | |
| Lqw 3 A4 Ag-M-Ms9-V0-Vs3 St-Se | |
| 266998 | |
| 258-321p | DMV 5125/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC |
| 103705 | |
| 240999 | MVDLE 230/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 3" NPT 120 VAC (+10%/-15%), 60 HZ 90 VA, NEMA |

| | |
|--|---|
| | TYPE 4 (FORMERLY 240-999) |
| 267085 | DMV-D 703/624LWITH VLA DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5 |
| 229612 | |
| 240457 | |
| 219881 | |
| 269224 | |
| 267007 | |
| Ggw 150 A4 | |
| 267330 | |
| Sv-D507 | |
| 240998 | MVDLE 225/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 240-998) |
| 227644 | |
| 269324 | |
| 266985 | DMV-DLE 5080/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-106HL) |
| 230474 Regulator Pressure Dungs Fri 710/6component Name: Modular Pressure Regulatorpn: Fri 710/6 | |
| Magnet Kpl.Nr.1231 Ac 230 V Ip 54 (228295) | |
| 240993 | |
| Lgw 3 A2 (272337) | |
| 99028 | |
| 266987 | DMV-DLE 703/602 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY 22 |
| Gw 50 A6/1 | |
| Dma 30p 230/03 0l | |
| 217440 | |
| Lgv 3a4 | |
| 269323 | |

| | |
|---|--|
| 267088 | DMV-DLE 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE |
| 107-409a | |
| 267102 | |
| Lgw 3 A2, 0.4-3.0mbar | |
| Lgw150a2p | |
| 267333 | VCW -743 BRASS ORIFICES VENTURI METERS 6" NPT BETA RATIO 0.743, HEAD LOSS 10%, 16122 SCFH (FORMERLY 48070-8) |
| 229611 | |
| 240311 | |
| Mvd 515/5 (157550) | |
| 40055150 Drucksensor | |
| Valve Proving System Du-219881vps 504 S04 | |
| 231420 | |
| Dmv-D 507/11 Ac 220-240 V Ip 54 Steck-An | |
| 266970 | DMV-D 702/602 WITH VLADUAL MODULAR VALVE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FO |
| Lgw 50 A2 Ag-M-V9 St-Se | |
| 267328 | VCW -721 BRASS ORIFICES VENTURI METERS 16 NPT HEAD LOSS 10% (FORMERLY 48070-15) |
| 269227 | |
| 222637 | |
| 229824 | |
| 225987 | |
| 267318 | |
| 231945 | |
| Vps 504 S05 24v Dc | |
| 221884 | |
| Dmv-D 507/11 Ac 220-240 V Ip 54 Viton | |
| 227639 | |

| | |
|--|---|
| 226347 | |
| 241016 | |
| 266989 | |
| 266958 | |
| 245100 Gas Valve Dmv 5080/12 | |
| 121962 , Type: Mvd 207/5 | |
| 269416 | |
| 226110 | DMV-DLE 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),200 VA, NEMA TYPE 12 (FORMERLY 226-110) |
| Vps 504 S02 | |
| 267158 | DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ NEMA TYPE 12 (FORMERLY 257-298NP) |
| 267084 | DMV-D 703/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 4 |
| 218163 | FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 218-163) |
| 66233 | |
| 231774 | |
| 242657 | |
| Mvdle 207/602 Kdi 120 Vac | |
| 244157 | |
| 13 009 689 | |
| 269344 | |
| 269398 | |
| 257-298pp | DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 268454 | |
| Dmv-Se S12/11 S22 | |
| 267344 | |
| Lgw 10 A2 Ag-M-V9 St-Se 1p | |

| | |
|--|--|
| 238554 | |
| 269220 | |
| 226104 | DMV-DLE 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-104) |
| 242656 | |
| 267521 | |
| 266999 | |
| 228220 | |
| Emp4534 | |
| 258-320pp | DMV-DLE 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 23030100430 | |
| 66191 | |
| Aa-A2-6-3, Nr:266934 | |
| 225171 | MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225- 171) |
| Mvdle 515/5 Ac 230v | Gas solenoid valve closed normally slowly opening, fast closing DN 40, Rp 1 1/2 " Pmax. 500 mbar Protection class: IP 54 |
| 267039 | |
| 13524 | |
| 269386 | |
| 243096 | |
| 267005 | |
| Automatisches Absperrventil Dungs Sv- D 507 (Pmax 500mbar) | |
| 269236 | |
| Mvd 520/5 | |
| 222388 | |
| 13009689 Servosad 1.2 | |
| 269325 | |
| 229 659 | |

| | |
|---|--|
| 266898 | |
| 266896 | |
| 258-321np | DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC |
| 267028 | DMV-ZRDLE 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE |
| 217-087a | |
| 267254 | |
| 132430420 | |
| 266848 | |
| 242654 | |
| 271329 | |
| 267781 | |
| 258-309np | DMV 5065/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC |
| 266889 | |
| 267317 | |
| W-Mf-Se 507 C01 S22 By W-Mf Se 507 S22 (605320) | |
| FRS 710/6 | Gas pressure regulator |
| 229820 | |
| 266905 | |
| 216-752a | |
| Gf520/1 | |
| 217471 | |
| 242230 | |
| 267074 | |
| 058792 | FLANGED DN. 65 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) 2 |
| 222613 | |
| 267026 | DMV-DLE 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA |

| | |
|---|---|
| 251529 | HIGH PRESSURES DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 251-529) |
| Dmv-D503/11 | |
| Sv-D 507 - , -Mvd 507/5 | |
| 069013 | FRS 5150 REPAIR KIT FITS FRS 5150 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 069-013) |
| 238804 | |
| 226064 | DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-064) |
| Dma 30 Q 230/10 0 L | |
| 240326 | |
| 222337 | DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-337) |
| 269405 | |
| Lqw150a4\2 | |
| 214208 | |
| 238587 | KH DN. 150 FLANGED BALL VALVES DN. 150 MANUALLY OPERATED, CAST IRON BODY. 6" NOMINAL PIPE SIZE (FORMERLY 238-587) |
| 266943 | |
| 266995 | |
| 229901 | |
| 252119 | |
| 269406 | |
| 254394a | |
| 119271 | |
| 254285 | |
| 230443 | |
| 229887 | |
| 269222 | |
| 269262 | |
| Ks 1000 C2 , Ks 1000 A2-7 Au-M-V9 St- | |

| | |
|---|---|
| Se Pa Ce 1p Lgw50a4\2 | |
| 170750 | MVD 525/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 170-750) |
| 224847 | DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 224-847) |
| 98459 | |
| 228221 | DMV-D 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 60 VA, NEMA TYPE 12 (FORMERLY 228-221) |
| 48060-15 | |
| Dmv-Dle 512/11 | |
| 229916 | |
| 269415 | |
| 267316 | |
| 226995 | DMV-DLE 703/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 80 VA, NEMA TYPE 12 (FORMERLY 226-995) |
| 222691 | |
| 216-864ca | |
| 83.58520 | |
| 011767 Ventil Mvd 220/5 2" 200mbar 230v | |
| 267143 | |
| 157530 Ventil Magnetische Gas-Sv-D 507 Dn 3/4" Art.-Ce-0085bm0332 | |
| 222332 | DMV-DLE 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-332) |
| 216870 | |
| 135960 | |
| 228779 | |
| 266944 | |
| 253734 | |
| Gw-50-A2 | |

| | |
|---|---|
| Mpa4112 | |
| 267086 | DMV-D 702/624L DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 4 |
| Mbc-700-Vef | |
| 225049 | MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY |
| 267062 | DMV-D 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (|
| 272618 Type Gw 500 A6 | |
| 229877 | |
| 225816 | |
| 258-341np | DMV 5125/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDCVITON SEAT |
| 227155 | HIGH PRESSURES DN. 50 2" NOMINAL PIPE SIZE (FORMERLY 227-153) |
| 269279 | |
| 269280 | |
| 267019 | DMV-DLE 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY |
| 229875 | |
| 230983 | |
| 269282 | |
| 232-232v | DMV-ZRDLE 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, |
| 217488 Solenoid .Nr. 1011 | |
| 245563 | |
| 226806 | |
| 52415 | |
| 269268 | |
| W-Mf-Se 507 C01 S22 | VALF SOLENOID |
| 222619 | |

| | |
|--|--|
| 267296 | |
| 267191 | |
| 266904 | |
| 267112 | |
| Frng 515 (209064) | |
| Art N: 214208 Type Magnet Kpl.Nr.300 | |
| 226464 | FRG 725/6 PROPORTIONATOR / ZERO GOVERNOR 2 1/2 NPT(FORMERLY 226-464) |
| Dungs Dmv-D 507/11 | |
| 267322 | |
| 229837 | |
| 266969 | DMV-D 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY |
| 205360 | |
| 224846 | DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 224-846) |
| 222692 | |
| 257127 | |
| 267104 | |
| 267000 | |
| 222688 | |
| 229870 | |
| 211222 | VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 230 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 200 |
| 267024 | DMV-D 703/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 |
| 224845 | |
| 266909 | |
| 231-844v | DMV-ZRD 701/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 70 VA, NEMA TYPE 12 |
| 266913 | |

| | |
|---|--|
| 269272 | |
| 266963 | |
| 267257 | |
| Gw150a6 | |
| 266910 | |
| 229894 | |
| Re550/250-2 Si-S By Ge 550 Ac 2000s | |
| 267465 | |
| 222828 | DMV-D 512/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 65VA, IP 54 (FORMERLY 222-828) |
| 229662 | FRNG 5125 REPAIR KIT/FITS FRNG 5125 BODY, INCLUDES ALL INTERNAL HARDWARE TO REBUILD THE CONTROL. (FORMERLY 229-662) |
| 215953 | |
| 258-309pp | DMV 5065/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 65 TO ISO 7005-1 PN16 24 VDC |
| 104083 | |
| 242660 | |
| 244-733vp | DMV-ZRDLE 702/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) |
| Frng 5065 | |
| 231789 | |
| Kit Repair For Frs 5065 | |
| 270489 | |
| Gw-50-A4 | |
| Frs510 | |
| 225225 | MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 230 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-225) |
| 48050-10 | |
| 245147 | |
| 216590 | |

| | |
|---|--|
| 269261 | |
| Lgw 150 A4/2 | |
| 156630 | |
| Bm-740-010 | |
| 267297 | |
| Dmv-Dle 520/11 | |
| 240-821np | |
| Mvdle-215/602 | |
| 269320 | |
| 210537 | |
| 227142 | |
| 242225 | |
| 269334 | |
| 222077 | |
| 227140 | |
| 251874 | |
| 222825 | DMV-D 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-825) |
| Lgw 10 A4 Ag-M-Ms9-V0-Vs3 St-Se | |
| Dmv-507/11 | VALVE DUAL MODULAR 110VAC |
| Gw500a4 Ag-M-Vo Gas Pressure Switch | |
| 221073 | |
| 267055 | |
| 260768 | |
| Ord.Code: 226874 Type: Mb-Dle 407 B01 S50 | |
| 242220 | |
| 224212 | FLANGED DN. 150 6" NOMINAL PIPE SIZE (FORMERLY 224-212) |
| 216633 | MVDLE 225/602 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 12 (FORMERLY 216-633) |

| | |
|---|--|
| 223426 | |
| 267273 | |
| 244-735vp | DMV-ZRDLE 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) |
| 267071 | |
| 224094 | |
| Nr.300 Ac 230 V Ip 54 (Ord.Nr. 214208) | |
| 267014 | |
| 226342 | |
| Lqw 3 A1 | |
| 266960 | |
| 224383 | DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 220-240 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE (FORMERLY 224-383) |
| 242650 | |
| 158110 | |
| 267308 | |
| 240456 | |
| 221590 | |
| D507 | |
| 216967 | |
| 226072 | DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY 226-072) |
| 208382 | |
| Gmh-A4-4-8 (Ä220;B 500 A4 Ag-Npt-Ms9-V0 1p) | |
| 269246 | |
| 229842 | |
| Mvs-120-Dle-S-40 | |
| 070383 | |
| 267207 | |
| 222369 | |

| | |
|--|--|
| 224380 | DMV-D 5040/11 DUAL MODULAR VALVE FLANGED VERSION DN. 40 TO ISO 7005-1 PN40 220-240 VAC (+10%/-15%) 50- 60 HZ, 90 VA, NEMA TYPE (FORMERLY224-380) |
| 230986 | |
| Lgw 150 A4 Ag-M-Ms9-V0-Vs3 St-Se | |
| Lgw34a Ag-Pg-Ms9-V0-Vs3 St-Se | |
| Gw 150 (272339) | |
| 214422 | FLANGED DN. 100 4" NOMINAL PIPE SIZE (FORMERLY 214- 422) |
| Lgw150a4 | |
| 219967 | |
| Mb Dle 410 B01 S52 | |
| 239316-231 | |
| 267320 | |
| Mb Dle 410 B01 | |
| 258-331pp | DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 24 VDC VITON SEAT |
| Druckregler 25050040 Frs 515 Pmax- 500mbar Dn 40 | |
| 240992 | |
| 224253a | |
| 119073 | |
| 269322 | |
| 266888 | |
| 267018 | DMV-D 702/622 W/VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, |
| Lgw 150 A4 Sgv | |
| 269232 | |
| 229899 | |
| Druckschalter 42050010 Lgw 10 A2 250v 10a 50 Hz P 1-10mbar | |
| 248239 | |
| 269274 | |

| | |
|--|--|
| 269230 | |
| 217-341a-Gml-A4-4-6 | |
| 86462 | |
| 267651 | |
| 269393 | |
| 267326 | VCW-750 BRASS ORIFICES VENTURI METERS 8 NPT HEAD LOSS 10% (FORMERLY 48070-11) |
| 267218 | |
| 169130 , Type: Fru 510 | |
| Mvd-507/6 | |
| Ub-50-A2 | |
| 270490 | |
| 222001 | |
| 217148 | |
| 232-079v | DMV-ZRD 703/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NE |
| 217332a | |
| 271332 | |
| 266902 | |
| 226118 | DMV-DLE 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE 12 (FORMERLY 226-118) |
| 269332 | |
| 229821 | |
| 267076 | |
| 267468 | |
| Gw 6000 A4 Hp Ag-M-V0 | |
| 256409 | |
| 268490 | |
| 256357 | |
| 267313 | |

| | |
|---|---|
| 228224 | DMV-DLE 702/602 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA TYPE 12 (FORMERLY 228-224) |
| Dmv-D507/11 | |
| 13276 | |
| 251877 | DN. 200 LUG BUTTERFLY VALVES MANUALLY OPERATED, CAST IRON BODY. 8" NOMINAL PIPE SIZE (FORMERLY 251-877) |
| 267067 | DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERLY 244-000P) |
| 229836 | |
| 1411/2p | |
| 225224 | MAG. TYPE 1611 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5100, DMV-DLE 5100 (FORMERLY 225-224) |
| 222890 | DMV-DLE 520/11 DUAL MODULAR VALVE 1, 1 1/4, 1 1/2, 2 RP OR NPT 24VDC (-10%/-15%), 90VA, IP 54 (FORMERLY 222-890) |
| Vdk200a-S02 | |
| Ce-0085ap0035 | VALVE DUAL MODULAR DN80 500MBAR 24-28VDC |
| 258-316np | DMV-DLE 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 229848 Die Feder 7 Schwarze 60-110 Mbar Frs 510 Rp 1" | |
| Dmv-D5080/11 | |
| Dmv-D 512/11 Ac | |
| Emp-424-1 | |
| 246502 | |
| 266981 | |
| W-Mf Se 507 S22 230v (605320) | |
| 231773 | |
| 266897 | |
| 267155 | DMV 5080/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ (FORMERLY 257-220PP) |
| 217640 | |
| 231790 | |

| | |
|---|--|
| 262-450np | DMV 5065/11 ECO 604 DUAL MODULAR VALVE NEMA TYPE 4 FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC |
| 229880 | |
| 222368 | |
| 232-401 | |
| 222872 | |
| 269242 | |
| Gw-150-A4 | |
| 269327 | |
| 229890 | |
| Lgw 50 A4 Ag-M-Ms9-V0-Vs3 | |
| 227158 | HIGH PRESSURES DN. 150 6" NOMINAL PIPE SIZE (FORMERLY227-158) |
| 267306 | |
| 612-6a020e | IGNITION TRANSFORMER 1.5AMP 120V |
| 246503 | |
| Lgw 1.5 C3 | |
| 221-592a | |
| 267142 | |
| 222698 | |
| 267229 | |
| 269285 | |
| Filterelement Gfk 150 | |
| Gw10a5(Ex.Gw10a5) | |
| Lgw 3 A2 Diff. | pressure switch |
| 221-924 | DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 221-924) |
| 219878 Vps 504 S02 | |
| 48070-13 | |
| 225028 | |
| 222327 | |
| Gw 150 A5 | |

| | |
|--|---|
| 230441 | |
| 230474 | |
| 222-331 | DMV-D 507/11 DUAL MODULAR VALVE 1/2", 3/4", 1" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 45 VA, IP 54 (FORMERLY 222-331) |
| Gao-A4-4-2 | |
| 218164 | |
| 243083 Mbc-1900-Vef Dn65 230 Vac | |
| W-Fm20 (0085 As 310) | |
| 226993 | |
| 225219 | MAG. TYPE 1511 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 5080, DMV-DLE 5080 (FORMERLY 225-219) |
| 256411 | |
| 269399 | |
| 258-331np | DMV 5080/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 24 VDCVITON SEAT |
| 229915 | |
| 222082 | MVDLE 520/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 222-082) |
| 269352 | |
| Dmv-D-5080/11 | VALVE DUAL MODULAR DN80 500MBAR 24-28VDC |
| 091876 | FRS 5100 REPAIR KIT FITS FRS 5100 BODY, INCLUDES ALL INTERNAL HARDWARE TO TO REBUILD THE CONTROL. (FORMERLY 091-876) |
| 267182 | |
| 226078 | DMV-D 5125/11 DUAL MODULAR VALVE FLANGED VERSION DN. 125 TO ISO 7005-1 PN16 24 VDC (+10%/-15%), 200 VA, NEMA TYPE 12 (FORMERLY 226-078) |
| 238586 | KH DN. 125 FLANGED BALL VALVES DN. 125 MANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE (FORMERLY 238-586) |
| 267004 | |
| 232025 | DMV-ZRD 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-025) |
| 229817 | |

| | |
|--|---|
| 222882 | DMV-DLE 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-882) |
| 240995 | |
| 228783 | |
| 91868 | |
| 269241 | |
| 238584 | |
| 232214 | DMV-ZRDLE 702/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 120 VA, NEMA TYPE 12 (FORMERLY 232-214) |
| 266984 | DMV-DLE 5065/11 HL DUAL MODULAR VALVE HAZARDOUS LOCATION VERSION DN. 65 TO ISO 7005-1 PN16 24 VDC (+10%/-15%),110 VA, NEMA TYPE 12 (FORMERLY 226-103HL) |
| 217-341a | |
| 267013 | |
| Mb-Dle 405 B01 S22 Ac230v (225006) | |
| W-Fm100 | |
| 241004 | |
| Mv 502 | |
| 222875 | DMV-D 507/11 DUAL MODULAR VALVE 1/2, 3/4, 1 RP OR NPT 24VDC (-10%/-15%), 45VA, IP 54 (FORMERLY222-875) |
| 269331 | |
| Art. Nr. 272341 , Type Gw 50 A2 Ag-M-V9 St-Se 1p | |
| 267321 | |
| 226067 | DMV-D 5065/11 DUAL MODULAR VALVE FLANGED VERSION DN. 65 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY226-067) |
| 269234 | |
| Gao-A2-4-5 | |
| Sv 520 -2quot; !! By Mvd 520/5 | |
| 269249 | |
| 229895 | |
| 267167 | DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 |

| PN16 24 VDC (FORMERLY 258-313P) | |
|---|--|
| 232403 | |
| Lgw 50 A4 | |
| Mb-Dle 407 B07 S22 (Ord. Nr.191390) | |
| 238807 | |
| Lgw 10 A2,1-10mbar, | |
| 266959 | |
| 266900 | |
| 238583 Kh-160065 | |
| Gw 150 A4 (157050) | |
| 268453 | |
| 217340a | |
| 167200 Ventil Mvd 520/5 2" 500mbar 230v | |
| 222371 | |
| 238803 | |
| 100876253 | |
| 217327a | |
| Dmv-D 507/11 1/2quot; - 1quot; | |
| 229879 | |
| 224380 , Type Dmv-D 5040/11 | |
| 222826 | DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-826) |
| 245046 | |
| 266982 | |
| 267110 | |
| 222081 | |
| Wegeventil 30152550 Dmv - D 512/11 1" 220v Ac Pmax-500 Mbar | |
| 267223 | |
| 218162 | FLANGED DN. 125 5" NOMINAL PIPE SIZE (FORMERLY 218-162) |

| | |
|---|--|
| 227283 | |
| Dmv 50050 S02 | |
| Lqw50a2 Ce-0085 Aqm0673 Pressure Switch | |
| 225034-231 - Not Available | |
| 222 637 | |
| 216904 | |
| 269260 | |
| 269412 | |
| 269417 | |
| Ks3000c2 | |
| 266911 | |
| 238826 | |
| 231100 | |
| 251870 | |
| 225005 | |
| 266972 | DMV-DLE 701/602 WITH VLA DUAL MODULAR VALVE WITH VENT LINE ADAPTER 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 (FORMERL |
| 229360 | |
| 229910 | |
| Sad 15.0 | |
| 267299 | CO-775-10 BRASS ORIFICES VENTURI METERS 10 BETA RATIO 0.775, HEAD LOSS 28% (FORMERLY 48050-13) |
| 258-317np | DMV 5100/11 ECO 602 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 24 VDC |
| 241005 | MVD 525/604 SINGLE AUTOMATIC SHUT-OFF VALVE NEMA TYPE 4 2 1/2" NPT 120 VAC (+10%/-15%), 60 HZ 80 VA, NEMA TYPE 4 (FORMERLY 241-005) |
| 267053 | DMV-DLE 704/624 DUAL MODULAR VALVE NEMA TYPE 4 WITH PROOF OF CLOSURE 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 4, (FORMERLY 242-490 |
| 267470 | |
| Frs5020 | |
| 267204 | |

| | |
|---|---|
| Lgw 3 A4/2 Ag-M-Ms9-V0-Vs3 | |
| 229609 | |
| Ipdk248245s00001543 | |
| Frs5100 | |
| 269407 | |
| 232232 | DMV-ZRDLE 703/602 DUAL MODULAR VALVE TWO STAGE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 232-232) |
| Mat. Nr: 257 382 | |
| Art. Nr. 226562 Type: Mb-Dle 410 B01 S20 | |
| Wegeventil 30151525 Dmv-D 507/11 1" 220-240v Ac 60 Hz Pmax-500 Mbar | |
| 272338 Type Lgw 3 A4 | |
| 242228 | |
| Vdk 200a S02 120v 60hz (Ord.Code 211927) | |
| 244428 Gasventil Dn80 | |
| Gw 10 A4 Id.No:Ce-0085 A00012 / By Gw 10 A6 | |
| 229885 | |
| 267239 | |
| 269354 | |
| 229908 | |
| Duur01rez001 Dungs Absperrklappez 014-A-Lw Dn100251874 | |
| 226873 | |
| 223156 | |
| 267226 | |
| 209069 | FLANGED DN. 80 3" NOMINAL PIPE SIZE (FORMERLY 209-069) |
| 058628 Druckregler Frs 520 10-30mbar 2" | |
| 226994 | DMV-DLE 702/602DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" NPT OR RP 24 VDC (+10%/-15%) 65 VA, NEMA TYPE 12 (FORMERLY 226-994) |

| | |
|---|--|
| 266953 | |
| 269402 | |
| 216631 | |
| 013250 | FLANGED DN. 125 OUTLET PRESSURE RANGES 1 TO 80 W.C. STANDARD SPRING 4 TO 12W.C. (BLUE) |
| 240671 | |
| Gw50a5 | |
| 242651 | |
| 266 147 | |
| 107409 Pressure Switch Lgw 3 A2 | |
| Gw10a6 | |
| 222336 | DMV-D 512/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 230 VAC (+10%/-15%) 50-60 HZ, 65 VA, IP 54 (FORMERLY 222-336) |
| 248327 Ggw 3 A4 U | |
| 266917 | |
| 210319 | |
| 245048 | |
| 118935 | MVDLE 225/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 1/2 230 VAC (+10%/-15%), 50/60 HZ 90 VA, IP 54 (FORMERLY 118-935) |
| 252122 | |
| 222079 | |
| Emp-424-5 | |
| 229608 | |
| 266968 | |
| 244-730vp | DMV-ZRD 701/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4", 1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, |
| 48060-12 | |
| 268348 | |
| 269319 | |
| 267263 | |
| 229854 | |

| | |
|---|---|
| 269410 | |
| Nr83-07 E 128 | |
| 268445 | |
| 82081 | |
| Kdg-0-2/71a | |
| Art. Nr. 223747 Type: Mb-Dle 410 B01 S 20 - Not Available, - Art. Nr. 211840 Or Art. Nr. 226562 | |
| Aa-A2-6-2 | |
| 226932 | |
| 256408 | |
| 269238 | |
| 222823 | DMV-D 520/11 DUAL MODULAR VALVE 1", 1 1/4", 1 1/2", 2" RP OR NPT 110 VAC (+10%/-15%) 50-60 HZ, 90 VA, IP 54 (FORMERLY 222-823) |
| Dmv-D 503/11 220-240 V | Double solenoid valve Pmax. 500 mbar AC 220-240V Protection class: IP 54 Customs Tariff No. 84818059 Net weight 2 KG Country of origin: DE Please order accessories separately: 2 x 217471, Rp 3/8 "cr. 2 x 217472, Rp 1/2 "Verschr. 1 x 210319, appliance plug |
| 272349 | |
| 258-341pp | DMV 5125/11 ECO 632 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 125 TO ISO 7005-1 PN16 24 VDC VITON SEAT |
| 226073 | DMV-D 5100/11 DUAL MODULAR VALVE FLANGED VERSION DN. 100 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE 12 (FORMERLY 226-073) |
| 251528 | HIGH PRESSURES DN. 65 2.5" NOMINAL PIPE SIZE (FORMERLY 227-155) |
| 255973 | DMV 50025 DUAL MODULAR VALVE FLANGED VERSION DN. 25 TO ISO 7005-1 PN16 24 VDC STARTING POWER [W] 2X80, HOLDING POWER [W] 2X15, IP54 (FORMERLY 255-973) |
| 269396 | |
| 229851 | |
| Frs-515 | |
| 66225 | |
| Vps 504 S04, Ip54 | |

| | |
|---|---|
| 266955 | |
| 266915 | |
| 257-220p | DMV 5080/11 ECO 622 DUAL MODULAR VALVE FLANGED VERSION WITH PROOF OF CLOSURE DN. 80 TO ISO 7005-1 PN16 110 VAC 50-60 HZ |
| 070409 Druckschalterfrs 515gas- Druckreglerdn 40, Rp 1 1/2"pmax. 500 Mbar | |
| 269333 | |
| 267270 | |
| 226458 | |
| 229898 | |
| Mb-Dle420 | |
| 268446 | |
| 226070 | DMV-D 5080/11 DUAL MODULAR VALVE FLANGED VERSION DN. 80 TO ISO 7005-1 PN16 110 VAC (+10%/-15%) 50-60 HZ, 110 VA, NEMA TYPE 12 (FORMERLY 226-070) |
| 216589 | |
| 221999 | |
| Relais Dungs Lgw3 A4 | |
| 243417 | SPRING #9, GRAY56" TO 80" W.C. 140 TO 200 MBAR FRS 5150 (FORMERLY 243-417) |
| 68924 | |
| 251875 | DN. 125 LUG BUTTERFLY VALVESMANUALLY OPERATED, CAST IRON BODY. 5" NOMINAL PIPE SIZE (FORMERLY 251-875) |
| 223157 | |
| 225168 | MAG. TYPE 1411 ACCESSORIES REPLACEMENT COILS 110/120 VAC, NEMA TYPE 12, IP 54 FITS: DMV 525, DMV-DLE 525, DMV 5065, DMV-DLE 5065 (FORMERLY 225-168) |
| 244156 | |
| 222694 Filtrierendes Einbauteil Gf40080/3 | |
| Gw 10 A6 | |
| 269390 | |
| 217437 | |
| 229843 | |

| | |
|--|---|
| 244-734vp | DMV-ZRD 703/612 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 5 |
| 229845 | |
| 215384 | |
| MBC-1900-SE-65 AC 230 V | 248139 Gas Multi Bloc as a control and safety combination with servo pressure regulator DN 65 flange Voltage: AC 230V Inlet 15 - 500 mbar Burner 4 - 140 mbar (depending on spring) |
| 267072 | |
| 269328 | |
| Mvd-220/5 | |
| Dmv-D 525/11 | |
| 267111 | |
| 232-025v | DMV-ZRD 702/602 WITH VLA DUAL MODULAR VALVE TWO STAGE WITH VENT LINE ADAPTER 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 130 VA, NE |
| 1411 | Replacement magnet No. 1411 AC 230V for use as a replacement drive Protection class: IP 54 Customs tariff no.85059029 Unit weight: 8 kg Country of origin: DE |
| Lgw 3 A2 Ag-M-V9 St-Se 1p | |
| 238806 | |
| 230440 | |
| 220969 | |
| 232039 | |
| 244731p | INVERTER |
| Lgw 10 A2 Ag-M-V9 St-Se | |
| 225226 | MAG. TYPE 1711 ACCESSORIES REPLACEMENT COILS 110 VAC, IP 54 FITS: DMV 5125, DMV-DLE 5125 (FORMERLY 225-226) |
| 157530 Mvd 507.5 Automatisches Absperrventil | |
| 225051 | MAG. TYPE 1212 ACCESSORIES REPLACEMENT COILS 24 VDC, IP 54 FITS: DMV 520/11, DMV-DLE 520/11 DMV 5040, DMV-DLE 5040, DMV 5050, DMV-DLE 5050 (FORMERLY 2 |
| Mb-Dle 405 B01 S50 Ac230v (226875) | |
| 243219 | |

| | |
|--|---|
| 229886 | |
| 253461 | |
| 269321 | |
| 229359 | VZF REPLACEMENT FILTER INSERTFITS VZF DN. 150 FILTER (227158), 99.5% FILTRATION OF 2 MICRON PARTICLES (FORMERLY 229-359) |
| 269219 | |
| 83402 | |
| 229902 | |
| 267100 | DMV-ZRDLE 703/612 DUAL MODULAR VALVE TWO STAGE WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 135 VA, NEMA TYPE |
| 267023 | DMV-D 703/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA T |
| 211224 | VDK 200A S02 VALVE PROVING SYSTEMS, PIPE MOUNT 12 MM RP CONNECTIONS, MAX. VOL. 0,7 CU FT (20 LITERS) 110 VAC (+10%/-15%), 50 HZ, RUN CONTACT 4A @ 110 |
| Magnetspule Nr. 1100 | |
| 172590 | |
| 247863 | |
| 222696 | |
| Mbdle420b01s20 | |
| Gao-A4-4-3 | |
| 237614 | |
| 267466 | |
| Mb Vef 407-B01-S32 Dn 20 (R) 241-117 - 3/4? | |
| 260777 | |
| Dmv-Del 702/622 | |
| 224098 | |
| Sv-D 507 | |
| Druckschalter 85210537 Ub 50 A4 P 2,5-50mbar | |
| Frs-503 | |
| 242223 | |

| | |
|--|--|
| D226460 | |
| 267063 | DMV-D 701/622 WITH VLA DUAL MODULAR VALVE WITH PROOF OF CLOSURE VENT LINE ADAPTER 3/4",1/2", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA |
| 228724 Gw 10 A6 | |
| 267017 | DMV-D 702/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1", 1-1/4", 1-1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 65 VA, NEMA T |
| 216-632 | |
| 225001 | |
| 220967 | |
| 158090 | |
| Frm 100050 Md / Sav Md | |
| 229889 | |
| 230991 | |
| Dmv-D 5065/11 | |
| 229907 | |
| 269400 | |
| 431171 | |
| D224399 | |
| 242658 | |
| 269337 | |
| 223370 | DMV-D 525/11 DUAL MODULAR VALVE HIGH CAPACITY 2" NPT OR RP 24 VDC (+10%/-15%), 110 VA, NEMA TYPE 12 (FORMERLY223-370) |
| 229874 | |
| 266899 | |
| 246515 | |
| 267068 | DMV-DLE 701/622 DUAL MODULAR VALVE WITH PROOF OF CLOSURE VISUAL INDICATOR 1/2", 3/4", 1" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 45 VA, NEMA TYPE 12 |
| 226066 | DMV-D 5050/11 DUAL MODULAR VALVE FLANGED VERSION DN. 50 TO ISO 7005-1 PN40 24 VDC (+10%/-15%), 90 VA, NEMA TYPE 12 (FORMERLY226-066) |
| | DMV-DLE 703/624L DUAL MODULAR VALVE NEMA TYPE 4 |

| | |
|----------------------------|---|
| 267082 | WITH PROOF OF CLOSURE 1", 1 1/4", 1 1/2", 2" NPT OR RP 120 VAC (+10%/-15%) 50-60 HZ, 90 VA, NEMA TYPE |
| Gmw-A2-4-6 | |
| 267280 | |
| 011775 | MVDLE 220/5 SINGLE AUTOMATIC SHUT-OFF VALVE RP 2 230 VAC (+10%/-15%), 50/60 HZ 60 VA, IP 54 (FORMERLY 011- 775) |
| 229888 | |
| 267106 | |