Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Dutchi Motors

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Dutchi Motors Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Dutchi Motors Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
2329403047	
3173111016	
TCA355M4E3U46L2	Marathon squirrel-cage induction motor Type squirrel - cage induction motor TCA355M4E3U46-1001 Mounting of cilinder bearing TCA 355-4...8 DE NU 322 ECP/C3 Output 250,00 kw Duty S1 Speed 1491 rpm Voltage D400V / Y 690V Frequency 50 Hz Cos. phi 0,89 Nom. current 423,76 A / 244,66 A Mounting IM 1001 Mass 1730,50 kg Degree of protection IP 55 Nom. torque 1.601,27 Nm
3371801276	
2479514003	Sparparts for: FRONT COVER BACK COVER COOLER FAN Fan shaft diameter 68 mm Fan hub depth 60 mm Fan outer diameter 284 mm
DM1-07,5-1000-B5	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
TCA315S2E3LU46 1001	squirrelcage induction motor TCA315S2E3U46 Output 110,00 kW Mounting IM1001 Duty S1 Mass 920,00 kg Speed 2983 rpm Method of cooling IC411 Voltage D 400V / Y 690V Degree of protection IP55 Frequency 50 Hz Nom. torque 352,16 Nm Cos. phi 0,89 Efficiency IEC IE3 Nom.current 186,36 A / 107,59 A Output 127,00 kW Mounting IM1001 Duty S1 Mass 920,00 kg Speed 3582 rpm Method of cooling IC411 Voltage D 460V Degree of protection IP55 Frequency 60 Hz Nom. torque 338,60 Nm Cos. phi 0,90 Efficiency IEC IE2 Nom.current 187,84 A / 108,45 A
6RN80M04E36U24R R13	squirrel cage ind. motor 6RN80M04E36 ● squirrel cage ind. motor 6RN80M04E363641A ● spring operated brake 45808/ 205V.DC 8Nm P25W ● Bridge rectifier with 6 terminals BRect. Udc=0,90Uac(<=300Vac) max1,8A Output 1.10 kW Mounting IM3641 FT100 Duty S1 Mass 20.85 kg Speed 1445 rpm Method of cooling IC411 Voltage D 230V / Y 400V Degree of protection IP55 Frequency 50 Hz Nom. torque 7.27 Nm Cos. phi 0.78 Efficiency IEC IE3 Nom.current 4.20 A / 2.40 A
TCA160LA4E3U46 3001	squirrelcage induction motor TCA160LA4E3U46 Output 15,00 kW Mounting IM3001 FF300 Duty S1 Mass 140,00 kg Speed 1472 rpm Method of cooling IC411 Voltage D 400V / Y 690V Degree of protection IP55 Frequency 50 Hz Nom. torque 97,32 Nm Cos. phi 0,85 Efficiency IEC IE3 Nom.current 27,75 A / 16,02 A Output 17,30 kW Mounting IM3001 FF300 Duty S1 Mass 140,00 kg Speed 1771 rpm Method of cooling IC411 Voltage D 460V Degree of protection IP55 Frequency 60 Hz Nom. torque 93,29 Nm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Cos. phi 0,86 Efficiency IEC IE3 Nom.current 27,26 A / 15,74 A
Tca160la2e3u46	squirrelcage induction motor Output 18,50 kW Mounting IM3001 FF300 Duty S1 Mass 149,00 kg Speed 2944 rpm Method of cooling IC411 Voltage D 400V / Y 690V Degree of protection IP55 Frequency 50 Hz Nom. torque 60,01 Nm Cos. phi 0,90 Efficiency IEC IE3 Nom.current 31,97 A / 18,46 A Output 21,30 kW Mounting IM3001 FF300 Duty S1 Mass 149,00 kg Speed 3545 rpm Method of cooling IC411 Voltage D 480V Degree of protection IP55 Frequency 60 Hz Nom. torque 57,38 Nm Cos. phi 0,90 Efficiency IEC IE3 Nom.current 31,10 A ******acc. (EG) Nr. 640/2009 from 1/1/2017 >0,75375kW (246P) IE3******* (if exception to (EG) Nr. 640/2009; only if mentioned explicitly!; e.g. IE2+inverter) HS code Weight 85015230 149,00 kg.
Marathon Motor Our Prod.Code Hja132m4e2u46r R11	squirrel cage ind. motor HJA132M4 7,5kW ● squirrel cage ind. motor HJA132M4 7,5kW1001 ● VSD drive <480V acc. regulation 2005/32/EC min. IE2 Output 7,50 kW Mounting IM1001 Duty S1 Mass 53,51 kg Speed 1450 rpm Method of cooling IC411 Voltage D 400V / Y 690V Degree of protection IP55 Frequency 50 Hz Nom. torque 49,40 Nm Cos. phi 0,84 Efficiency IEC IE2 Nom.current 14,61 A / 8,44 A Output 8,60 kW Mounting IM1001 Duty S1 Mass 53,51 kg Speed 1745 rpm Method of cooling IC411 Voltage D 460V Degree of protection IP55 Frequency 60 Hz Nom. torque 47,07 Nm Cos. phi 0,84 Efficiency IEC IE2 Nom.current 14,53 A / 8,39 A
Dma2 80k4	S/N: 33982354041

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	0.55KW 1.48A 1405 RPM

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.