

## Dynatech

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Dynatech** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Dynatech T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">PR 2500 UD brake chamber and activation lever</a>	
<a href="#">T3 900-1300</a>	Trigger linkage/acting bar T3 900-1300 for catch device PR2000UD, PR2500UD V50, PQ3400UD and PQ4000UD - for pitch dimensions of 900-1300mm Existing pitch measurement = __mm
<a href="#">Omron D4N-4132</a>	Safety switch Type Omron D4N-4132 for Dynatech safety devices
<a href="#">Speed Limiter / Overspeed Governor Quot;Starquot;, Art N:120190008</a>	
<a href="#">PR-2500-UD V50</a>	Safety gear PR-2500-UD V50 consisting of 2 trap bodies. P+Q max. 1955kg +/- 7.5% Va max. 2.5 m/s Posted for: P+Q= kg V1 = m/s (nominal speed) V2 = m/s (triggering velocity) Rail head thickness = 16mm Rail condition: machined and oiled
<a href="#">A3 Kit Vega</a>	
<a href="#">F1055 Nbr</a>	

<a href="#">Main Part Of Lbd-200</a>
<a href="#">In6000</a>
<a href="#">(120190074) Quot;Star Lsquot;</a>
<a href="#">Asg221-Ud</a>
<a href="#">Weight Tens. System Fixed In Pit, Art N: 120190067</a>
<a href="#">Rope 6,0mm Quasar Drako, Art N: 120190333</a>
<a href="#">Short Adapter F., Art N: 120190064</a>
<a href="#">T3 Extensible Linkage</a>
<a href="#">Art N: 120190078</a>
<a href="#">Typ Vega</a>
<a href="#">(120190028) In-G10</a>
<a href="#">A3 Kit Star, Art N:120190122</a>
<a href="#">(120190078) System Star</a>
<a href="#">050/0550/050</a>
<a href="#">(120190003) Omron D4n-4132</a>
<a href="#">Weight Tens. System On Guide Rail, Art N:120190066</a>
<a href="#">(120190005) T1 600-1300</a>
<a href="#">Tensing Idler Pulley</a>
<a href="#">120190060</a>
<a href="#">Cover/Protection Plate Star/Star Plus, Art N: 120190051</a>
<a href="#">N03812</a>
<a href="#">D4n-413</a>
<a href="#">Pr-2500-Ud V50</a>
<a href="#">9530.0134</a>
<a href="#">Safety Switch</a>
<a href="#">120190012</a>
<a href="#">Rectifier 230v Ac, Art. N: 120190097</a>
<a href="#">Spanneinr. Standard, Art N: 120190076</a>

<a href="#">Pr-2000-Ud</a>	
<a href="#">Hardened Groove Star, Art N: 120190080</a>	
<a href="#">Typ Asg120ud P+q</a>	Catching device Dynatech type ASG120UD P + Q = 1480kg, 9mm rail Trip bar T25UD (ASG preassembled to T25UD)
<a href="#">Pq-3400-Ud</a>	
<a href="#">Long Adapter, Art N: 120190077</a>	
<a href="#">Pq-4000-Ud</a>	