

Edwards

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Edwards Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Edwards T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
A65401903	RV8 Two-stage rotary vane pump 115/230 V, single-phase, 50/60 Hz, factory setting 230 V for Europe • Suction capacity (Pneurop 6602) 50 Hz: 8.5 m3h1 / 60Hz: 10 m3h1 • Ultimate vacuum 2 x 103 mbar / GB I 3 x 102 mbar / GB II 6 x 102 mbar • Inlet flange: DN25KF / outlet flange: DN25KF • 1 liter of Ultragrade 19 oil, inlet filter and O-ring included • Mains plug IEC EN60320 C13 (mains cable to be ordered separately)
A46226000	Exhaust oil mist filter EMF10 with connections DN25KF
D35610000	Pointer vacuum gauge CG16K, range 0 to 1040 mbar, flange DN16KF
02096-220	
5520D-N5	
900170061	
900412014501	
900412014503	

900615MHR602
97A-EK 45562 37800629-030 ITEM 150
A07105060
A21918715
A22304081
A22304197
A30107945
A30505945
A30751820
A36317984
A36401814
A36504940
A36704940
A37101131
A37101132
A37310940
A46226000 Auspuffolnebelfilter EMF10 mit Anschlussen DN25KF
A46229000
A54632958
A65201130
A65201131
A65201903
A65299500
A65301903
A65401130
A70501826
A70501827
A70501828
A72601805
A72601823

A73001801
A73001802
A73501801
A73701983
APG-L-DN16KF
APG-L-DN16KF (APG-L-NW 16)
APG-M-DN16KF
APG-M-NW 16
B72243000
C10511395
C10512345
C10512346
C10512395
C10512403
C33105000
C41760000
C41790200
D02601000
D02603000
D02604000
D02604801
D02605000
D02607000
D05915000
D14132000
D14701000 - PV
D15481640
D15481650
D35611000
D35612000

D35613000	
D35736000	
D39700000	
D40001030 - PKI	
DN-16 LC PV16EKA	
E2M1.5	
EBV300D	
EDW	
GX100L	
H01707012/BLTD01707012	
H02106011	
H02106089	
H02106159	
H02106221	
H11025011	
H11025015	
P103953	
PV25PP	
B82300100	NEXT 300T HC ISO100 160W nEXT300T DN100ISO 160W (with regenerative stage)
RV3 A65201903	
SHR21500	
SIGA- PS	
SIGA-CT2I	
SP16K	
W6D042811	
Y12201002	
A07122006	

A22304041	
A36501814	
A70804985	
C33105000	
C33205000	
C37102000	
C41630000	
876-N5 120 VAC 50/60Hz 0,13 Amper	
APG200 - XLC-NW16	APG200 Filament (Platinum/Iridium) Pirani pressure sensor Measuring range: atmosphere to 1e-4 mbar Connection flange: NW16 Signal output: analog 0-10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V d.c. Compatible with TIC/TAC/ADC controllers D1G2011100
D02603000 APG100-XLC	
B02302000	
B02302000	thermal circuit breaker
B06401113	Thermostat Open Rise Cartridge Type 312H Range +100F To 600F For 18B4 18B4A 30B4 30B4A 30B5 30B5A
B06404800	Spares Kit Less Heater 30B5
D1G2011100	APG200 - XLC-NW16
D1G2011100 - APG200 - XLC-NW16	APG200 - XLC-NW16 APG200 Filament (Platinum/Iridium) Pirani pressure sensor Measuring range: atmosphere to 1e-4 mbar Connection flange: NW16 Signal output: Analogue 0- 10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V dc Compatible with TIC/TAC/ADC controllers
B82200100	nEXT300D ISO100 160w nEXT300D turbomolecular pump with hybrid bearings • Inlet flange DN 100 ISO-K / Outlet flange DN 25 KF • Suction power: N2 300 ls-1 / He 340 ls-1 / H2 280 ls-1 • Final vacuum with RV backing pump: <6 x 10-8 mbar • Recommended backing pump (depending on the application, a smaller backing pump may be used): RV12/nXDS10i • Ventilation connection: 1/8 BSP internal thread / Flush connection: 1/8 BSP internal thread • Shatter protection as standard, accessories for air and water cooling must be ordered separately
D1G3011100	APG200 - XMP-NW16 APG200, Filament (Platinum/Rhodium) Pirani gauge, Measurement range: Atmosphere to 5e-4 mbar, Connection Flange: NW16, Signal output: Analogue 0-10v, Electrical connection: RJ45/FCC68, Supply Voltage: 15 to 48V dc,Compatible with TIC/TAC/ADC controllers,
	APG200 - XMP-NW16 APG200, Filament (Platinum/Rhodium) Pirani gauge, Measurement range: Atmosphere to 5e-4 mbar, Connection Flange: NW16, Signal output: Analogue 0-10v,

D1G3011150	Electrical connection: RJ45/FCC68, Supply Voltage: 15 to 48 V d.c.,Compatible with TIC/TAC/ADC controllers
D1G2021100	APG200 - XLC-NW25 APG200 Filament (Platinum/Iridium) Pirani pressure sensor Measuring range: atmosphere to 1e-4 mbar Connection flange: NW25 Signal output: Analogue 0-10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V dc Compatible with TIC/TAC/ADC controllers
11303	PUMP, FOAM, DIESEL ENGINE DRIVEN, SERIAL NO 11303 LR, EMI PUMP MODEL: 300-368 HDF, SUCTION AND DISCHARGE PORT 3 INCH 150 CLASS FLANGE, SUCTION PRESSURE POSITIVE DYNAMIC HEAD, DISCHARGE PRESSURE: 16,2 BAR, BODY: SS S316, LINERS: C 836, SHAFTS: SS S30300, EDWARDS
460001300	LINER (4 FOR A PUMP), SPARE PARTS, FOR BIL PART NO 460001300 FOAM PUMP, SILVANI (KIDDE ITALIA) EDWARDS MANUFACTURING
MOD. 150	SEAL, FRONT COVER, CRW1 R, 7829 SEAL OIL, MOD. 150, FOR FIRE FIGHTING SYSTEM, KIDDE ITALIA, EDWARDS, SKF
MOD. 150/400	GASKET, BODY, MOD. 150/400, FOR FIRE FIGHTING SYSTEM, KIDDE ITALIA, EDWARDS
MOD. 160-300	SEAL, LIP, CRW1 R, 12427, MOD. 160-300, FOR FIRE FIGHTING SYSTEM, KIDDE ITALIA, EDWARDS
FHSD8015-99	LASERSENSE 10
A50506000	PWR CABLE 2M, EU SCHUKO-C13, 10A Cable set N for pumps (with plug for Europe), length 2m
A22304032	
Crc	CARD ACCESS CONTROLLER 12VDC 0.5AMP MAX W/MEM 8000
C37102000	
Edre078	
E:Uf 10-Dn25	
D02166000	
Xds 5/10 A72601823	
A.307.51.815	
?2?275s	
C41790200 Lcpv25eka 24v Ac/Dc Solenoid Valvenw25 Flange Pipeline Isolation Valve	
Xds35i Drehzahlregler Pn A219 1871 5	
C37102000 Lv10k Referenzleck Mit Absperrventil, Dn-Flansche	

D02604801 Spare Sensor Tube For Apg100-Lc Series Active Pirani Gauge. With Nw25 Vacuum Flange	
C41770000 Ipva10ek, 230vac (Normally Closed) Air Admit Valve Nw10	
462-29-000	
Nw10 Seal With Centering Ring (Stainless)	
A36401814 Spares Kit Major E2m40	
A37101131 Ersatzteilsatz Zentrier- & O-Ring E2m0.7/1/1.5	
Y12201002 Helios/Tcs Noz Clean Act 1&2	
Xds35i A73001802 Allgemeines Servicekit	
A44110000	INLET CATCHPOT ITO20K
Eh-1200	
A36317984 E2m18 115 V/200-230 V, 50/60 Hz	
A70501826 Ersatzteilsatz Oberes Lager Dp	
Tic	
A65201131 Clean & Overhaul Kit Rv (Fkm)	
Rv3	
D40001050	
D02172000(R1111350)	
D35726000 Sensor Hochvakuum Asg Nw 1000m 16 Bar Part Nr. D35726000 Edwards	
Ed15311837	
A73006983	
Xds35i A73001801 Dichtungssatz	
H02600056	
Ed15321817	
A36001981	

D14641000	
Nw 10/16 Quick-Release Clamp (Alum.)	
3-Cpu3	CENTRAL PROCESSOR UNIT MODULE, MOUNTS TO LOCAL RAIL AT A DEDICATED LOCATION
24ip6d-Bka	CLOCK 6DIGIT BLACK ALUMINUM DOUBLE SIDED 48VDC .4A
A65401903	
A0006a501	CAMERA
C41610000	
Lv10k	
A30151945 Mechanical Booster Pump Model Eh250 Hyd 50hz	
D02374000	
C33105000 Sp10k Speedivalve Mit Neopren-Membran	
C33205000	
A73501801 Nxds Tip Seal Service Kit	
A37101132 Spares Kit Blade E2m0.7/1.5	
Apg100-Xlc Active Pirani Vacuum Gauge	
09492510	
A655-01-903	
C36000100	
24ip6d-Ss	CLOCK 6DIGIT SS CASE DBL SIDED 24VDC I/P .4AMP-MAX
C33255000	
A34101131	
A.307.51.820	
C41630000	
?07122006 Elektromotormotor 30 Kw 380/415v	
D35612000 Zeiger-Vakuummeter Cg16k Bereich 0 Bis 50 Mbar Flansch Dn16kf	
D35611000 Zeiger-Vakuummeter Cg16kbereich 0 Bis 125 Mbar Flansch Dn16kf	

D35610000 Zeiger-Vakuummeter Cg16k Bereich 0 Bis 1040 Mbar Flansch Dn16kf 0160054	
Nxds10i	
Nw 10/16 Seal Adapter With Centering Ring (Stainless)	
?41630000 Magnetventil Vakuumentil Ipv25eka, 220-240 V 1-Ph 50/60hz, Aluminium	
?36501814	
Wrg-S-Nw25 Ein Vakuumsensor	
874n5	
D40013030	
D14711000	
Nw16 Seal With Centering Ring (Stainless)	
A46226000	
?70804985 Idx1000-50 Ep (Extended Performance), Bareshaft 50hz Unit For A 30kw Motor.	
A37132919	
24ip4d-Bkp	CLOCK 4DIGIT BLACK PLASTIC CASE DBL SIDE 24VDC .4A
Lv10k Needle Inlet With Continuous Adjustment Type Of Connection Nw10	
3-Ssdc1c	DRIVER CONTROLLER MODULE SINGLE SIGNATURE
D39591500	
?2?18	
?22304041	
D35613000 Zeiger-Vakuummeter Cg16k Bereich 0 Bis 25 Mbar Flansch Dn16kf	
Gx100l Vacuum Pump	
B80000810	
?33105000 Speedivalve Sp10k, Nitrile Diaphragm	
	RV12 115/220-240V 1Ø 50/60Hz RV12 Two-stage rotary vane pump 115/230 V, single-phase, 50/60 Hz, factory setting 230 V for Europe • Suction power (Pneurop 6602) 50 Hz: 12 m3h-

A65501903	1 / 60 Hz: 14.2 m3h-1 • Final vacuum 2 x 10-3 mbar / GB I 3 x 10-2 mbar / GB II 6 x 10-2 mbar • Inlet flange: DN25KF / Outlet flange: DN25KF • 1 liter of Ultragrade 19 oil, inlet filter and O-ring included • Power plug IEC EN60320 C13 (power cable to be ordered separately)
A34701134	
?33205000 Speedivalve Sp16k, Nitrile Diaphragm	
E2m8-46451	
Rv5	
A65301905	
Ebv300d Gas-Ballast Mit Elektromagnetischer Steuerung.	
Ts75d1002	
D02174000	
Xds5-5c/10-10c Dichtungssatz	
607-417-001	
412j	
Gw-J30-T Vacuum Leak, Joint Type Nw10	
C41760000 Ipva10ek, 230vac (Normally Open) Air Admit Valve Nw10	
Do 2185000	
D02609000	
6515-3	FIRE PANEL MASTER POWER SUPPLY
52rn5	
A70501827 Ersatzteilsatz Hubvolumen-Kit Dp	
A22304197 Filter Oil Element Emf3	
D40001030	
A30751820 Spares Kit Module Eh/Qmb26/4200	
D02602000	
D39590000	
Apg100-Xlc Nw25 Vakuummeter Piranhas	

A22304081 Odour Removal Element Pk5for Emf3	
D35736000 Aşg2 1000 Mbar Nw16 Active Strain Gauge	
2990019	PC BOARD ADD ON
?37102000 Needle Valves Lv10k Leak Valve Nw10 Flanges	
A70574900r	
Wrg-S 14.5-36v 2w (Nw25)	
A27159517	
A34601131	
D14701000	
A70501828 Ersatzteilsatz Unteres Lager Dp	