



Eldro

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Eldro Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Eldro Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Brake Type: Ywz4-400/80	Voltage: 380V/50HZ/3P
Brake Type: Ywz5-315/50	Voltage: 380V/50HZ/3P
Brake Type: Ywz-400/125	Voltage: 380V/50HZ/3P
Brake Type: Ywz-400/80	Voltage: 380V/50HZ/3P
Brake pads/brake linings YW315	For brake type YW315-50-MK1S (replace EBFE/P 315-50/6
Brake pads/brake linings	For brake type: YW-400-E80/6-MK1S (TE 400/80/6 BRAKET)
Model: Ed80/6	Electro hydraulic thruster Rated thrust: 800N stroke: 60mm Voltage: 230V/ 400V, 50HZ, 3 phase
ELDRO DEVICE Ed 80/6	392256 Ds. 230/400 V \pm 10% - 50 Hz S1 / S3 - 60% ED, max. 2000 c / h Ambient temperature -25 ° C ... + 50 ° C Painting RAL 7022 Protection class IP 65
ELDRO DEVICE Ed 121/6	392256 Ds. 230/400 V \pm 10% - 50 Hz S1 / S3 - 60% ED, max. 2000 c / h Ambient temperature -25 ° C ... + 50 ° C Painting RAL 7022 Protection class IP 65
Model: ED23/5	Voltage: 380V/50HZ/3P Electro Hydraulic Thruster
Model: YW315-30/5	Electro Hydraulic Drum Brakes Voltage: 380V/50HZ/3P (replace TE315-30/5) Made in China
YP1K-800-315-30 DISC BRAKE	ZW38.2 (YP11)
YP1K-800-315-30 DISC BRAKE SHOE	
PADDING ELDRO BRAKE Ø500MM // ASBESTONE-FREE PADS	YWZ5-500/201
PADDING ELDRO BRAKE Ø400MM //	

ASBESTONE-FREE PADS	
EMG80/6	Repair kit
EMG 23/5	Repair kit
BRAKE(GALVI,TYPE:NV 500 HYD201/6)	TAR017540022 BRAKE ASSEMBLY MUST BE WITH AUTOMATIC WEAR ADJUSTMENT, MANUAL LEVER, RIVET PADS, 230/400V, 50HZ, 70C, CLASS F, ELDRO
ELDRO ELECTRO HYDRAULIC THRUSTERS	EMG ELDRO EG 50-6 FOR MODEL EG 50/6 DC MOTOR OLACAK. LIFTING FORCE: 500N STROKE: 60 MM
ED.121/6	SIBER,S3 OPERATION(+5C...+80C), RESISTANT TO WORKING TEMPERATURE,BREATHER, HIGH PRESSURE RELIEF VALVE, WITH VITON SEAL, 60ED MAX 400C/H
Ed 80/6 -25°C ... +50°C	3-ph 290/500V ± 10% - 50Hz S1/S3 - 60% duty cycle, max. 2000 k/h Ambient temperature -25°C ... +50°C Paint RAL 7022 Type of enclosure IP 65
Ed 23/5	
GALVİ NV.400.HYD.080/06	
NV 400 HYD121/06 Galvi	
GALVİ NV.315.HYD.081/06	
PD.315.MG	
ED-23/5	Thrust: 220N, stroke: 50mm Volage: 415V, 60HZ, 3 phase
NV-160 SN:577721/24	ELDRO
NV-160 SN:54772/24	ELDRO MECHANISM
NV-160 SN:547721	ELDRO COMPATIBLE BRAKE SHOE
Ed 80/6 +5°C ... +80°C	ELDRO® thruster type Ed 80/6 3-ph 290/500 ± 5 % - 50 Hz S3 - 60% ED, max. 400 c/h Ambient temperature +5°C ... +80°C Paint RAL 7022 Type of enclosure IP 65 VITON gaskets Non-return valve E 80.U133
NV.400.HYD.081/06	brake Lifting Speed: 15 m/min Operation Depth: 68 m Motor Power: 90 kW Engine Speed: 1400 rpm
ED 23/5 EMG 149471	BRAKE SEAL
ED 23/5 EMG 164094	BRAKE O-RING
80/6 (Dia.315,0 Mm)	
Emg Ed 80/12 S By 392413 (Ed 80/12)	
80/6 (Dia.400,0 Mm)	
Verschleisteilsatz Eg 50/Eg 80 (253414)	
Ed30/5 Nbr	

80/6 (Dia.250,0 Mm)
Ed 50/6/12 (220154)
106681
106110 Tec 315/50/6c
Ed 50/6/12
Verschleissteilsatz Ed 23/5 (229366)
710682 (Verschleissteilsatz Nbr * Ersatz* 540/640/550 Verschleissteilsatz Fur Eb 250/60, 250/160, 320/100 Eb 2000-60, 2000-120, 3000-60, 3000-120, Eb 2500-60, 2500-160, 3200-100 Dichtungswertstoff:Nbr
Te 500
Ed50/Ed80 Nbr
Verschleissteilsatz Ed 30/5 (229367)
Verschleiã223;-Nachstellung Te 200/108488
Ed-80/6
392257
Ebn250 Ed 30/5 S By 393367 (Ed 30/5)
Verschleiã223;Teilsatz Ed 50/6/12, Ed 80/6/12 Nbr 1446 (050154)
Elhy Eb 2000?60 (Obsolete) Repalced By 710682
107898
Ed 23/5 (229366)
Te 200/ 30/5 /102842
Ef50
Eg 50/6
392199 (Ed 50/6)
Ed23/5 Nbr
A200 Ed30/5
Ed 121/6
Emg Eg 80/6 Replaced By Verschleisteilsatz Eg 50/Eg 80 (253414)

[106692/Ed 201/6](#)

[106832](#)

[Ed:301/6 \(392359\)](#)

[Eldro-Ed-305-Emg-L3;Fgerõ;T-Mit-
Å214;Lfullung106676-Istanbul-Turkiye](#)