

Elektro Otomatik

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Elektro Otomatik Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Elektro Otomatik Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Ea-EI9400-100wc	ELECTRONIC LOAD, 400V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:4.8
Ea-EI9400-50wc	ELECTRONIC LOAD, 400V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:2.4KW
Ea-EI9160-200wc	ELECTRONIC LOAD, 160V, 200A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 200A, POWER RATING:4.8
Infc2000	UPS, 2000VA, TOWER, CAPACITY (VA / W):2KVA / 1.2KW, NO. OF OUTLETS:4, INPUT VOLTAGE VAC:220V, 230V, OUTPUT VOLTAGE:230V, BACKUP TIME -FULL LOAD:4MIN
Ea-Ps 5040-40 A	640W SEGMENT DISPLAY, 4 DIGITS
Ea-EI9080-200wc	ELECTRONIC LOAD, 750V, 25A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 80V DC, OPERATING CURRENT RANGE:0A TO 200A, POWER RATING:2.4KW
Ea-EI9750-75	ELECTRONIC LOAD, 750V, 75A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 75A, POWER RATING:7.2KW
Ea-EI9750-50	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
Ea-EI9160-100wc	ELECTRONIC LOAD, 160V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC

Ürün	Açıklama
	TO 160V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:2.4
Ea-EI9080-600wc	ELECTRONIC LOAD, 80V, 600A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 80V DC, OPERATING CURRENT RANGE:0A TO 600A, POWER RATING:7.2KW
Ea-EI9750-25wc	ELECTRONIC LOAD, 750V, 25A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 25A, POWER RATING:2.4KW
Ea-EI9750-75wc	ELECTRONIC LOAD, 750V, 75A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 75A, POWER RATING:7.2KW
Ea-EI9750-50wc	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
Ea-EI-9080-200	POWER SUPPLY TESTER 200AMP 80VAC
Ea-Psi-9080-100	POWER SUPPLY TESTER BENCH TOP AUTOMOTIVE
Ea-Psi 8080-40 T	1 OUTPUT 0 → 80V DC 0 → 40A 1000W
Ea-EI9400-100hp	ELECTRONIC LOAD, 400V, 100A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 100A, POWER RATING:4.8
Ea-EI9160-300	ELECTRONIC LOAD, 160V, 300A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 300A, POWER RATING:7.2
Ea-EI9400-150wc	ELECTRONIC LOAD, 400V, 150A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 400V DC, OPERATING CURRENT RANGE:0A TO 150A, POWER RATING:7.2
Ea-EI9750-25hp	ELECTRONIC LOAD, 750V, 25A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 750V DC, OPERATING CURRENT RANGE:0A TO 25A, POWER RATING:2.4KW
Ea-EI9750-50hp	ELECTRONIC LOAD, 750V, 50A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC

Ürün	Açıklama
	TO 750V DC, OPERATING CURRENT RANGE:0A TO 50A, POWER RATING:4.8KW
Ea-EI9160-300wc	ELECTRONIC LOAD, 160V, 300A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 160V DC, OPERATING CURRENT RANGE:0A TO 300A, POWER RATING:7.2
Ea-EI9080-400wc	ELECTRONIC LOAD, 80V, 400A, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE RANGE:0V DC TO 80V DC, OPERATING CURRENT RANGE:0A TO 400A, POWER RATING:4.8KW