

Elektrogas



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Elektrogas Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Elektrogas T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Gv-Vml2-5	ELEKTROGAS safety solenoid valve VML2-5, 500 mbar, Rp ¾", 230 VAC 50/60 Hz, Our item number: GV-VML2-5 Customs tariff number: 84818099 Country of origin: Italy
Gv-Vmrr2-5	ELEKTROGAS safety solenoid valve VMR2-5, 500 mbar, Rp ¾", 230 VAC 50/60 Hz,
GV-VMR4-L-5	ELEKTROGAS safety solenoid valve VMR4-5, 500 mbar, RP 1 ½", 230V. 50/60 Hz.
GV-VML4-L-5	ELEKTROGAS safety solenoid valve VML4-5, 500 mbar, RP 1 ½", 230V. 50/60 Hz.
VMR1-2	200 mbar, RP ½", 230V. 50/60 Hz. ELEKTROGAS safety solenoid valve The maximum operating pressure of the valves cannot be determined from your request. Please check these values according to the data sheet on page 8.
VMR1-5, 500 mbar	
GV-VML6-L-5	ELEKTROGAS safety solenoid valve VML6-5, 500 mbar, RP 2", 230V. 50/60Hz
GV-VMR82	ELEKTROGAS safety solenoid valve VMR 8-2, 200 mbar, DN80, 230 VAC 50/60 Hz,

VMR1-5	ELEKTROGAS safety solenoid valve 500 mbar, RP ½", 230V. 50/60 Hz.
GV-VMR1-2	ELEKTROGAS safety solenoid valve VMR 1-2, 200 mbar, RP ½", 230 VAC 50/60 Hz,
GV-VML4-L-2	ELEKTROGAS safety solenoid valve VML 4-2, 200 mbar, RP 1½", 230 VAC 50/60 Hz,
GV-VMR1-5	ELEKTROGAS safety solenoid valve VMR 1-5, 500 mbar, RP ½", 230 VAC 50/60 Hz,
GV-VML4-L-2	ELEKTROGAS safety solenoid valve VML 4-5, 500 mbar, RP 1½", 230 VAC 50/60 Hz,
GV-VMR35-L-2	Safety solenoid valve VMR 35-2, 200 mbar, RP 1 ¼", 230 VAC 50/60 Hz,
GV-VMR3-2	Safety solenoid valve VMR 3-2, 200 mbar, RP 1", 230 VAC 50/60 Hz,
EVRM NC 35A, 600 mbar, RP 1 ¼", 230 VAC 50/60 Hz,	GV-EVRM-NC35A (manual reset – normally closed)
GV-VMR1-5.J	ELEKTROGAS safety solenoid valve VMR1-5.J, 500 mbar, RP ½", 230 VAC 50/60 Hz., (J=version for biogas) Our article number: GV-VMR1-5.J
GV-VMR1-5.J / ZGV-ATEX	VMR1-5.J, 500 mbar, RP ½", 230 VAC 50/60 Hz IP 65
GV-VMR1-5	Safety solenoid valve VMR 1-5, 500 mbar, RP ½", 230 VAC 50/60 Hz
GV-VML6-L-5	Safety solenoid valve VML 6-5, 500 mbar, RP 2", 230 VAC 50/60 Hz
VMR9-2.C, 200 mbar, DN 100, 24V AC/DC	ELEKTROGAS safety solenoid valve VMR9-2.C, 200 mbar, DN 100, 24V AC/DC., Our item number: GV-VMR9-3.C Single weight: 36.00 kg
VMR9-3, 360 mbar, DN 100, 230 VAC 50/60 Hz	ELEKTROGAS safety solenoid valve VMR9-3, 360 mbar, DN 100, 230 VAC 50/60 Hz., Our item number: GV-VMR9-3
GV-VMR3-5.B	ELEKTROGAS safety solenoid valve VMR3-5, 500 mbar, RP 1", 110V 50/60 Hz.,
ETGV-MS-2/3-110V	ELEKTROGAS replacement coil for safety solenoid valve VMR/L 2, VMR/L 3, 500 mbar, 6 bar, RP ¾" - 1", 110V 50/60 Hz.,
GV-VMR4-L-5.B	ELEKTROGAS safety solenoid valve VMR4-5.B, 500 mbar, RP 1 ½", 110V 50/60 Hz.,
ETGV-MS-35/6-110V	ELEKTROGAS replacement coil for safety solenoid valve VMR/L 35, VMR/L 4, VMR/L 6, 500 mbar, 6 bar, RP 1 ¼" to 2", 110V 50/60 Hz.,
ETGV-MS-35/6-110V	ELEKTROGAS replacement coil for safety solenoid valve VMR/L 35, VMR/L 4, VMR/L 6, 500 mbar, 6 bar, RP 1 ¼" to 2", 110V 50/60 Hz.,

GV-VMR4-L-5.B	ELEKTROGAS safety solenoid valve VMR4-5.B, 500 mbar, RP 1 ½", 110V 50/60 Hz.,
GV-VMR1-2	ELEKTROGAS safety solenoid valve VMR1-2, 200 mbar, RP 1", 230V 50/60 Hz.,
GV-VMR3-2	ELEKTROGAS safety solenoid valve VMR3-2, 200 mbar, RP 1", 230V 50/60 Hz.,
GV-VMR2-2	ELEKTROGAS safety solenoid valve VMR2-2, 200 mbar, RP ¾", 230V 50/60 Hz.,
GV-VMR1-2 -	ELEKTROGAS safety solenoid valve VMR 1-2, 200 mbar, RP ½", 230 VAC 50/60 Hz.
GV-VMR1-2	ELEKTROGAS safety solenoid valve VMR 1-2 (new designation), 200 mbar, RP ½", 230 VAC 50/60 Hz.
GV-VMR6-L-5	ELEKTROGAS safety solenoid valve VML6-5, Rp 2, 230V, 500mbar, 230 VAC, 50/60 Hz
GV-VMR2-5	ELECTROGAS valve type VMR2-5, Rp 3/4, 230V, 500 mbar, 50/60 Hz, Our item number: GV-VMR2-5
GV-VMR0-5	ELECTROGAS valve type VMR0-5, Rp 3/8", 500 mbar, 230V, 50/60 Hz,
GV-VMR2-5	ELEKTROGAS Safety Solenoid Valve VMR2-5, 500 mbar, RP ¾", 230 VAC 50/60 Hz.
Evmr3-B	
19321310	
Vmr35 ¼	
Vmr320tn	
Vmr72-3kg	
Vmr 8-2 Dn 80	
Vmr6-Pr2 110v	
Set Lh- Optional	
20316111	
Vmr02c	
Mz5	
Vfh7, Dn 65	
Vfh-SI	
Etdv-Ms-0a	
Vmro	

1932.1310	
Vrm12a Rp1/2	
Vmr6	
Vmr7 230v	
Vmr 3, Rp 1?, 230 Vac 50/60 Hz, 35 W, 500 Mbar	
1917.1030	
Vmr 0-5	
Vhf9	
Vmr6-5	
Vmr4-306mbar-110v	
Vmr4-5.B	
Gv-Vmr1-2	ELEKTROGAS Safety Solenoid Valve VMR 1-2, 200 mbar, RP ½", 230 VAC 50/60 Hz, Our item no .: GV-VMR1-2 Customs tariff number: 84818099 Country of origin: Italy Single weight: 1,0 kg net
1930.1433	
Vvmr0-Rp3/8	
Vmr35-5 1 Å188;?	
Vmr4, Rp1 Å189;	
Vmr3-Rp1 - 240v/50-60hz, 45w , 360 Mbar Obsolete!! Replaced By Vmr 3, Rp 1?, 230 Vac 50/60 Hz, 35 W, 500 Mbar	
Vmr1-5	
Vmr02-Ot	
Vmr3	
Vmr 3 Diam 1 230 V 50 Hz	
Vmr35	
Vmr 12a.B	
Set D	
Vas1-/Nkae	
19301414	
Vmr35-4-6	

Vmr4
Vfh-SI 450c Dn50
Vmr12-A
19171030
Vmr8- Dn80
Vmr02-Otn
Vmr3, 230 V/50/60 Hz, 35 W
Vml4-Rp1.1/2 - 240v/50-60hz, 45w , 360 Mbar Obsolete!! Replaced By Vml4, Rp 1 Å189;?, 230 Vac 50/60 Hz, 45 W/180 W, 500 Mbar
Vml6-2
Vmr 7-2
1930.1414
Vmr4-Rp1.1/2 - 240v/50-60hz, 45w , 360 Mbar
Vmr4.L - Rp 1 Å189;
Gv-Vmr6-L-5.B
Cod.2031.6111
Vmr 4-5
Vmr1, 110 V/50/60 Hz, 20 W
Vmr7-B-360mbar-110v-Dn65-Pn65
Vmr4-L-5 1 Å189;?
Vmr3-5.B
Coil For Vmr0- Rp3/8
1917.1030 Per Vmr3
Vmr 3
Vmr 1-2, Rp Å189;
Evmnc8a
Vmr7-B
Vmr1
Vmr82-3\" Dn80

Vmr6-2 2031.6111
Vml4, Rp 1 Ã189;?, 230 Vac 50/60 Hz, 45 W/180 W, 500 Mbar
Vmr0-5.B
Vmr8-2
Cod.1932.1310
Coil For Valve Vmr3-5.B, 110v, 500 Mbar
1930.2101
1930.1313
Vmr12-Otn, 230v
Vmr6-L-5 2?
Vml3
Vmr72-12,5kg