

## Elimko

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Elimko** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Elimko T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">15/08-61863</a>	
<a href="#">BT01-1J06-3 K:100</a>	
<a href="#">BT01-1J06-3-K30-CCB-T</a>	
<a href="#">BT01-1J06-3-K50-CCB-T2</a>	
<a href="#">BT05-1J04-4-K15-CB-TZ</a>	
<a href="#">BTO1-1J06-3-K30-CCB-TZ</a>	
<a href="#">CSS-100-020-K-K-3</a>	
<a href="#">E 2000 M - 2 - 0 - 0 - 0</a>	
<a href="#">E-0,35C2JCCEBA</a>	
<a href="#">E-0,5T2KTTEA</a>	
<a href="#">E1200-2-1-0-0</a>	
<a href="#">E-1200-2-1-1-0</a>	

<a href="#">E-2000</a>
<a href="#">E-200-2-2-1-0</a>
<a href="#">E-200-3-1-0-0</a>
<a href="#">E-48</a>
<a href="#">E49 7-1-0-0</a>
<a href="#">E-49-3-1-0-0</a>
<a href="#">E-680-16-2-0-00-0-0</a>
<a href="#">E-680-32-2-0-0-1-0</a>
<a href="#">E-687-0-06-16-08-1-1</a>
<a href="#">E-72-1-0-0-0-0</a>
<a href="#">E72-1D 0-400</a>
<a href="#">E-77-2-7-2-1 is OEM!</a>
<a href="#">E-BT05-1J04-3-5K 50C</a>
<a href="#">E-BT05-1J04-5K-50</a>
<a href="#">E-BT01-1L08-3K15-CCB-T</a>
<a href="#">E-M104-1J15-8-K5-SS-TZ-O</a>
<a href="#">E-MI04-1K30-60-K5-TZ</a>
<a href="#">E-PR-110-2-0-0-0-0-0</a>
<a href="#">E-RT02 1H08-20-E04-IN-04.4838.000</a>
<a href="#">E-RT02-1K06-16</a>
<a href="#">E-RT02-1K09-10</a>
<a href="#">E-RT02-1K09-45-U</a>
<a href="#">E-RT02-1P06-10</a>
<a href="#">E-RT02-1P06-19,4-U-RG1/2"-W-TR-O</a>
<a href="#">E-RT02-1P06-28,4-U-RG1/2"-W-TR-O</a>
<a href="#">E-RT02-1P08-8-U</a>
<a href="#">E-RT03?1K09?25?U?Tr</a>
<a href="#">E-RT03-1K09-20-U-Tr</a>
<a href="#">E-RT03-1P06-3-U</a>
<a href="#">E-RT05-1P06-333-U-Tr-O</a>

<a href="#">E-RT05-2P06-430</a>
<a href="#">E-RT06-1P08-10</a>
<a href="#">E-RT09-1K45-150-Ü</a>
<a href="#">E-RT09-1K45-1800-Ü</a>
<a href="#">E-RT09-1K45-400-Ü</a>
<a href="#">E-RT15-1P05-4-K10-CCB</a>
<a href="#">E-RT15-1P05-7-K20-SS</a>
<a href="#">E-RT15-1P06-5</a>
<a href="#">E-TC01-1K3I22-100</a>
<a href="#">E-TC02-1S4Z24-50-PZ-F</a>
<a href="#">E-TC02-1S4Z24-71-PZ-F</a>
<a href="#">E-TC02-1S5Y15-70-O</a>
<a href="#">E-TC02-2S4Z10-60-1/2"NPT-O</a>
<a href="#">E-TC02-2S4Z24-71-PZ-F</a>
<a href="#">E-TC15-K-K15-S-TT-ME</a>
<a href="#">E-TC01-1k60L22-120-TZ-o</a>
<a href="#">E-VS-100-0-0</a>
<a href="#">M01-KD520-6P6/I.B.c F65</a>
<a href="#">MI 05-1K60-1220</a>
<a href="#">MI04-1J15-8 K</a>
<a href="#">MI04-1J15-8 K05-CCB-Ö</a>
<a href="#">MI081k45-1200TR SE</a>
<a href="#">MI08-1K45-1200-TZ SE</a>
<a href="#">MI08-1K45-120-TZ-S</a>
<a href="#">PT-100 RTD</a>
<a href="#">PT-100 RTD RT03-1P14-20-U</a>
<a href="#">PT100 TC03-1K60-24.</a>
<a href="#">PT46</a>
<a href="#">RT02-1K0910</a>
<a href="#">RT02-1K09-10-U</a>
<a href="#">RT02-1K09-16-U</a>

<a href="#">RT02-1K09-30-U PT 100</a>	
<a href="#">RT02-1K09-35-U</a>	
<a href="#">RT02-2K09-10</a>	
<a href="#">RT02-2K09-90</a>	
<a href="#">RT02-2K09-90 -O-TEF</a>	
<a href="#">RT03-1K09-13.5-U-DTR</a>	
<a href="#">RT03-1K09-20-U-TR</a>	
<a href="#">RT03-1P05-47</a>	
<a href="#">RT04-1K14-50-U-O is OEM !!!</a>	
<a href="#">RT05-1P06-245</a>	
<a href="#">RT08-1K06-3-U K:100</a>	
<a href="#">RT08-1P06-3-K20- SS</a>	
<a href="#">RT-15-1P04-10 K:2M</a>	
<a href="#">Software program</a>	
<a href="#">TC01-1K2N22-71-F</a>	
<a href="#">TC01-2K3L22-120-K-TR-TZ</a>	
<a href="#">TC05-1S4Z08-150</a>	
<a href="#">TC05-1S4Z08-170</a>	
<a href="#">TE-1K3-2000-I</a>	
<a href="#">E-200-3-1-0-0</a>	
<a href="#">E-220-3-1-0-0</a>	
<a href="#">E-TC01-1K3N22-110-TZ</a>	THERMOCOUPLE ELEMENT : 1xType K ELEMENT DIAMETER : 3 mm PRODUCTION TUBE : 1.4841 Stainless Steel TUBE DIAMETER : 22 mm IMMERSION LENGTH : 1100 mm (PRIMER) PROTECTION TUBE : KER-610 DIN Ceramic WATER PROOF CONNECTION HEAD
<a href="#">COMPENSATION CABLES</a>	E-1,5C2KSCBA T/C TYPE : NiCr-Ni (Type K) CROSS-SECTION : 1,5 mm <sup>2</sup> WIRE PRODUCT CODE : Flexible NUMBER OF CORE : 2 one pair INSULATION : Silicone + Fiber Glass + Steel Armoured
<a href="#">E-MSS-110-/ 350 C / 25cm</a>	
<a href="#">RT02-1K06-5 1XPT-100 Class:B</a>	
<a href="#">EMI01-2K50-17-M16*1,5 S-TZ</a>	

<a href="#">PT100</a>	TEMPERATURE SENSOR
<a href="#">E-RT01-1K09-62-Ü-C2-IN</a>	0004-6918-000
<a href="#">E-RHT-10</a>	
<a href="#">E-MSS-110-200-T-S-2-0-Ö</a>	Ö:The flange will be double-sided, including klinker gasket, Tmax 200°C.
<a href="#">E-R/T-U-IN-4-8132 2XPT100 Ø:6MM L:11,5MM</a>	KABLO:0.22C6RTTA 3MT VIB. DAY
<a href="#">RT01-1K09-62-Ü-C2-IN</a>	
<a href="#">AC10</a>	220VAC INDICATOR
<a href="#">Bt01-1j05-5-K200</a>	
<a href="#">11376090 Tr.Kupl.T4a91882 L:80 L:200mm (Tc09)</a>	
<a href="#">Rt-30-1k06-16-W-Tr200c</a>	
<a href="#">E-Rt09-1k45-1000-Ü</a>	
<a href="#">E-94-2-1-0-0</a>	
<a href="#">E-Rt09-1k45-1500-Ü</a>	
<a href="#">Etw/Ts</a>	
<a href="#">E-Rt15-1p06-5-K20-Ss</a>	
<a href="#">Kc-100á;</a>	
<a href="#">E-Rt02-1k09-10-U</a>	
<a href="#">Rt02-1k09-10-U</a> Widerstandsthermometer	
<a href="#">E-1200-0-1-0-0</a>	
<a href="#">02rw-100-8-P2-1/2</a>	
<a href="#">E-2111 Temperature Control Device</a>	
<a href="#">E-58-4-0-0-0</a>	
<a href="#">E-Rt02-1p08-30-D</a>	
<a href="#">E-72-1d</a>	
<a href="#">E 100</a>	
<a href="#">Mi08-1k45-120-Tz-S</a>	
<a href="#">E-Rt-02-1k-09-25-U</a>	
<a href="#">E 2000 ? - 2 - 0 - 0 - 0</a>	
<a href="#">E-Rt09-1k45-600-Ü</a>	

<a href="#">E-Rt09-1k45-500-Ü</a>
<a href="#">E-Rt02-1k09-12-U</a>
<a href="#">E-Rt02-1k06-8-U</a>
<a href="#">E-Ft-100 16r</a>
<a href="#">Mi08-1k45- 1200-Tz S</a>
<a href="#">E-Rt09-1k45-1600-Ü Temperatursensor 16m10mr-S(R3b)-16000-45p2/Fg01.Cxd</a>
<a href="#">E-Rt09-1k45-1200-Ü</a>
<a href="#">Rt02-1k06-50</a>
<a href="#">Rt02-1k09-16-U Thermometer</a>
<a href="#">E-Rt02-1k09-20-U</a>
<a href="#">E-Mss-100-030-T-S-2-Ä214;</a>
<a href="#">Pt100 Rt30-1p06-19</a>
<a href="#">E-Rt02-1k08-115 1xpt-100 Ä199;Ap:8mm Boy:1150mm Bağlanti 1/2 Rekorlu</a>
<a href="#">Mi081k45-1200tr Se L=1200mm/D=4.5mm</a>
<a href="#">16090051.010.082583</a>
<a href="#">Rt03-1k09-13.5-Ä220;-Dtr</a>
<a href="#">E-Rt09-1k45-1400-Ü Temperatursensor 14m10mr-S(R3b)-14000-45p2/Fg01.Cxd</a>
<a href="#">E-111-Lg</a>
<a href="#">E-Kc-100</a>
<a href="#">Mi 05-1k60-1220 Thermoelement</a>
<a href="#">Pt100 Tc03-1k60-24</a>
<a href="#">E-200-2-1-0-0.</a>
<a href="#">E-48-1-1-0-0</a>
<a href="#">Rt02-1k09-20-Ü-V</a>
<a href="#">Mi08-1k45-1200-Tz Se</a>
<a href="#">E-680-16-2-0-08-0-0</a>
<a href="#">E-Rt09-1k45-600-Ü Temperatursensor 6m10mr-S(R3b)-6000-45p2/Fg01.Cxd</a>

<a href="#">E-Rt15-1p06-5-K20-Ss Thermocouple</a>
<a href="#">Rt02-1k09-15-Ü-V</a>
<a href="#">Bto1-1j06-3-K30-Ccb-Tz Thermolement</a>
<a href="#">E-Mi04-1k30-60-K5-Tz Thermocouple E-Mi04-1k30-60-K5-Tz</a>
<a href="#">Rt02-1k06-20</a>
<a href="#">Rt02-1k09-20-Ü-Ö-V</a>
<a href="#">E-90-1-5-0-0</a>
<a href="#">E-Kss-100-025-E-Kau-0-0</a>
<a href="#">E-Rt15-1p05-7-K20-Ss Temperatursensor ( Eleman 1xpt-100) Tip Rt15-Po5-7</a>
<a href="#">E-700-3-1-0-0</a>
<a href="#">E-Rt09-1k45-1400-Ü</a>
<a href="#">E-Ft-100 24r</a>
<a href="#">E-Rt02-1k09-10-U-Tr</a>
<a href="#">E-Tc02-1s5z15-85-Å214;</a>
<a href="#">E-Rt09-1k45-150-Ü Temperatursensor 1.5 M10mr-S(R3b)-1500-45p2/Fg01.Cxd</a>
<a href="#">E-Rt09-1k45-800-Ü</a>
<a href="#">E-Rt02-1k06-100-U</a>
<a href="#">Rt02-1p08-20-E03-0 Eleman 1x Pt-100, Class B</a>
<a href="#">Rt02-1k09-10-U Resistance Thermometer</a>
<a href="#">Mi04-1j15-8 K Termokupl, 50cm 1 X Fe Cont.J Tip Boru Tutucu/ Cap:50mm,Boru Tutucu Boyu: 25mm.</a>
<a href="#">E48 2-1-0-0</a>
<a href="#">Rt30-1p06-19</a>
<a href="#">Rt-30-1k06-40-W-Tr200c</a>
<a href="#">Bt01 - 1j06 -3 K-20-Ccb-T</a>
<a href="#">E-Rt15-1p03-3-K10-Tt</a>
<a href="#">E-Rt02-1k09-15-U</a>
<a href="#">E-0,35ã199;2jccba</a>

<a href="#">E-7111-Tr</a>
<a href="#">E-Rt09-1k45-1300-Ü</a>
<a href="#">Rt02-1k09-15-Ü-Ö -V</a>
<a href="#">E-Rht-10-1-2-0-4-0-1</a>
<a href="#">E-Kc 100 0-100 ;C</a>
<a href="#">E-Bto1-1l08-3k15-Ccb-T Thermoelement</a>
<a href="#">E-72-1-0-0-0</a>
<a href="#">Bt05-1j04-4-K15-Cb-Tz Sennsor</a>
<a href="#">E-Mi01-1k60-10-R- 1/2quot;</a>
<a href="#">4b200na</a>
<a href="#">Serial: 16060118.020.054643</a>
<a href="#">E-Mss-100-100-T-S-2-Ä214;</a>
<a href="#">E-Rht-10-0-2-0-4-1-2 By E-Rht-10-0-2-0-4-4-2</a>
<a href="#">E-Db-10</a>
<a href="#">E-Rt30-Nun-2p06-35/50-E6-M20*1,5-B-W</a>
<a href="#">Mi04-1j15-8 K</a>
<a href="#">E-2000 Controller</a>
<a href="#">E-Kss-100-025-E-Kau-0-1</a>
<a href="#">E-Rt02-1k06-5-U</a>
<a href="#">3111 140</a>
<a href="#">Rt15-1p06-10-Ü-K50-Ccb-Ö-V</a>
<a href="#">E-200-2-3-0-0</a>
<a href="#">4b142na</a>
<a href="#">E-Rt09-1k45-900-Ü</a>
<a href="#">Rt02-1k06-5 18040513.040.036548</a>
<a href="#">Rt08-1p06-3-Ä220;-K5-Pp Pt-100</a>
<a href="#">E-Rt09-2p08-4,5-D-K50-Ccb</a>
<a href="#">Rt08-1p06-3-Ä220;-K80-Ccb</a>
<a href="#">E-Rht-10-0-2-0-4-4-2</a>

<a href="#">E7111-Tr L-Tip</a>
<a href="#">Bt01-1j06-3-K20-Cb-T</a>
<a href="#">Bt01-1j06-3-K30-Ccb-T Sensor</a>
<a href="#">E-Rht-10-0-2-0-4-3-1</a>
<a href="#">E-Rt09-1k45-700-Ü</a>
<a href="#">E-Ft-100 8r</a>
<a href="#">E-Rt09-1k45-1600-Ü</a>
<a href="#">E-Rt09-1k45-1200-Ü Temperatur-Sensor 12m10mr-S(R3b)-12000-45p2/Fg01.Cxd</a>
<a href="#">E-Vs-100-1-0 Vibrator Driver -Elimko Vs- 100-1 C Schnittstelle Rs485</a>
<a href="#">E-200-4-2-0-1</a>
<a href="#">E-Vs-100-1-0</a>
<a href="#">E-Rt09-1k45-1100-Ü</a>
<a href="#">E-Rt02-1k06-7-Tr</a>
<a href="#">E72-1d 0-400 Digital Indicator</a>
<a href="#">E-Kss-100-100-E-Pvc-0-0</a>
<a href="#">E-48-2-0-0-0</a>
<a href="#">E-2111</a>
<a href="#">E-Rt09-1k45-400-Ü Temperatursensor 4m10mr-S(R3b)-4000-45p2/Fg01.Cxd</a>
<a href="#">Rt02-1k06-5</a>
<a href="#">E-72-2-0-0-0</a>
<a href="#">E-Kc 100 0-150 ;C</a>
<a href="#">Mi04-1j15-8 K05-Ccb-Ö Termokupl 1 X Fe Cont.J Tip Tutucu Boru/ Cap:50mm,Tutucu Boru Boyu: 25mm</a>
<a href="#">Pk-700-12</a>
<a href="#">E-Rt15-1p06-5-K20-Ss Temperatursensor (Eleman 1xpt-100) Tip Rt15-1p06-5 K2m</a>