Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Elomatic

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Elomatic Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Elomatic Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Fd0065.Nm00cwals.Yd14sna.00	Drive the EL-O-MATIC F series, DIN, F05, double acting, 90 ° clockwise rotation, Square mount 14mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 95 ° - closed Position 10 ° to - 5 °, Standard temperature version -20 ° C to + 80 ° C
11629	POSIFLEX positioner electro / pneumatic 4-20 mA TYPE F 20 IP 65, M20x1.5 according to Data sheet D3.301.2 (VA368.00.164), incl. Cable gland.
11708	Position feedback 4-20mA, type PTF20, for POSIFLEX positioner F 10/20, as Plug-in module for F20 circuit board, according to Data sheet D6.202.1
FD0065.NM00CWALS.YD14SNA.00	Drive the EL-O-MATIC F series, DIN, F05, double-acting, 90 ° turn clockwise, Square adapter 14mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 95 ° - closed Position 10 ° to - 5 °, Standard temperature version -20 ° C to + 80 ° C
FD0150	
FD0350.NM00CWALL.YD22SNA.00XX	drive the EL-O-MATIC F series, DIN, F10, double acting, 90 ° rotation in Clockwise, square socket 22mm, diagonal according to DIN, with double Stroke limitation: setting range open

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Position 80 ° to 95 ° - closed position 10 ° to - 5 °, standard temperature version - 20 ° C to + 80 ° C.
FD1600.NM00CWALS.YD46SNA.00XX	drive the EL-O-MATIC F series, DIN, F16, double acting, 90 ° rotation in Clockwise, square socket 46mm, diagonal according to DIN, with double Stroke limitation: setting range open Position 80 ° to 93 ° - closed position 10 ° to - 3 °, standard temperature version - 20 ° C to + 80 ° C
FD2500.NM00CWALS.YD46SNA.00XX	drive the EL-O-MATIC F series, DIN, F16, double acting, 90 ° rotation in Clockwise, square socket 46mm, diagonal according to DIN, with double Stroke limitation: setting range open Position 80 ° to 93 ° - closed position 10 ° to - 3 °. Standard temperature version - 20 ° C to + 80 ° C
FS0100.NM50CWALL.YD17SNA.00XX	drive the EL-O-MATIC F series, DIN, F07, single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square adapter 17mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 95 ° - closed Position 10 ° to - 5 °, Standard temperature version -20 ° C to + 80 ° C Country of origin: Malaysia Customs tariff number: 84123900
FS0200.NM50CWALL.YD22SNA.00XX	drive the EL-O-MATIC F series, DIN, F10, single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square adapter 22mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 95 ° - closed Position 10 ° to - 5 °, Standard temperature version -20 ° C to + 80 ° C
FS0600.NM50CWALL.YD27SNA.00XX	drive the EL-O-MATIC F series, DIN, F12, single acting, spring set 50, 90 ° rotation clockwise / spring-to-close,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Square adapter 27mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 95 ° - closed Position 10 ° to - 5 °, Standard temperature version -20 ° C to + 80 ° C.
FS0950/ 50	
FS0950.NM50CWALL.YD36SNA.00XX	drive the EL-O-MATIC F series, DIN, (drilling pattern F14), single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square socket 36mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 93 ° - closed Position 10 ° to - 3 °, Standard temperature version -20 ° C to + 80 ° C
S1600.NM50CWALS.YD46SNA.00XX	drive the EL-O-MATIC F series, DIN, (drilling pattern F16), single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square adapter 46mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 93 ° - closed Position 10 ° to - 3 °, Standard temperature version -20 ° C to + 80 ° C.
FS2500.NM50CWALS.YD46SNA.00XX	drive the EL-O-MATIC F series, DIN, F16, single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square adapter 46mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 93 ° - closed Position 10 ° to - 3 °, Standard temperature version -20 ° C to + 80 ° C.
FS4000.NM50CWALL.YQ55SNA.00XX	drive the EL-O-MATIC F series, DIN, drilling pattern F25, single acting, spring set 50, 90 ° rotation clockwise / spring-to-close, Square socket 55mm, diagonal according to DIN, with double stroke limitation: setting range open position 80 ° to 93 ° - closed Position 10 ° to - 3 °, Standard temperature version -20 ° C to

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	+ 80 ° C.
ED 0100-M2A00A	
ED 0200-M2A00A	
ES 0200-M2A04A	
ED 0350-M2A00A	
FS0200.NM40CCALT.NL22SNA.00XX	17354 Drive of the EL-O-MATIC F series, ISO, F10/F07, single acting, spring set 40, 90° rotation counterclockwise / spring opening, Square mount 22mm parallel, with double stroke limitation adjustment range open position 80° to 95° - closed position 10° to - 5°, Standard temperature version -20°C - 80°C.
POSIFLEX F10 11630	pneumatic positioner POSIFLEX F10, IP65; 0.2 - 1 bar (3-15psi); air connection G1/4", for 90° rotation (368.00.014) country of origin: Germany Customs tariff number: 90328100
FS0200.NM40CCALT.NL22SNA.00XX	18848 Drive of the EL-O-MATIC F series, ISO, F10/F07, single acting, spring set 40, 90° rotation counterclockwise / spring opening, Square mount 22mm parallel, with double stroke limitation: adjustment range open position 80° to 95° - closed position 10° to - 5°, standard temperature version -20°C - 80°C incl. display
pneumatic positioner POSIFLEX F10	IP65; 0.2 - 1 bar (3-15psi); air connection G1/4", for 90° rotation (368.00.014) incl. PU tubing on bridge (stainless steel) according to VDI / VDE 3845, pitch circle 80 x 30mm, Height 45mm, for pneumatic drives EL-OMATIC, sizes E/F25 to E/F350, incl. mounting screws.
11629	POSIFLEX positioner electro/pneumatic 4-20 mA TYPE F 20 IP 65, M20x1.5 acc Data sheet D3.301.2 (VA368.00.164), incl. cable gland.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
13269	Wear parts set consisting of all Seals, bearings and guide bands for ED/ES100, (repair kit) -20°/+80°C, - 4°F/+176°F (VA902.90.531) (VA001-454-25)
18645	FS0350.NU30CWALT.ND22SNA.00XX drive the EL-O-MATIC F-series, (UNC thread), single-acting, spring set 30, 90° rotation clockwise / spring closing, square drive 22mm DIN, Standard temperature version -20°C - 80°C
FS0100.NM40CCALT.0000LNA.00XX	drive the EL-O-MATIC F series, ISO F05/F07, single-acting, spring set 40, 90° opening counterclockwise / spring opening, prepared for insert, with double Stroke limit, adjustment range open Position 80° to 95° - closed position 10° to -5°, low temperature version -40°C up to +80°C.
FS2500.NM60CWALS.YD46LNA.00XX	16389 drive the EL-O-MATIC F series, DIN F16, single-acting, spring set 60, 90° closing clockwise / spring closing, Square socket 46mm diagonal, with double stroke limiter, adjustment range open position 80° to 95° - closed Position 10° to -5°, Low temperature version -40°C to +80°C.
FS0350.NM40CWALT.0000LNA.00XX	drive the EL-O-MATIC F series, ISO F07/F10, single-acting, spring set 40, 90° closing clockwise / spring closing, prepared for insert, with double Stroke limit, adjustment range open Position 80° to 95° - closed position 10° to -5°, low temperature version -40°C to +80°C
FS0350.NM40CCALT.0000LNA.00XX	drive the EL-O-MATIC F series, ISO F07/F10, single-acting, spring set 40, 90° opening counterclockwise / spring opening, prepared for insert, with double Stroke limit, adjustment range open Position 80° to 95° - closed position 10° to -5°, low temperature version -40°C up to +80°C.
FS1600.NM40CWALS.YD46LNA.00XX	16384 EL-O-MATIC F-series drive, DIN F16,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	single-acting, spring set 40, 90° closing clockwise / spring closing, Square socket 46mm diagonal, with double stroke limiter, adjustment range open position 80° to 95° - closed Position 10° to -5°, Low temperature version -40°C to +80°C.
FS0065.NM40CWALT.Y000LNA.00XX	24578 Drive of the EL-O-MATIC F series, DIN F05/F07, single-acting, spring set 40, 90° closing clockwise / spring closing, prepared for insert with double Stroke limit, adjustment range open Position 80° to 95° - closed position 10° to -5°, low temperature version -40°C up to +80°C.
FS0600.NM40CWALT.0000LNA.00XX	10097 EL-O-MATIC F-Series drive, ISO F10/F12, single-acting, spring set 40, 90° closing clockwise / spring closing, prepared for insert, with double Stroke limit, adjustment range open Position 80° to 95° - closed position 10° to -5°, standard temperature version -40°C to +80°C
FS0950.NM40CCALL.YD36LNA.00XX	16411 EL-O-MATIC F-series drive, DIN F14, single-acting, spring set 40, 90° opening counterclockwise / spring opening, Square socket 36mm diagonal, with double stroke limiter, adjustment range open position 80° to 95° - closed Position 10° to -5°, Low temperature version -40°C to +80°C
11690	Insert for drive size 100, square 19mm
11462	Insert for drive size 150/200/350/600, Square 27mm
11530	Insert for drive size 40/65, square 14mm
11206	Plastic visual indicator knob for F-Series F12-F350
14655	Plastic display knob for F-Series F600

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	up to F4000
13263	Wear parts set consisting of all Seals, bearings and guide strips for ED/ES 950, (repair kit) -20°/+80°C, - 4°F/+176°F (VA001-454-40)
11629-	POSIFLEX positioner electro/pneumatic 4-20 mA TYPE F20 IP 65, M20x1.5 according to Data sheet D3.301.2 (VA368.00.164), incl. Cable gland.
16171	FD0040.NM00CWALT.NL14SNA.00XX Drive the EL-O-MATIC F series, ISO, F05/F07, double-acting, 90° closing Clockwise, 14mm square drive parallel, with double stroke limitation Adjustment range open position 80° to 95° - closed position 10° to -5°, Standard temperature version -20°C to +80°C.
992.14.103 B	
750.73.053. 200 Va Transformer	
Pd2500.D1b00a.00n0	
992 14 103b	
Ef-H3bpl-25-Ed25-M	
Fs0600.Nm50cwalt.0000hna.00xx	
Typ: F 20 Ip 65 Art.No. Va368.00.164	
Ed25	
Ed0025m1a00a00n Group-2 Only Actuator	
Fs0350m60cwalt0000sna00	
368 00 164	
Ed0200.D1a00a.22no	
Fs0350.Nm30cwall.Yd22hna.00xx	
Fd0040.Nm00cwals.Yd14sna.00xx	
750 73 053	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Es0024m1a04a00n0 , Fs0025m40cwallyd11sna00	
F 20	
Type:Es0024m1a04a00n0 , Fs0025m40cwallyd11sna00	
Rb2c-190/60	
F20 368.00.164	
El 1600 380 -415v 50/60 Hz,	
El-200 380-415v/ 50 Hz	
Typ: Ptf20 Art.No. Va368.92.100	
368.90.011	
Es0200.Mia05a.00n , By Fs0200.Nm50cwall.Yd22sna.00xx	
Va001-454-43	
Va836.00.620	
Es0025.Mia05a.00n0 , By Fs0025.Nm50cwall.Yd11sna.00xx	
11712	2 pieces micro switch V3, type S2, for POSIFLEX positioner F 10/20, Cable entry M20x1.5, according to data sheet D 6.204, VA368.90.232.
Type: Es0025.M1a05a	
Fs0025m50cwallyd11sna00	
750.73.053	
Gasket For Type: Es0025.M1a05a , Fs0025m50cwallyd11sna00	
E350	
Ed1600.H1a00a.00n0	
368.00.014	
79000811	CONTROL CARD

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Va368.00.014	
Vaed1600.D1a00a.46n0	
Ed25 A	
9136950003	
Ed0040.M1a00a.00n0 Replaced By Fd0040.Nm00cwals.Yd14sna.00xx	
36928-2 Selector Switch(Local/Off/ Remote)	
Ed0040.M1a00a.00n0 267226079 /11	
Ed0200.D1a00a.17no	
El 200	
Fs0350.Nm30ccalt.Nl27hna.00xx	
10156 Type Fs0025.Nm50cwall.Yd11sna. 00xx	
Fs0600.Nm30ccalt.0000hna.00xx	
Fs0600.Nm30cwall.Yd27hna.00xx	
Ed0950	
368 00 014	
Ec7960x000001d0	
9139170001	
13181 Type Fd0040.Nm00cwals.Yd14sna. 00xx	
Doppeltwirkender Pneumatik-Antrieb, Fabrik: El-O-Matic, Typ: Ed 950, Funktion: Code: "a"	
Ed950	
Ed25/A	
E0100	
Fs0350.Nm50cwall.Yd22sna.00xx	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
750.73.053.	
El526	
El55	
Type: F0100m - Old Name, New Name - Fs0100.Nm50cwall.Yd17sna.00xx	
El 1600	
Dc-Ed-15-304 Butterfly Valve 3" With Pneumatic Actuator	
Es0350.M1a05a.00n0 / By Fs0350.Nm50cwall.Yd22sna.00xx	
Doppeltwirkender Pneumatik-Antrieb, Fabrik: El-O-Matic, Typ: Ed 950, Funktion: Code: Quot;Aquot;	
Fs0600.Nm30ccall.Yd27hna.00xx	
368.00.110,Obsolete,Replacement By Va368.00.164	
Ed100	
510/Tspn0237.1	
Elf20	
Ed0025.D1a00a.11no	
Vaps2500.D0d14a.00n0	
Es0200.M1a05a.00n0 , Fs0200.Nm50cwall.Yd22sna.00xx	
11629 (Typ F 20 Ip 65)	
750.73.053 B Transformer	
Fs0200.Nm50cwall.Yd22sna.00xx	
Ed0100	ACTUATOR
E20100.M1a05a.00no /F8	
Fs0350.Nm30ccall.Yd22hna.00xx	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
368.00.164 Type F20	
Es600	
Ed 100	
530/Ldn Is2	
510/Tspn0257	
Es 950	
Elomatic-Ed0100d1a00a017n1-Type-Ed-100-Replaced-By-Fd0100m00cwallyd17sna00-Hochtemperatur-Ausf3;Hrung-20;C--120;C-Istanbul-Turkiye	
368.00.164 Posiflex Positioner, Electro/ Pneumatic	
368.92.100	
368.00.164 Typ F 20 Ip 65 D3.301.2	
368.90.232	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.