

Elpro

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Elpro Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Elpro Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Libero Te1-Py	PDF logger for external Pt100 sensor Lifespan: 400 days, multiple use Measuring range: -200 ° C .. + 200 ° C / storage capacity: 16,000 readings Connection: USB Validation certificate, the external Pt100 sensor is not included Customs fee number. 9025192000 / origin CH
Electrical Calibration	Calibration with 4 ... 20 mA or simulation with resistance 1channel, 2 calibration values PT100 / PT 1000 all standard values -200 ... 850 ° C NTC (3kOhm) -40 ... 150 ° C ----- recommended: electr. Calibration without PT100 sensor (-196 ° C / -80 ° C)
115u-1 Multi 1/0	
115s-12 Wilress 1/0	
105U-1-868-500M	
245U-E-G	
455U-D-H-440W	
800375	
800397	
800440	
800445	
800637	

Ürün	Açıklama
800698	
802242	
802260	
905U-4	
950U-G-ET1	
BEG13206-2R32A1R64	
E115S-11	
E905-D	
EL-105U-4-868-500M	
EL-245U-E-A-EU	
EL605M-R1	
GNEXTG-GSM-6	
TZW 803	
WHGSM-3	
6ES7214-1HG40-0XB0	
6ES7221-1BF32-0XB0	
6ES7234-4HE32-0XB0	
S7-200 300 400 PLC USB-MPI-DP- PPI	
6EP1931-2EC21	
6EP1334-1LB00	
105U-G-MD1	
105U-2	
EL-915U-2-869EU	8)DI/O + (4)AI + (2)AO + (4)PI/OTCP/IP, UDP, HTTP, FTP, TFTP, TELNET, MODBUS, MODBUS TCP SUPPORTETHERNET 10/100BASE-T, RJ-45, IEEE 802.3869 MHz, 500mW10.8-30vDC Supply
CFD 890 EL, Dipole Antenna, 853-929 MHz SMA male,	5m with RG-58 Cable Mounting Clamp

Ürün	Açıklama
105U-4	
115S	Serial I/O
905u-G-Pr	
El-915u-2-900us	RADIO TELEMETRY MODULE 900MHZ
905u-2	WIRELESS RADIO MODEM
E105u-1	
9050-1	CONTROLLER I/O WIRELESS
905u-1	SPREAD SPECTRUM RADIOS 900MHZ
240ue100	RADIO
El-105u-2-460-5w	telemetry module EL-105U-2-460-5W Radio interface 430..450 MHz, 500 mW..5W,, RS232 / 485. 4 digital E, 1 digital A, 6 analogue E, 4 pulse
1.6d	
915u-2	
9001-Eg33 Elpro Messleitung Mit Schirm	
905u-E	WIRELESS ETHERNET MODEM 100MA 10-30V CLASS 1 DIV 2
905u4	MODULE
Elprolog Suite Standard Qls	
455udh	MOD BUS MODULE
905ult	RADIO TRANSMITTER 1000MA 10-30V
17200509153	
Tzw 803 Obsolete	
105u-1	RADIO TELEMETRY MODEM
905u-G-Et1	WIRELESS GATEWAY ETHERNET MODEM
El-105u-4-440--5w	telemetry module

Ürün	Açıklama
	Radio interface 430..450 MHz, 5 W. RS232 / 485. 4 each digital I / O and 12 configurable I / O
Elpro905u-G-Pr	
905u-D	WIRELESS RADIO MODEM 10-30VDC OR 13-14VAC
800011	
105g-Md1h	Wireless gateway Radio interface 430..450 MHz, 0.5 ... 5 W. RS232 / 485 with Modbus and DF1 protocol
5bb9192	
105u-1 (Radyo+4di/4do+2ai/2ao)	
2720 Ecolog-Net La8	
800446	
3032-B9k Db9 Stecker	
Dsa 135-16	
Wireless (105u-1)	2100110239 MODUL 105-U-1 ORDER NO: 105U-1
905ud9001wus	MODEM
E105u-1h	
150-1 Uhf	
800044	
Dsa 35-16	
Cfd890el	
Part No: 800445	
Elpro-2751-V24-Netzgerö;T-F3;R-Ecolog-Net-Mit-Stecker-Db9-Istanbul-Türkiye	

Ürün	Açıklama
905u-G-Md1	WIRELESS GATEWAY MODEM 900MHZ
905u	RADIO
Elpro105u-G	
105u-G	
800447	
115s-12	
905u-G-De1	RADIO INTERFACERELESS GATEWAY ETHERNET MODEM
800532	