

## Emg Automation



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Emg Automation** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Emg Automation T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">LIN.LIG.EMITER TYP:LLS 1075/01 LLS</a>	
<a href="#">SERVOVENTIL SV 1-10/16/315/6</a>	226700
<a href="#">115079</a>	
<a href="#">115162</a>	
<a href="#">115163</a>	
<a href="#">137063_E</a>	
<a href="#">186024</a>	
<a href="#">186026</a>	
<a href="#">205812_E</a>	
<a href="#">226696</a>	
<a href="#">226697</a>	
<a href="#">226701</a>	
<a href="#">226702</a>	
<a href="#">231165_E</a>	
<a href="#">231166_E</a>	
<a href="#">235336</a>	
<a href="#">255190</a>	
<a href="#">255217</a>	
<a href="#">258034</a>	
<a href="#">304420</a>	

<a href="#">304517</a>	
<a href="#">330061</a>	
<a href="#">334073</a>	
<a href="#">367454</a>	
<a href="#">391629</a>	
<a href="#">392110</a>	
<a href="#">392529</a>	
<a href="#">394694</a>	
<a href="#">398006</a>	
<a href="#">715140</a>	
<a href="#">715306</a>	
<a href="#">715408</a>	
<a href="#">715455</a>	
<a href="#">715782</a>	
<a href="#">717952</a>	
<a href="#">717953</a>	
<a href="#">718134</a>	
<a href="#">718980</a>	
<a href="#">SV1-10/32/315/6</a>	
<a href="#">SV 1-10/32/315/6</a>	SERVO VALVE
<a href="#">KLW 360.012</a>	KLW 360.012 DISPLACEMENT TRANSDUCER
<a href="#">ELHY DEVICE EB 500-60</a>	715317 Ds. 230/400V ± 10% - 50Hz S1/S3 - 100% ED, max. 2000 c/h Ambient temperature -25°C ... +40°C Paint RAL 5008 Degree of protection IP 56 Installation position II upright
<a href="#">392635</a>	ELDRO DEVICE Ed 23/5 Ds. 230/400V ± 10% - 50Hz S1/S3 - 60% ED, max. 2000 c/h Ambient temperature -10°C ... +60°C Paint RAL 7022 Degree of protection IP 65 VITON seals
<a href="#">392635-00181089</a>	
<a href="#">KLW 360.012 EMG</a>	
<a href="#">sv1-10/32/100/6</a>	
<a href="#">TR-H7/10 F 0 6</a>	
	WEAR PARTS SET FPM *SPARE*530/630 Wear part set VITON

<a href="#">710681</a>	for ELHY devices Type EB 80/60, 125/60, 150/60 EB 80/160, 125/160, 150/160 EB 800-60, 800-120, 1250-60, 1250-120 EB 800-160, 1250-160, 1500-60, 1500-160
<a href="#">219963</a>	WEAR PARTS SET ED 23/5 VITON 1443
<a href="#">TRANSMITTER COIL SMI750.T01</a>	SMI750.T01 TRANSMITTER COIL MAIN FRAME: SMI-SE/750/2600/2000/500 PART NUMBER: 187590 IDC:187590-00094174 187590
<a href="#">392550</a>	ELDRO DEVICE Eg 50/6 GS 230 V ± 5 % S1/S3 - 60% ED, max. 1000 c/h Ambient temperature -15°C ... +35°C paint RAL 7022 protection class IP 65
<a href="#">ELDRO® thruster type Eg 50/6</a>	392550 DC 230 V ± 5% S1/S3 - 60% duty cycle, max. 1000 c/h Ambient temperature -15°C ... +35°C Paint RAL 7022 Type of enclosure IP 65
<a href="#">ELHY® device EB 50/50</a>	723135 Ds. 230/400 V ± 10% - 50 Hz S1/S3 - 100% ED, max. 2000 c/h Ambient temperature -40°C ... +40°C Special paint finish RAL 5008 Protection class IP 56 Installation position II upright C-spring C32 (UK) Cold version F
<a href="#">SV1-10/16/120/6</a>	SERVO VALVE 390499 Size 4 - 16 LITER VALVES Standard / Drawing No. SV1-10/16/120/6
<a href="#">LIGHT TRANSMITTER LLS 675/01 EMGLIGHT</a>	675/01 IP:65 24VDC 12W
<a href="#">SGC1000/AE1034/CAN</a>	Digital Controller
<a href="#">Bmi 2.11.1</a>	
<a href="#">115163 Ring Emg 115163</a>	
<a href="#">Eb500-60</a>	
<a href="#">Sv1-10/4/315/6</a>	SERVO VALVE PACK HST 10.2120 INCLUDING: SERVO VALVE RESSURE FILTER; MANIFOLD BLOCK, SHUT OFF VALVE IN P AND NON-RETURN VALVE IN T LINE; COLOUR: X53 GOLDEN TAN (RAL8001
<a href="#">Eb800-60ii</a>	
<a href="#">P-Pvs1b16n2</a>	
<a href="#">Dpmc319-B-36</a>	
<a href="#">Ls-4019-C2</a>	
<a href="#">Ed50/06</a>	
<a href="#">Emg-Typ Yvh/S-01</a>	
<a href="#">Dmcr-120-B3-40</a>	
<a href="#">298304</a>	
<a href="#">715327</a>	

[226697 Servoventil Sv 1-  
10/48/100/6zolltarifnummer:  
84812010herkunftsland De](#)

[Lih 2/40/230.01](#)

[255217 Druckregler Tr-H7/60 F 06](#)

[Sv1-10/16/315/6](#)

[Vki 3-100/1600/900/M/-/S.100](#)

[234278](#)

[Tx01a-Mh-Dcn](#)

[Dpmc-319-B-24](#)

[Eb 80/60 Ii Hydropusher](#)

[Klw 300.004](#)

[Sv 1-10/ 4 / 315 /6](#)

Servo valve tariff : 84812010 DE

[Sv1-10/8/315/6 ; 0,3 A](#)

[235971](#)

[Sv1-10/32/100-6](#)

[304420 Smi-Se/750/2600/2000/500](#)

[Eb20/50](#)

[200062](#)

[Klw 300.012](#)

Position Sensor

[Evk2.11.3](#)

circuit board

[Teile-Nr.160 714](#)

[Bmih-Cp/800/2490/1950/0 Position  
Sensor Inductive,500~1950mm,+  
-15v,Ac220v](#)

[719559](#)

[133706](#)

[R43-406-Nnla](#)

[Dmc59-B3-160](#)

[302092](#)

[121029](#)

[Net 21.05](#)

<a href="#">717755</a>	
<a href="#">Dmdr38-B3-25</a>	
<a href="#">Rhv25psr-Ed</a>	
<a href="#">Evk04</a>	
<a href="#">Msg12-Fha</a>	
<a href="#">Ed30/5</a>	
<a href="#">Tr-H9/6seu</a>	
<a href="#">259756</a>	
<a href="#">186026 Filterelement Hfe 110/10h</a>	
<a href="#">Klw 600.012 Sensor Type: Linear Displacement, Designation, Klw 600.012</a>	
<a href="#">Sv1-10/8/315/6</a>	
<a href="#">Ed80/6</a>	
<a href="#">226699</a>	
<a href="#">Ed23/5</a>	
<a href="#">Eb 220-50/2 Ii</a>	
<a href="#">164674</a>	
<a href="#">Tcg01-Mh-Dcn</a>	
<a href="#">Eb800/60</a>	
<a href="#">255190 Druckregler Tr-H7/30f0.6</a>	
<a href="#">Dmc120-B3-160</a>	
<a href="#">E5623ss25hgr8</a>	
<a href="#">259757</a>	
<a href="#">Ls-H21</a>	
<a href="#">Im800.E04</a>	
<a href="#">Bmi-2-Cp/800/2460</a>	
<a href="#">Imh2.002/500/1650/S.586 R</a>	As RECEIVER REplacement for S464
<a href="#">N5677ss32hg5</a>	
<a href="#">Lwh-300</a>	
<a href="#">137063</a>	
	Standart ELHY Ds. 220 / 380V + - 10% -50Hz S1 / S3 - 100% ED, max. 2000 c / h Ambient temperature -25 C ... + 40C

<a href="#">Elhy-Gerat Eb 50/50</a>	Paint RAL 5008 Degree of protection IP 56 Installation position II standing C-spring C32 (pl) control spring Same as serial no. : 238986
<a href="#">Dim500-B3-160</a>	
<a href="#">Sv1-10/8/100/6</a>	
<a href="#">Servo Valve Pack Hst 10.2120</a>	SERVO VALVE PACK HST 10.2120 INCLUDING: SERVO VALVE SV1-10/4/315/6: PRESSURE FILTER; MANIFOLD BLOCK, SHUT OFF VALVE IN P AND NON-RETURN VALVE IN T LINE; COLOUR: X53 GOLDEN TAN (RAL8001)
<a href="#">334073 Umrustung Bmi 2-Cp Auf Smi</a>	
<a href="#">Zx04b-Mh-Dcn</a>	
<a href="#">Spc16-1</a>	
<a href="#">Bmi2/800/2260/1850</a>	
<a href="#">234278 Leiterplate Bmi2.11.1 16-Bit Ausf.</a>	
<a href="#">Eb-20/50 C20</a>	
<a href="#">Ed301/6</a>	
<a href="#">304517 Smi-Hr/750/2600/2000/200</a>	
<a href="#">229366</a>	
<a href="#">Elhy-Gerat Eb 125/60</a>	Ds. 220 / 380V + - 10% -50Hz S1 / S3 - 100% ED, max. 2000 c / h Ambient temperature -25 C ... + 40C Paint RAL 5008 Degree of protection IP 56 Installation position II standing C-spring C80 (pl) control spring Same as serial no. : 312201
<a href="#">Eldro 201/6</a>	
<a href="#">Im800.S04</a>	
<a href="#">Imh2.002/500/1650/S.586 T</a>	As TRANSMITTER Replacement for S464
<a href="#">Ws40-U236-Dcc</a>	
<a href="#">235336 Prozessorkarte Xc167zolltarifnummer: 85423390herkunftsland De</a>	
<a href="#">Ecu 01.2 P/N 235309</a>	
<a href="#">330061 Electronic Board Evk 2.11.3</a>	
<a href="#">226701 Servoventil Sv 1-10/32/315/6</a>	
<a href="#">115079 Ring Emg 115079</a>	