Yursat Dış Tic. Münendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr

Emotron

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Emotron Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Emotron Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
01-1665-10	
01-2162-00	
01-2175-11	
01-2176-11	
01-2184- 00	
01-2471-10	
01-2471-20	
01-2471-40	
01-2520-25	
01-2520-45	
01-2520-45/M20 3x380-500VAC CG	
01-3389-80	

01-3957-00
01-4136-01
01-4696-00
01-5070-00 + 01-5073-00 + 01-4995-00
01-5071-00 + 01-4995-10
01-5074-00
10 01-3876-13
100011225
380-500V
CTM 010 (01-2471-10)
EMS-VVX 25M
EMS-VVX 2M0-26
EMS-VVX 2MO-26
EMX-R 35M
EMX-R25E STEUERGERAT
EMX-R-25M
FDU48-006
FDU48-031
FDU48037
FDU48-046-54 ÑÅ
FDU48-090-54CE-ENNNNA
FDU48105
FDU48-105-20
FDU48244
FDU489P5
IR425-D4-2 B71036402
LASTWACHTER M10
M20
M20 (01-2520-45)
M20 1x100-240VAC or 3x100-240VAC

M20 3X380-500VAC CG 01-2520-45	
MSF 017	
MSF 045	
MSF 570	
MSF030	
MSF-0455252C-N-EU	
MSF085	
MSF210	
MSF-450	
MSF710	
NGD 48-074-54CE	
TSA52200	
TSA69200	
VFX 2.0 NGD 48-046-54-CEB	
VFX40-14620-CEB.	
VFX48-018	
VFX48-032-2Y	
VFX48037	
VFX48-038-2Y IP20	
VFX48-072 IP2X	
VFX48088	
VFX48-109	
VFX48300	
VFX489P5	
VFX48-9P5-2Y IP20	
VS30409P5	
DSV35-40-023-20	DSV3540023 FREQUENCY CONVERTER max. motor power (NORMAL): 15 kW Rated Output Current: 28.2A max. engine power (HEAVY): 11 kW Rated Output Current: 23.5A Current limit ICL: 35.25 A Mains voltage: 340-528V (+/-10%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 599 Hz Dimensions [HxWxD]: 275x120x130 mm Weight: 3.7kg Stat.-No.: 85044084

VFX4836520	VFX48-365-20 FREQUENCY CONVERTER max. engine power (NORMAL): 200 kW Rated Output Current: 365A max. engine power (HEAVY): 160 kW Rated Output Current: 292A Current limit ICL: 438 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 1090x335x306 mm Weight: 69 kg Configuration: VFX48-365 20DE---AVNNNNAN--A-B Degree of protection IP20 PPU Option D: PPU 4-Line EMC filter E: EMC 2nd environment Lacquered boards V: Lacquered boards Operating instructions download: www.emotron.de Version 2.1
FDU48037 FDU48-037	FREQUENCY CONVERTER max. engine power (NORMAL): 18.5 kW Rated Output Current: 37A max. engine power (HEAVY): 15 kW Rated Output Current: 29.6A Current limit ICL: 44 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 440(512)x178x292 mm Weight: 24kg Configuration: FDU48-03754DE---AVNNNNAN--A-BProtection level IP54 PPU Option D: PPU 4-Line EMC filter E: EMC 2nd environment Operating instructions download: www.emotron.de Version 2.1 Stat.-No.: 85044086
VFX48090	VFX48-090 FREQUENCY CONVERTER max. motor power (NORMAL): 45 kW Nominal output current: 90 A max. motor power (HEAVY): 37 kW Nominal output current: 72 A Current limit ICL: 108 A Mains voltage: 380-480V (+10%/-15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 950x285x314 mm Weight: 56 kg Configuration: VFX48-090 54DE---AVPNNNAN--A-B Schutzgrad IP54 PPU Option D: PPU 4-Line EMC Filter E: EMC 2.Umgebung Lackierte Platinen V: Lackierte Platinen Option Position 1: P: PTC/PT100 Betriebsanleitung Download: www.emotron.de Version 2.1
01-6880-00	OPTION 4 LINE PPU EXT-D54 CG/ BGD Control panel kit incl. control panel (from size D)
38071403	
19254701	
38110400	
01-1660-00	
10117699	
50903100	
01-3595-20 48-250-VI	
Vfx48210	
106/16e E085106	
Fdu48074	AC DRIVE
El-Fi Dlm,, By M20 3x380-500vac Cg/01-	

2520-45
47402210
01-3799-00
01-3595-10
51007310
10432400
10116899
01-4077-00
50-031 01-2675-33
10116499
40-013 10140610
01-3196-10
01-2675-54
2406-002
200-690 V 01-1665-10
10117711
01-3720-10
01-1865-00
01-3578-51
Vs10237p0 (Vs10-23-7p0-20)
200-690 V 01-2257-00
01-3406-04
01-4160-00
71001-1796-80
50-026 01-2675-32
52215600
40-004 10140210
160va 47009900
40023800
01-4694-00
47402010

01-4932-52
01-1505-05
01-1988-02
01-1936-00
01-3406-05
01-2257-50
51007310
01-3354-50
01-4932-10
01-3595-00 48-250
1006-216132
01-3595-20 48-250--L
01-1891-00
01-2900-01
111341
10116611
381055
111331
51007410
100a 52214000
01-3595-20 48-175--L
Control Panel External Ppu 01-3957-00
01-2675-61
10127601
01-3354-50
10117099
01-1484-12
111362
10433601
Vfx48-1k75 800 Kw 0,4 Kv (Item , Cannot Offer)

145 01-1795-20	
38105003	
111340	
110 01-1795-10	
01-1660-70	
200-690 V 01-2413-00	
01-3376-00	
01-3595-10 69-109-Va	
01-3406-11	
1006-216091	
Vfx4817554ceb	ENCLOSURE
01-3353-50	
01-1859-60	
10116702	
01-1510-00	
01-1665-50	
10117611	
146-175 01-3544-30	
200-690 V 01-4660-00	
01-4659-50	
100946	
01-4659-60	
01-4932-61	
01-3720-50	
01-2942-50	
51007100	
111450	
01-1936-10	
111452	
52216200	

200-690 V 01-1211-11
10434701
101161
01-4932-13
Stromwandler Ctm 10
01-4122-50
01-4932-53
01-3688-00
Begt 27260-4r0 3,8ohm 25000w
39251000
40-01010140510
Fdu48025
01-1598-11
10116799
10095699
10127699
07501-1794-50
B213a01-4932-02
01-4120-00
01-4599-00
01-1505-04
01-3720-30
01-1812-20
X3 01-3877-00
01-3181-00
Emx R25s
01-4576-00
10116699
10116811
01-3595-10 69-109--A
30105301

M20 3x380-500vac Cg
200-690 V 01-1211-10
200-690v01-2414-00
B1 01-2381-00
52214400
01-1489-00
250va 47010100
200-690v01-2419-00
01-2024-00
38071302
01-3688-11
310 01-1796-40
10116499
X4 15011600
01-3595-20 48-175-Vl
10096399
01-2902-07
50104601
200a52214500
100951
01-3595-10 69-175bva
01-0085-03
Vfx69109
10117111
Deneme
01-2406-00
10432003
01-3663-10
10140601
Msf-145

01-4107-00
01-4932-63
Fdu48-018
Begt 27260-4r0 3,8ohm 30000w
01-3595-20 48-250bvl
10094599
1006-216106
10095502
Fdu-40-037-20ce
01-4984-00
01-2471-40 (Ctm 100 Current Transformer)
200a52214200
10428306
140001-2005-41
200-525 V 01-1581-00
01-3595-00 48-175-V
2.0 01-2942-30
Fdu48-146-54ce-Nnnna
01-4427-20
10096199
200-690 V 01-1665-10
146-175 01-3543-10
10095807
01-4453-01
40-006 10140310
40-003 10140110
51108699
01-1208-50
15011600
50-013 01-2675-31

01-4122-10
10432500
40-00610140310
Vfb40-004-20ce (95161500)
01-4533-50
01-4427-10
39240200
74052065
01-1500-03
01-2675-52
01-1500-53
01-1500-03
01-1812-20
085 01-1794-60
01-3595-20 48-250b-L
01-4932-11
Control Board (For Vfx 40-175-20ceb)
52216400
01-3406-03
40-031 01-2675-23
01-1660-00
01-1812-01
(01-2471-20) Ctm 025 Current Transformer
017 01-1794-10
Fdu40-060-20cee
01-3595-00 48-175bv
16n1 52015210
Dfe23-04
Control Board For Msf017-Msf1400
01-3595-10 69-109--L

Vsa23-07 By Vs10237p0 (Vs10-23-7p0-20)
01-3098-50
01-3595-10 69-175b-L
51007210
40-00810140410
X4 38057400
38131000
01-3595-00 48250bv
1006-216071
38105301
01-4449-01
40-026 01-2675-22
15011600
01-3313-00
X4 100952
10140401
060 01-1794-40
Ctm 100 01-2471-40
10117699
01-1500-50
200-690 V 01-2419-00
B101-2381-00
51007410
101162
C54050402
200-690 V 01-2418-00
111454
01-3687-50
101270
01-4450-01

38104901
19254201
50110600
43404400
Lastwã196;Chter M10
090-109 01-3544-20
01-1598-10
50-018 01-2675-31
01-1859-00
01-4932-50
01-3356-50
01-4099-00
01-4122-00
1000 01-2005-11
01-4123-00
10096101
M20/01-2520-45
01-2110-45 Dcm (3x380-500v Cg)
200-525 V 01-1583-00
01-3595-10 69-109b-A
44910901
01-4533-00
01-4123-50
01-4993-00
150a 52214100
01-3595-10 69-109-Vl
51007210
44911001
01-1812-01
X15 10434701

51007000	
18a 01-4932-03	
381054	
10433601	
111453	
3a-6a 01-4932-00	
10480203	
Msf-085	SOFTSTART 45KW 380VAC IP20
01-3595-20 48-175bvl	
10094699	
045 01-1794-30	
01-4451-01	
17001-1796-10	
01-1211-61	
01-2942-00	
01-3867-01	
10116399	
01-2942-50	
01-3196-00	
38072000	
X415010803	
38131000	
01-3721-50	
01-1208-00	
8a-10a 01-4932-01	
3b01-0085-02	
090 01-3784-00	
01-1510-50	
52013900	
200-690 V 01-2418-00	

M20 3x380-500vac Cg/01-2520-45
01-2675-62
01-3809-00
Cmt 010 /01-2471-10
10117199
01-1500-53
01-1510-50
200-525 V 01-2418-00
E080022
01-1660-20
01-0666-00
01-3406-07
01-3720-70
01-3352-50
Vfx48-013-54ce
381135
01-1865-00
111340
Lastwã196;Chter M20
01-3595-10 69-175-Vl
Lcd Board For Msf017-Msf1400
15013901
01-1505-06
210-250 01-3544-00
10140301
38110301
01-1211-51
10095603
52217020
01-3720-20
01-4412-01

52018000	
01-6179-00	
1006-216041	
01-4427-00	
01-4932-51	
01-1988-00	
01-2902-05	
01-2781-00	
40-037 01-2675-24	
50104601	
01-1665-50	
X401-3877-01	
01-4159-00	
Vfx48-031	
Msf060	SOFT START
Ctm 010	
01-3406-00	
10116611	
01-3357-50	
Cf40-020-54ce	
01-1505-03	
01-3439-00	
(01-2471-30) Ctm 050 Current Transformer	
01-4452-01	
44900400	
01-3735-00 Vsa23-01	
52215400	
01-1734-01	
01-1988-01	
52216300	

15015000
51007000
Vfx48-210-54ceb
205-S 47400900
10428703
01-2675-51
Fdu48061
01-3406-02
01-1489-00
01-1876-00
01-3687-00
01-1208-00
10480300
50903200
01-4660-50
10116411
01-3618-02
01-4695-00
01-2471-30
01-3195-30
Fdu48036
01-3618-01
01-3098-00
01-3687-00
200-690v01-4659-00
10117211
44910200
Ems-Vvx-1-52-A Obosolete 01-2160-00
01-3195-00
01-4236-00

210 01-1796-20
X3-X5 10095502
01-3595-10 69-175-Va
Vfx48-074
01-3189-10
111448
10116911
Ctm 010 Current Transformer (01-2471-10)
400a 01-4029-00
01-2171-11
38054302
Ctm 050 Current Transformer (01-2471-30)
Msf017-Msf1400
100a 01-3578-02
Vfx48-036 Ip2x
01-3876-05
01-4119-00
38073501
Ctm 010/01-2471-10
Cp-01-02810
Cf40-026-54ce
01-3389-50
200-525 V 01-1211-01
01-3688-11
38057400
Vfx48-026
44909400
01-1500-50
01-2902-04

Fdu48-090	FREQUENCY CONVERTER Max. Motor power (NORMAL): 45 kW Output rated current: 90A Max. Engine power (HEAVY): 37 kW Output rated current: 72A Current limit ICL: 108 A Mains voltage: 380-480V (+ 10% / - 15%) Mains frequency: 45/65 Hz Output voltage: 0 - mains voltage Output frequency: 0 - 400 Hz Dimensions [HxWxD]: 950x285x314 mm Weight: 56 kg Configuration: FDU48-090 54GB --- A-NNNNA-090-A Degree of protection IP54 PPU Option D: PPU 4-Line EMC Filter E: EMC 2.Environment Stat.-No .: 85044088
52214610	
01-3389-10	
01-4136-01 (Terminal Cover M20 Kit)	
15013901	
01-3784-50	
01-1484-10	
090-109 01-3543-00	
01-3595-00 48-250b	
01-3189-00	
200-525 V 01-1849-00	
01-3595-10 69-175b-A	
40-018 01-2675-21	
E080024	
52214400	
200-690 V 01-4659-00	
01-2675-53	
10117011	
10425808	
01-3170-50	
01-2942-20	
01-1484-15	
01-4412-00	
01-4104-00	
01-3195-20	
380573	

030-01-1794-20
10432102
01-3425-00
01-3595-20 48-175b-L
10094510
Ctm 050 /01-2471-30
01-3406-04
44910200
01-3406-01
E080092
01-1211-50
01-1484-11
01-1660-20
01-4992-00
Ctm 025 Current Transformer (01-2471-20)
40-008 10140410
01-3358-50
01-3446-00
X3 380573
01-3595-10 69-175--A
01-3406-03
51108600
01-3595-10 69-109b-L
15010803
01-3687-50
01-3166-00
B 01-4603-00
51007100
Fdu48-109 55
10431704

39251000	
25001-1796-30	
10116599	
01-1859-10	
Fdu48-375	
01-3359-50	
39240100	
52216610	
01-3028-10	
01-3595-00 48-175b	
570 01-1796-70	
200a52214200	
01-1890-00	
40-013 01-2675-21	
38127102	
01-4104-10	
Msf1105252cnau	STARTER
50106900	
X5 10095502	
50903300	
01-3595-10 69-175bvl	
01-3595-10 69-175--L	
01-1211-00	
01-3721-00	
Vfx48250 (Vfx48-250 54ceb-A-Pnnna-250-N)	
231n22k 52018200	
01-3808-00	
10117799	
50-037 01-2675-34	
01-3195-10	

~~Vsc48-013 DRIVE 5.5KW 13AMP 3PHASE 0-480V 50/60HZ~~
111447
01-3595-10 69-109bva
01-3986-00
01-1208-50
41277400
01-3170-00
52216800
01-2942-20
Vfx48-006
10140501
40-004 01-1505-02
Vfx48-090
52017600
44910901
01-3181-20
01-4107-10
Vfx69500
01-4997-00
01-3663-00
01-3618-20
01-3595-10 69-109bvl
01-1859-50
01-4076-00
835 01-1796-90
V 154055601
01-4122-60
75a 01-3578-01
090-109 01-3544-20
10117611
50-060 52018400

150a 52214100
01-3578-52
10117299
01-3406-06
10095899
400a 52214400
52216800
Stromwandler Ctm 25
01-1500-00
10116511
10094610
01-3406-10
10117099
Ctm 100 Current Transformer (01-2471-40)
Vfx69250
Fdu48-1k15
400a52214400
01-1211-60
01-4659-50
200-525 V 01-4659-10
10116311
15015099
01-3406-08
01-3406-09
01-1660-50
01-2801-00
01-1660-50
01-4932-62
381136
01-1598-12

10116999
10140201
01-3688-00
100946
01-3595-00 48-175
01-3028-50
01-3355-50
10431704
200-690 V 01-2414-00
01-4237-00
01-3720-00
01-2160-00
01-3406-08
Emotron-Vfx-48-018-54ceb-Saa-Snnpap
01-1505-07
Dfe23-02
01-3181-10
Vfx48-175 54ceb-A-Nnnna-175-N
10096301
01-3720-60
01-1665-10
01-1484-14
01-1484-13
10428502
01-3720-80
111449
111360
Ctm 010 Current Transformer
415v01-3439-00
01-3595-00 48-250-V

52215500
01-4932-12
450 01-1796-60
01-2675-64
300a 52214300
01-2675-63
01-3606-01