**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



# Endress Hauser

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

**Endress Hauser** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Endress Hauser Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün | Açıklama |
|---|---|
| Pmc71-Aca1fb1gaaa | |
| TTSP-12PW5/101 | Special product temperature TTSP<br>(TTSP-RT0317 + GPG8)<br>Temperature General, TSP<br><br>.Q (Please leave this line unchanged)<br>.S (Please leave this line unchanged)<br>Order code details<br>R Description: RTD<br>T03 type: industrial thermometer<br>17 Modification: 71400256<br>TSV000704-XXXX7 Special RTD execution as per drawing<br>GP> Electrical connection: ** TMT181 4-20mA PCP,<br>Temp. Range too spec.<br>G8> Quantity of electrical connection: 1 piece<br>additional specifications<br>Start of measurement 0.000 ° C<br>Measuring 500,000 ° C<br>Country of origin: IT 90251900<br>HS code 90251900 |
| Sensor / FMP57-AAACCALCA4GGE+AAZ1/3000mm | Levelflex FMP57<br>FMP57-P630/0<br>71082677<br>level measurement ( Any bulk solid containers ) 3 meters length |
| Sensor / FTL51-DGR2BB2G5A/200mm | Liquiphant M FTL51<br>FTL51-1HKA3/0<br>943491-9000<br>FTL51-DGR2BB2G5A<br>level switch ( Any liquid containers ) 2 meters length |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | |
| Sensor / FTM20-AG22A/limiter | Füllstandgrenzschalter Soliphant T FTM20<br>FTM20-AG22A<br>52023168<br>Sensor: 225mm<br>Compact limit switch ( Any bulk solids containers ) |
| Sensor / FMP57-AAACCAAEA4GGE+AAZ1/1000mm | Levelflex FMP57<br>Füllstand , Radar , geführt , Premiumgerät. Anwendung: Schüttgüter<br>Zugkräfte bis 30KN. Integrierter Datenspeicher<br>Werksabgleich auf Sondenlänge.<br>level measurement ( Any bulk solid containers ) 1 meters length |
| Sensor / FTM51-6GG2L4A52AA | Soliphant M FTM51<br>FTM51-6GG2L4A52AA<br>52023173<br>Level switch ( Any bulk solid containers ) with extention tube |
| Transmitter/PMC71-ABA1F11GAAA+Z1 | Cerabar S PMC71<br>PMC71-2DEK0/0<br>52017196<br>PMC71-ABA1F11GAAA+Z1<br>Digital pressure transmitter with oil-free ceramic sensor for measurement in gases or liquids |
| Sensor / FTM51-AGG2L4A52AA/500mm/ Soliphant | Soliphant M FTM51<br>FTM51-AGG2L4A52AA<br>Art.-Nr.: 52023173<br>Level switch ( Any bulk solid containers ) with extention tube |
| Sensor / TR12-ABF1WXG70000/400 °C/ 600mm/The | TR12-ABF1WXG70000<br>60019604<br>Widerstandsthermometer TR12<br>Temprature control for any place what you want to meassure the heat |
| Meter/Promag5H2B08/magnetic-inductive | Promag H 200,5H2B08. DN08 5/16"<br>Electromagnetic flowmeters for liquids ( Different range ) |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Meter/Promass/8E2B08-AABECAAD2S1 | Promag E 200,8E2B08. DN8 3/8"<br>flowmeassurement for liquids ( Different range ) |
| Meter/Promag/5P2B15-AABECAED5S0A | Promag P 200,5P2B15.DN15 1/2"<br>Electromagnetic flowmeters for liquids ( Different range ) |
| Meter/Promag/5P2B50-AABECAED5S0A | Promag P 200,5P2B50.DN50 2"<br>Electromagnetic flowmeters for liquids ( Different range ) |
| Meter/Promag/5P2B25-AABECAED5S0A/Flow | Promag P 200,5P2B25.DN25 1"<br>Electromagnetic flowmeters for liquids ( Different range ) |
| Meter/Promag/5H2B04-AABECABD5S0A | Promag H 200,5H2B04. DN04 5/32"<br>Electromagnetic flowmeters for liquids ( Different range ) |
| Sensor / 5H3B08-AA1BAEAFAABD5S0BA1+LA | Promag H 300, 5H3B08. DN08 5/16"<br>Electromagnetic flowmeters for liquids ( Different range ) |
| CYK10-S031 | CYK10 Memosens measuring cable<br>PH / Redox, electrical accessories<br><br>Details order code<br><br>S Approval: CSA IS Cl.I Div. 1 Gr. A-D<br><br>03 Cable length: 3m<br><br>1 cable connection: cable end sleeves |
| Dc 16tes -Ala1a1bml3 Probe | |
| Cps31-1ec2gsa | |
| Cpf81-Lh11c2 | |
| Artikel Nr. : 7ba21 | |
| Cpf81-Lh32c2 | |
| Cpa11110b 2000mm | |
| Cpk9-Nha1a | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Cya 251-Aab1a111 (Cya251-10v6/0) | |
| Cls21-C1e4d | |
| Cm442-Aam2a2f010a+aj (Cm442-3hq1/0) | |
| Db53-Hn71bb12gg30 L=1400mm, 0-400mbar | |
| Cm42maa000ead00 - Invalid Part Number | |
| Cpk12-Hfa1a Messkabel Cpk12 | |
| Cpa111-60a | |
| Pmp55-2472/0 | |
| Fmg60-32d1l1b1a+1 | |
| Dc 16tes -Ala1a1bml3 Probe Transmitter | |
| Cls50-A1c1 | |
| Cls50-A1a1 | |
| Cps12d-7na21 | |
| Dc 16tes -Aka1a1b Transmitter | |
| Cpa11160b 3000mm | |
| Cls52-A1ge1a1 | |
| 50h02-1804/0 | 50094542<br>50H02-A00A1AA0ABAD<br>**Promag 50H02, DN02 1/12"<br><br>Link to the product information:<br>www.de.endress.com/50H<br>Magnetic-inductive flow<br>Measuring device, PFA lining<br>additional specifications<br>Assignment of line 1 volume flow<br>Assignment of line 2 totalizer 1<br>Assignment of totalizer 1 volume flow<br>Unit totalizer 1 dm3<br>Assignment of totalizer 2 Volume flow<br>Unit totalizer 2 dm3<br>Assignment current output volume flow |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Current range 4-20 mA HART NAMUR<br>Value 20 mA 0.500 dm3 / min<br>Time constant 3,000 s<br>Error behavior Current output Min. Current value<br>Assignment pulse output volume flow<br>Pulse value (per pulse) 0.00500 dm3<br>Pulse width 100,000 ms<br>Output signal passive - positive<br>Error behavior Pulse output Quiescent level<br>A process connection: not used<br>0 seal: not used<br>0 electrodes: 1.4435 / 316L<br>A calibration: 0.5%<br>1 additional examination, certificate: without<br>A Approval: Ex-free area<br>A Housing: Compact aluminum, IP67 NEMA4X<br>0 cable, separate version: not used<br>A |
| Db53-Ak71bc13eg10 | |
| Cps471-4esb1 | |
| Cpy20-C10a1 | |
| Cpf82d-7pa11 | |
| Cls21-C1n2d | |
| Cpk1-300a | |
| Cls50daa1b3 | |
| Cua250-B | |
| Deltabar S  Pmd70-Aba7dbgbbaa -1000?.. 1000mmh2o | |
| Pmc11-18m2/0 | PMC11-AA1U1PBVXJA<br>Cerabar PMC11<br>Pressure, capacitive.<br>Application: pressure / level.<br>Accuracy +/- 0.5%.<br>Membrane: Ceramic Ceraphire,<br>Oil free, vacuum resistant.<br>:: Long-term stability + overload-proof.<br>AA approval: Ex-free area<br>2 output: 0-10V<br>U Electrical connection: valve plug ISO4400<br>M16, IP65 NEMA Type 4X Encl.<br>1P sensor range: 10bar / 1MPa / 150psi relative, |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Overload: 40bar / 4MPa / 600psi<br>B calibration; Unit: sensor area; mbar / bar<br>VXJ process connection: thread ASME MNPT1 / 2 FNPT1 / 4, 316L<br>A seal: FKM |
| Dc 16tes -Aka1a1b Probe | |
| Cls21-C1n2a | |
| Cpf81 | |
| Cm42maa001ebs00 | |
| Cps12-0na2esa | |
| Dc16 | |
| Code 50096757 | |
| Cls21-C1n4a | |
| Pmc21-10j0/0 | PMC21-AA1U1PBWBJA<br>Cerabar PMC21 |
| 2025986 / Ph Electrode Cps 11d (225 Mm) | |
| Cpa474-A4a2a2g8 Cleanfit P Cpa474 | |
| Cus51d-Aac1a7 (Cus51d-1150/0) | |
| Db51-Ee10bb23gg19 - , Successor Fmb51-Aa21ja1fgb80ggjb2u+lc | |
| Cya112 | |
| Cls19-A1a1a Condumax Cls19 | |
| Cps11d-7aa2v | |
| Cus31-W2a Turbimax-W Cus31 | |
| Cpa111-00a Dipfit W Cpa 111 Immersion Assembly | |
| Cls19 B1a1d | |
| Cum253-Tu005 | |
| Cya611 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Cus51daad1a | |
| Cpa111-00a  Dipfit W Cpa111 | |
| Cum253-Tu0005 Liquisys M Cum253 | |
| Nivector Ftc968z Ac | Limit switch, capacitive.<br>Application: Powdery, fine-grained<br>Bulk materials.<br>Approval: ATEX II 1 / 3D.<br>Built-in thread: G1, nickel-plated brass.<br>Installation depth: 20-71mm.<br>Output: 2-wire, 21-253VAC.<br>Housing material: Halar (ECTFE), IP65.<br>:: Adjustment not required.<br>:: No moving parts |
| Cps11d-7ba41 Orbisint Cps11d Memosens | |
| Cpa250-A02 | |
| Cpk12-Haa1a | |
| Cpa11100b  1000mm | |
| Cm42-Iaa001ead00 | |
| Cps11d-7ba4g  28000 | |
| Cm448aa46a31aabaaad | |
| Cpf81d-7lh21 | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*