Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Equilibar

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Equilibar Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Equilibar Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
electronic regulator	Electronic regulator that we can adjust the pressure between 0-100 bar we need In addition, electronically controlled 100 bar resistant proportional valves, valves etc. we need
PCS-C-3M-6P-IND-A-WE	Wire end to 6 pin industrial (3 meters) Power, analog and digital signal cable for Alicat instruments
PCS-C-1M-PL/Corded Jack-A-Volt	Power supply 24V/1Amp Plug-in Power supply Global Wall connector for Alicat Instruments
P/N FL2128	
P/N FL2124	
QPV1MANEEZP10PSGAXL	Air Regulator
PCS-DI-FDO4-G10	Equilibar Diaphragm for Back Pressure Regulator FD Series (set of 2 diaphragms) FDO4 Material and thickness: PGL | 10.3 mil | G10
PCS-DI-FDO4-G10-	Equilibar Diaphragm for Back Pressure Regulator FD Series (set of 2 diaphragms) FDO4 Material and thickness: PGL | 10.3 mil | G10
LF0	Research Seri Back Pressure Regulator
LF1	Research Seri Back Pressure Regulator
[GSD4SNT5A-NSCP30T40F10VV]	GSD4 Series Equilibar Precision Back Pressure Regulator Process port size: 1/2" Body material: SS316/316L

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Process port: NPT female Reference port thread: 1/8" NPT female Cap material [non-wetted]: SS316/316L Pressure rating: 30 psig/2 barg Temperature rating: 40°C Diaphragm material: F | Virgin PTFE Grade 55 Diaphragm thickness: 10 O-ring material wetted: V | FKM grade 75 O-ring material non-wetted: V | FKM grade 75 Excluding mounting bracket O2 cleaning not included Certificate package: Not included
GSD4	[TBD Upon Order] GS Series Equilibar Precision Back Pressure Regulator Vacuum use: No GSD4 Process port size: 1/2" Body material: SS316/316L Process port: BSPP ISO 228 Reference port thread: 1/8" BSPP ISO 228 Cap material [non-wetted]: SS316/316L Pressure rating: 300 psig/20 barg Temperature rating: 100°C Diaphragm material: G | Glass-reinforced PTFE Diaphragm thickness: 10.3 O-ring material betted: V | FKM grade 75 O-ring material non-wetted: V | FKM grade 75 Including mounting bracket O2 cleaning not included Certificate package: Not included
EHP-HFE-3GH Cable included	[EHP-HFE-3GH] EHP Precision Electronic Pressure Regulator with IP65 Housing Command input: 0-10 V Pressure Monitor: 0-10 V Calibrated Pressure Range: 0-300 psig Can be used to pilot operate Equilibar back pressure regulators
LF4 (Research Series)	
EPC Cable - 1.5m	[EPC Cable - 1.5m] EPC Cable - 1.5m Sensor/actuator cable, 8-position Free cable end On Socket angled M12 A-coded, cable length: 1.5 m
Gs3-Ss316	
Evr-Bd32ant0-Nscp30t60b10bbbb	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Evr-Bd12ant6c-Nacp30t60b10bbbb Vacuum Use Regulator With Integrated Manual Set Po	
Eq-1035 Gs Series Precision Back Pressure Regula	
Nlb32 (Npt)	
Gsd4sng4b-Nscp30t40f10vv	Equilibar GSD Series Precision Back Pressure Regulator Body Material Stainless Steel 316/316L Process Connection 1/2" NPT Female Inlet & Outlet Machining ports plugged with Stainless Steel 316/316L Wetted Pipe Plugs Dome Fitting 1/8" NPT Female Cap Material Stainless Steel 316/316L (non-wetted) O Ring Size 043 Viton Grade 75 O Ring Size 042 Viton Grade 75 Diaphragm Virgin PTFE, 10 mil, PTFE10 Pressure 30 psi Temperature 40 C
Power Cord Qbt	
Evr-Bd16ant4d-Nacp30t60b10bbbb	
Eq-1035	
Evr-Bd32ant0-Nscp30t60b10bbbb Vacuum Use Regulator With Integrated Manual Set Po	
Evr-Bd16ant4d-Nacp30t60b10bbbb Vacuum Use Regulator With Integrated Manual Set Po	
S23786g(Obslete Possible Replacement Eq-1035)	
Evr-Bd12ant6c-Nacp30t60b10bbbb	
Qpv1maneezn30ihgxcl	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.