Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Ero Electronic

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Ero Electronic Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ero Electronic Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
CC - Controller only	DIN_Size:1/16 DIN Type:CC - Controller only Supply Voltage:VH - 100 - 230Vac +/-15% (48 to 62Hz) I/O 1:R2 - Relay Output (supplied with external snubber) I/O 2:R2 - Relay Output (supplied with external snubber) Ethernet, 2nd Input and Option I/0 :C2 - CT Input, Dig In, and RS485 (3 wire) Tool Kit Blocks:TK - Standard Bezel:ST - Standard Extended Warranty:XX - Standard warranty Application:V - VPU Heat only Input 1 Sensor Type :K - Type K Thermocouple Input 1 Range:F - Full Range CT Input Range:X - Not Used Digital Input A Function:X - Not Used IPN:EPC3016 CC/VH/R2/R2/XX/XX/XX/C2/XX/TK/XXX/ST/XXXXX/XXXXXX/XX/V/K/F/X/X/X/X/X/X/C/XX/XX/XX 4022-7609
3508	MODEL (3508) 3508 process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay unconfigured EA SLOT (VU) Potentiometer input INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus USER LANGUAGE (ENG) English English OPERATING INSTRUCTIONS (XXXXX GUARANTEE)) Standard warranty period CONFIGURATION (STD)

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Standard configuration code: 3508 / CC / VH / 1 / VP / 1/1 / XXX / S / RR / RR / VU / Y2 / A2 / XX / ENG / ENG / XXXXX / XXXXX / XXXXX / XXXXXX / STD ////////////////////
P116	P116/CC/VH/LRX/R/XXX/XXXXX/XXXXXX/XXXXX/XXXXX/XXXXXX/O/X/X/X/X/X/X/X P116 (P116) 1/16 DIN Controller FUCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPUT (LRX) OP1 Logic OP2 Relay RELAY (R) - Changeover Relay QUICK START (O) Quick start at Start up
MODEL (LFSSV) 1/16 DIN PID controller	SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIONS (4) RS485 (or 2 Logic Input) SERVO POWER SUPPLY (3) 100/240 VAC CUSTOMIZATION (000) ERO version Code: LFSSV/LFS832143000
3216I XXL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-29V ac / dc Mains supply OUTPUTS 1/2 (RRXX) 2 relay outputs COMMUNICATION (XXL) Digital input A FRONT COLOR (G) Green USER LANGUAGE (GER) German OPERATING INSTRUCTIONS (GER) German Code: 3216I / AL / VL / RRXX / X / XXL / G / GER / GER / XX / XXXXX / XXXXX / XXXXX / XXXXXX ///////////
3216I 4XL	MODEL (3216I) Display and alarm unit FUNCTION (AL) Alarm unit SUPPLY VOLTAGE (VL) 20-29V ac / dc Mains supply OUTPUTS 1/2 (RRXX) 2 relay outputs COMMUNICATION (4XL) RS485 + digital input A FRONT COLOR (G) Green USER LANGUAGE (GER) German OPERATING INSTRUCTIONS (GER) German code: 3216I / AL / VL / RRXX / X / 4XL / G / GER / GER / XX / XXXXX / XXXXX / XXXXX / XXXXXX ///////////
LHL9111050000	
LHL910050R00	
LHL911050R00	
LHL911150R00	
400/57	WALL BRACKET FOR REGULATOR 2116 / 2216E 1/16
P108/CC/VL/LRR/R/XXX/XXXXX	P108 P108 (P108) 1/8 DIN Controller FUNCTION (CC) Controller

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	SUPPLY VOLTAGE (VL) 24Vac/dc OUTPUT (LRR) OP1 Logic OP2 relay OP3 relay RELAY (R) - Changeover Relay QUICK START (O) Quick start at Start up DIGITAL INPUT 2 (X) Unconfigured
P116 (P116) 1/16 DIN Controller	
EPKC-611200300	
LDS 491130000	Sıcaklık ve Proses Kontrol Cihazı (48x96 mm, 100-240V AC Besleme, Üniversal Giriş, Röle Çıkışlı)
LFSmA	
P116/CC/VH/RRX/R/4CL/XXXXX	P116 P116 (P116) 1/16 DIN controller FUCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPUT (RRX) OP1 Relay OP2 Relay RELAY (R) - Changeover Relay OPTIONS (4CL) RS485 + CT and Digital Input QUICK START (O) Quick start at Start up
MODELL (3504) 3504	Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (S) Silver SLOT 1 EA SLOT (D6) Signal output unconfigured SLOT 2 EA SLOT (RR) Dual relay unconfigured SLOT 3 EA SLOT (RR) Dual relay unconfigured SLOT 4 EA SLOT (MS) 24Vdc transmitter supply SLOT 6 EA SLOT (AM) Analogue input module INTERFACE H (A2) RS232 Modbus OPERATOR LANGUAGE (ENG) English INSTRUCTION MANUAL (ENG) English WARRANTY (XXXXX) Standard Warranty Period CONFIGURATION (STD) Standard configuration Code: 3504/CC/VH/1/XX/1/1/XXX/S/D6/RR/RR/MS/XX/AM/A2/XX/XX/ ENG/ENG/XXXX
Ero Electronic	
PKC 611272300 EI58595 ASCON	
EPC3016	MODEL (EPC3016) 1/16 DIN Controller TYPE (CC) Controller only SUPPLY VOLTAGE (VH) 100 - 230Vac +/-15% (48 to 62Hz) I/O 1 (R2) Relay (supplied with external snubber) I/O 2 (R2) Relay (with snubber) OUTPUT 3 (XX) Form C SERIAL COMMS PROTOCOL (XX) ModBUS slave (Default) or None ETHERNET, COMMS AND REMOTE SP (C2) CT Input, Digital In, and RS485 (3 wire) BEZEL

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	(ST) Standard LABEL XXXXX Code: EPC3016/CC/VH/R2/R2/XX/XX/XX/C2/XX/XX/ XXX/ST/XXXXX/XXXXXX/XX/X/X/X/X/X/X/X/X/X/X/X/
P116	P116 (P116) 1/16 DIN Controller FUCTION (CC) Controller SUPPLY VOLTAGE (VL) 24Vac/dc OUTPUT (RRX) OP1 Relay OP2 Relay RELAY (R) - Changeover Relay QUICK START (O) Quick start at Start up Code: P116/CC/VL/RRX/R/XXX/XXXXX/XXXXXX/ XXXXX/ XXXXX/XXXXXX/O/X/X/X/X/X/X/X
TKS931143000	
LFS mA LFS937133000	
MODELL (3508) 3508	3508/CC/VH/1/XX/1/1/XXX/G/D4/RR/RR/Y2/A2/XX/ENG/ ENG/XXXXX/XXXXX/XXXXX/XXXXXX/STD//////////////////// FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (G) Green IO SLOT (D4) Continuous output unconfigured IO SLOT (RR) dual relay unconfigured IO SLOT (RR) dual relay unconfigured INTERFACE H (Y2) 2 wire RS485 Modbus INTERFACE J (A2) RS232 Modbus OPERATOR LANGUAGE (ENG) English INSTRUCTION MANUAL (ENG) English WARRANTY (XXXXX) Standard warranty period CONFIGURATION (STD) Standard configuration
LFS8321430 BT	
ITOOLS/NONE/USB/////XXXXX	MODELL (ITOOLS) Konfigurationskabel CONFIGURATION KIT (USB) USB CPI CLIP
LFS8321430 BT	
LFS8321430BT	
3508	MODEL (3508) 3508 Process Controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control circuit APPLICATIONS (VP) Step controller function NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (S) Silver EA SLOT (RR) Dual relay unconfigured EA SLOT (RR) Dual relay unconfigured EA SLOT (VU) Potentiometer input INTERFACE H (Y2) 2 wire RS485 Modbus OPERATOR LANGUAGE (ENG) English

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	INSTRUCTION MANUAL (ENG) English CONFIGURATION (CFG) Preconfigured at factory FUNCTION CONTROL CIRCUIT 1 (FX) VP controller with feedback SENSOR INPUT CIRCUIT 1 (K) Type K thermocouple MINIMUM RANGE 0 MAXIMUM RANGE 1200 DISPLAY UNIT CIRCUIT 2 (X) Without display unit FUNCTION CONTROL CIRCUIT 2 (XX) Controller with 1 control circuit SENSOR INPUT CIRCUIT 2 (X) Unconfigured ALARM 1 (1FH) Maximum alarm control circuit 1 ALARM 2 (1FH) Maximum alarm control circuit 1 SLOT FUNCTION 1 1VT SLOT FUNCTION 2 A12 SLOT FUNCTION 3 1VF Code:3508/CC/VH/1/VP/1/1/XXX/S/RR/RR/VU/Y2/XX/XX/ ENG/ENG/XXXXX/XXXXX/XXXXX/XXXXXX/CFG//FX/K/ 0/1200/X/XX/X///1FH/1FH//////1VT/A12/1VF/
3504	MODEL (3504) 3504 Process controller FUNCTION (CC) PID controller SUPPLY VOLTAGE (VH) 85-264Vac mains supply NUMBER OF CONTROL CIRCUITS (1) 1 control loop NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (1) 1 recipe FRONT COLOR (S) Silver SLOT 1 EA SLOT (D4) continuous output unconfigured SLOT 2 EA SLOT (RR) dual relay unconfigured SLOT 3 EA SLOT (RR) dual relay unconfigured SLOT 4 EA SLOT (TK) triple contact input SLOT 5 EA SLOT (MS) 24Vdc transmitter supply SLOT 6 EA SLOT (AM) Analog input module INTERFACE H (A2) RS232 Modbus OPERATOR LANGUAGE (ENG) English INSTRUCTION MANUAL (ENG) English CONFIGURATION (STD) Standard configuration Code: 3504/CC/VH/1/XX/1/1/XXX/S/D4/RR/RR/TK/MS/AM/ A2/XX/ XX/ENG/ENG/XXXXX/XXXXX/XXXXX/XXXXXX/ STD//////////////////////
ERO Electronic LFS832143000	
EPC3008-	MODEL (EPC3008) 1/8 DIN regulator FUNCTION (CC) PID Controller SUPPLY VOLTAGE (VH) 100 - 230 VAC +/-15% (48 to 62 Hz) INPUT/OUTPUT 1 (D1) DC Output INPUT/OUTPUT 2 (R1) Relay output (without snubber) INPUT/OUTPUT 4 (R1) Relay output (without snubber) NOT OCCUPIED (XX) Not occupied RS485 PROTOCOL (XX) MODBUS (standard) ETHERNET, 2ND INPUT AND OPTION I/O (XX) None (standard) ETHERNET (TCP) COMMUNICATION PROTOCOL (XX) Not assigned

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	TOOL KIT BLOCKS (XX) Without (Standard) FRONT (ST) Standard XXXXX XXXXXX APPLICATION (X) Without (End Quick Code) INPUT 1 SENSOR TYPE (X) Without AREA ENTRANCE 1 (X) Without INPUT 2 SENSOR TYPE (X) Without AREA ENTRANCE 2 (X) Without CT ENTRANCE AREA (X) Not used FUNCTION DIGITAL INPUT A (X) Not used FUNCTION DIGITAL INPUT B (X) Not used CONFIGURATION PROGRAMMER I/O (X) Not used/without DISPLAY UNITS (X) Without NOT OCCUPIED (XX) Not occupied WARRANTY (XX) Standard warranty DECLARATION OF CONFORMITY (XX) Without EPC3008/CC/VH/D1/R1/R1/XX/XX/XX/XX/XX/XXX/ST/XXXXX/XXXXX X/XX/X/X/X/X/X/X/X/X/X/XX/XX/XX
LFS 93 214 3000	
TFS931143000	
MODEL:3508	Programmable Temperature Controller UNCTION:CCE - Enhanced Controller (V4 or Higher) SUPPLY VOLTAGE:VH - 85 - 264 Vac LOOPS:1 - One loop APPLICATION:VP - Dual Valve Positioning PROGRAMS:1 - 1 program - 20 segments RECIPES:X - No recipes TOOLKIT WIRES:XXX - Standard 30 wires FASCIA COLOUR:G - Eurotherm Green IO SLOTS:TL - triple logic input H COMMS SLOT:Y2 - 2 wire 485 modbus PRODUCT LANGUAGE:ENG - English MANUAL LANGUAGE (INSTALL SHEET):ENG - English WARRANTY:XXXXX - Standard CONFIG:CFG - Factory Configured LOOP 1 UNITS:C - Centigrade LOOP 1 FUNCTION:FX - Single Channel Valve +Feedback LOOP 2 FUNCTION:XX - Single Loop Only
EPC3016 - 1/16 DIN Controller	TYPE:CC - Controller only SUPPLY VOLTAGE:VH - 100 - 230Vac +/-15% (48 to 62Hz) I/0 1:R2 - Relay (supplied with external snubber) I/O 2:R2 - Relay (with snubber) FUTURE:X - Future TOOL KIT BLOCKS:TK - Standard BEZEL:ST - Standard

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	GAIN SCHEDULING SETS:XX - Two gain scheduling sets APPLICATION:V - VPU INPUT 1 SENSOR TYPE:K - Type K Thermocouple INPUT 1 RANGE:X - Not required CT INPUT RANGE:X - Not Used DIGITAL INPUT A FUNCTION:X - Not used UNITS:C - °Celsius WARRANTY:XX - Standard warranty
PKP111170300	
EPC3008	MODEL (EPC3008) 1/8 DIN regulator FUNCTION (CC) PID Controller SUPPLY VOLTAGE (VH) 100 - 230 VAC +/-15% (48 to 62 Hz) INPUT/OUTPUT 1 (R1) Relay output (without snubber) INPUT/OUTPUT 2 (R1) Relay output (without snubber) INPUT/OUTPUT 4 (R1) Relay output (without snubber) NOT OCCUPIED (XX) Not occupied RS485 PROTOCOL (XX) MODBUS (standard) ETHERNET, 2ND INPUT AND OPTION I/O (XX) None (standard) ETHERNET (TCP) COMMUNICATION PROTOCOL (XX) Not assigned TOOL KIT BLOCKS (XX) Without (Standard) FRONT (ST) Standard XXXXX XXXXXX APPLICATION (X) Without (End Quick Code) INPUT 1 SENSOR TYPE (X) Without AREA ENTRANCE 1 (X) Without INPUT 2 SENSOR TYPE (X) Without AREA ENTRANCE 2 (X) Without CT ENTRANCE AREA (X) Not used FUNCTION DIGITAL INPUT A (X) Not used FUNCTION DIGITAL INPUT B (X) Not used CONFIGURATION PROGRAMMER I/O (X) Not used/without DISPLAY UNITS (X) Without NOT OCCUPIED (XX) Not occupied WARRANTY (XX) Standard warranty DECLARATION OF CONFORMITY (XX) Without EPC3008/CC/VH/R1/R1/R1/XX/XX/XX/XX/XX/XXX/ST/XXXXX/XXXXX X/XX/X/X/X/X/X/X/X/X/X/XX/XX/XX
3504-	MODEL (3504) 3504 Process Controller CCE - Enhanced Controller (V4 or Higher) SUPPLY VOLTAGE (VH) 85-264Vac supply voltage NUMBER OF CONTROL LOOPS (1) 1 control loop APPLICATIONS (XX) Standard NUMBER OF PROGRAMS (1) 1 program with 20 segments NUMBER OF RECIPES (X) No recipes

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	TOOLKIT LINKS (XXX) 30 links FRONT COLOR (G) Green SLOT 1 EA SLOT (RR) Dual Relay unconfigured SLOT 2 EA SLOT (VU) Potentiometer input SLOT 3 EA SLOT (RR) Dual Relay unconfigured SLOT 6 EA SLOT (XX) No module INTERFACE H (Y2) 2-wire RS485 Modbus INTERFACE J (XX) No interface CONFIGURATION TOOLS (XX) Without USER LANGUAGE (ENG) English USER MANUAL (ENG) English WARRANTY (XXXXX) Standard Warranty Period CERTIFICATES (XXXXX) No certificate LABEL (XXXXX) Without SPECIAL FUNCTION (XXXXXX) No special function CONFIGURATION (STD) Default setting DISPLAY UNIT CIRCLE 1 () FUNCTION CONTROL LOOP 1 () SENSOR INPUT CIRCUIT 1 () MINIMUM RANGE MAXIMUM RANGE DISPLAY UNIT CIRCLE 2 () FUNCTION CONTROL LOOP 2 () SENSOR INPUT CIRCUIT 2 () MINIMUM RANGE MAXIMUM RANGE ALARM 1 () ALARM 2 () ALARM 3 () ALARM 4 () LOGIC INPUT/OUTPUT LA () LOGIC INPUT/OUTPUT LB () AA RELAY FUNCTION () SLOT FUNCTION 1 SLOT FUNCTION 2 SLOT FUNCTION 3 SLOT FUNCTION 4 SLOT FUNCTION 5 SLOT FUNCTION 6 Code: 3504/CCE/VH/1/XX/1/X/XXX/G/RR/VU/RR/XX/XX/XX/Y2/XX/XX/ENG/ENG/XXXXX/XXXXX/XXXXX/XXXXXX/STD//////////////////////
FKS661500000	
LFS832143000	THERMOREGULATOR 100-240VAC
TKS931123000	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Lfs 937133000	
Lfs9311250on	
Lfs9311150on	
Esr 080400000	
Lfs9311450bo	
Code: Lfsma/Lfs937113000 (Lfsma) 1/16 Din Pid Regler	
Tms431115000	
Lfs936b430on	
Pkc611252300	
Lfs9361330bo	
Lhl911150000 (Ex Lhl910050r00)	
399999 Rm 100.135.025 Vy_4276w010-G06, Version 1	
Code: Tms/Tms431103000 (Tms) 1/8 Din Pid Regler	
Lfs9361250on	
Lfs931103ron	
Lfs937113000	
7100l Modell (7100l) Thyristorschalter	
Lme496130000	
Lfs 931133000	
Lfs936b03ron	
Lfs93612300	
Lms4911300a	
3216	
Lfs8321430bt	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Lfs931135rbo	
Lfs936103ron	
Lfssv Lfs832143000	
Tks937133000	
Lfs9361150on	
Tks931.113.000	
Dps/Dps391120000	
Lfs.9.3.7.1.3.3.0.0.0	
Amkp111150300	
Ds491030000 Obsolete, Replaced By Lms491130000	
Lfs9311150bo	
Esrs80400000	
Lfs9361050on	
Lfs936b430bo	
Lfs931b350on	
Lfs931b250on	
Lfs931b430bo	
Lfs931b150bo	
Lfs9361050bo	
Tfs931133000	
Artikel-Nr. Ab7010-B	Successor device for ERO Electronic article no. CONVX / CONVXMK13000 Anybus Communicator Modbus-RTU single packed Ursprungsland: Schweden Stat. Warennummer: 8517620000
Lfs9361250bo	
Tms431103000	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
32h8i(Ex.17610.Iuo.Tis.1co)	
Lfs931b250bo	
Pkc611152300	
Lfs936b050bo	
Lfs936b450on	
Lfs931113ron	
Lfs9361430bo	
Lfs832143000	
Mks93112300	
Memmem2090rs100	
Mks93112500	
Lfs936b330bo	
Lfs9361350bo	
Pkc111050300e (Ex. Pkc111050300)	
Lfs9361450on	
Lfs936b250bo	
Lfs936b150on	
Alds496130000	
Pkp11117030e	
Lfs931b330bo	
Lfs9361430on	
Lfs931b350bo	
Lfs931b03ron	
Lds496130000	
Pkc/Pkc611172300	
Mkc611200300	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Tks937123000	
Lhi 911130000	
Lfs9311230bo	
Lfs931b13ron	
Lfs9311050on	
399999 Rm 100.135.025 Vy_4276w010-G06, Version 2	
Lfs9311330bo	
33dps59115000	
Lfs9311430bo	
Lfs931b25rbo	
Pkp.1.1.1.1.7.0.3.00	
Lfs931b050bo	
Dps-391110000	
M6150	
Pkc Pkc611172300	
Lfs936113ron	
Code: Tkssv/Tks932123000	TKSSV MODEL (TKSSV) 1/8 DIN step controller OUTPUT (TKS9321) 1RLYOUT + 3DIG.INP. OPTIONS (2) OUTPUT 4 (AL2 E AL3) POWER SUPPLY (3) 100/240 VAC CUSTOMIZATION (000) ERO VERSION
Lfs936b050on	
Pkc.6.1.1.2.0.0.3.00	
Lfs936b350bo	
Lfs936b130bo	
Code: Pkc/Pkc111171300 (Pkc) 1/8 Din Pid Regler	
Lfs931b150on	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
32h8i (Ex.1760.Iuo.Tis.1c)	
Fks61130000	
Lfs9361230bo	
Apkc611200300	
Lfs936b330on	
P108	The requested controller type TKS93112300 is no longer included in our delivery. Alternatively, we offer you a replacement device as follows: P108 (P108) 1/8 DIN Controller FUNCTION (CC) Controller SUPPLY VOLTAGE (VH) 85-264Vac OUTPUT (RRR) OP1 relay OP2 relay OP3 relay RELAY (R) - Changeover Relay OPTIONS (XCL) CT and Digital Input QUICK START (O) Quick Start at Startup DIGITAL INPUT 2 (X) Unconfigured Code: P108 / CC / VH / RRR / R / XCL / XXXXX / XXXXXX / XXXXX / XXXXX / XXXXXX / O / X / X / X / X / X / X / X / X
399999 Rm 100.135.025 Vy_4276w010-G06, Version 3	
Lfs936b230bo	
60? Otr 060 600 000 Optosimistor	
Lfs936b13ron	
Pkc 111171300	
Lfs936b250on	
Etr060600000	
Lfs936b25rbo	
950500531401ah-Tfs931145000	
Pkc111171300	
Lfssv	MODELL (LFSSV) 1/16 DIN PID Regler SERVO OUTPUTS (LFS8321) SERVO-RELAY SERVO OPTIONS (4) RS485 (or 2 Logic Input) SERVO POWER SUPPLY (3) 100/240 VAC CUSTOMISATION (000) ERO Version Code: LFSSV/LFS832143000
Lfs9311250bo	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Lfs931b450on	
Lfs931123ron	
Tismk1	
Lfs931b230bo	
Convx/Convxmk13000 Obsolete, Replacement Kd485	
Pkc 611201300	
/Lfs832143000	
Lfs936b350on	
Lfs9361350on	
Lfs931b23ron	
Lsd 49113000	
V6150	
Lfs9361150bo	
(Mkp) 1/4 Din Programmregler	
Lfs9311350on	
Timk1/Tis 800015000	
Code: P108/Cc/Vh/Rrc/R/4cl/Xxxxx/ Xxxxxx/Xxxxx/Xxxxx/Xxxxxx/O/X/X/X/X/ X/X/X/X P108 (P1	
Lfs9311350bo	
Lfs936123ron	
Lfs9311050bo	
32h8	
Lfs9311450on	
Lfs9311430on	
Lfs931b050on	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Lfs936b150bo	
Lfs931b430on	
Code: Ssm1a445bd	
Esrt12240000	
Pkc611200300	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.