



Euroventilatori

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Euroventilatori Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Euroventilatori T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Medium pressure centrifugal fan	1.1 10020451415 Radial fan, MPR 451, ed. 4th single suction, directly driven Coating: RAL 7038 Housing position: 1.2 20030440503 D. motor 112 M / 2; 4.0 KW; 2900 min-1 400/690 V-7.5 A; 50 Hz; IP 55; Iso F; B3 in execution according to IE3
mpr561	
BPR 801/B-4	Radial fan, BPR 801 / B-4, ed. 4th single suction, directly driven Coating: RAL 7038 Housing position: LG0
100208011442	
100208011443	
APRF 901 D	
APRH 631/C RD/0	
APRI 802/A LG/90	
	Centrifugal fan, APRF 1002/C, version 4 single suction, directly driven Colour: RAL7038 Housing position: ? +

APRF 1002/C 100210023440	20045040503 D. motor 225 M/2; 45KW; 2940 rpm 400/690V-82A; 50Hz; IP55; IsoF; B3 In execution according to IE3 + 25020022500 PTC thermistor Bgr. 225 2022/15 for FU operation, including insulated motor bearings
20045040503	D. motor 225 M/2; 45KW; 2940 rpm 400/690V-82A; 50Hz; IP55; IsoF; B3 In execution according to IE3
10020351410	Centrifugal fan, EU 351, version 4 single suction, directly driven Coating: RAL 7038 Housing position: RD 0
20020223503	D. engine 90 L/2; 2.2KW; 2870 rpm 230/400V-4.7A; 50Hz; IP55; IsoF; B3 in execution according to IE3
10020401410	Centrifugal fan, EU 401, version 4 single suction, directly driven Coating: RAL 7038 Housing position: RD 0
20030440503	D. engine 112 M/2; 4.0KW; 2900 rpm 400/690V-7.5A; 50Hz; IP55; IsoF; B3 in execution according to IE3
Centrifugal fan, BPR 632/A, version 4	10040632430 single suction, directly driven Paint: RAL 7038 Housing position: ? Including items 1.2 - 1.3 D. engine 132 S/4; 5.5kW; 1450 rpm 400/690V-10.9A; 50Hz; IP55; Iso F; B3 in execution according to IE 3 Support on suction side NW 630
BPR 801/B-4	10040801430 Version 4, single-sided suction, direct drive Coating: RAL 7038 Housing position: LG0 20022040543 D.-Motor 180 L/4; 22 KW; 1475 min-1 400/690 V-44 A; 50 Hz; IP 55; Iso F; B3 25020018001 PTC thermistor size 180 (for mains operation)
APR HC 711 30 Kw	10000711142 Radial fan, APRHc 711, version 12 single-sided suction, belt-driven Housing position: ? Motor arrangement: ? Coating: RAL7038 Base frame 0700 Belt drive + protection D. motor 200 L/4; 30 KW; 1475 min-1 400/690 V-61 A; 50 Hz; IP 55; Iso F; B3 In version according to IE3 PTC thermistor size 200
EFBTH01RTR01	
DRIVE SHAFT EFBTH01TM01	
Centrifugal fan, EU 1002, version. 4	single-sided suction, direct drive Coating: RAL 7038 Housing position: LG 0
D.-Motor 225 S/4; 37 KW; 1480 min-1	400/690V-74A; 50Hz; IP55; ISOF; B3 In version IE 3
PTC thermistor size 225	(for mains operation)
TR 632	Radial fan, TR 632, version. 4 single-intake, direct-drive Coating: RAL7038 Housing position: LG 0
20022040503	D. engine 180 M/2; 22KW; 2945 rpm 400/690V-42A; 50Hz; IP55; ISOF; B3 In version IE 3
Only Fan	
EUMc 1121	Centrifugal fan, EUMc 1121, version. 1 without belt drive, without electric motor Coating: RAL 7038 Housing position:

	LG 45
shaft seal	Standard version sealing ring made of PTFE
Radial impeller EUMc 1121 LG	Coating: RAL 7038
1000561142	Centrifugal fan, APRHc 561, version. 1 single-sided suction, belt-driven Coating: Fireplace black Housing position: LG 180 Engine arrangement: W Consisting of:
60040000008	Cooling fins with protection Temperature medium max. in °C: 350 Function at minimum speed according to the nameplate
20901140503	D. engine 160 M/2; 11KW; 2950 rpm 400/690V-21A; 50Hz; IP55; ISOF; B3 In IE3 version
60010101800	Belt drive 1.055:1 + protection Impeller speed: 2,796
60070000560	Base frame 0560, with steel tension rail
Block 45-B-42	complete with shaft and bearing For operation with cooling fins
Aprf 502	
Aprgc 1251	
Aprl 711/A	
Aprh 711/A	
Aprg 1002/C	
Apf 901/C	
Apg 801/C	
Apri 901/C	
Apri 801/B	
Apg 711/A	
Apgc 801	
Aprgc 1801	
Apgc 561	
Aprg 1121/B	
Aprhc 1121	
Aprh 632/C	
Aprf 1122/C	
Aprgc 1601	
Aprfc 1401	

[Aprh 802/B](#)

[Aprh 631/B](#)

[Aprh 801/A](#)

[Aprh 632/A](#)

[Aprg 1122/D](#)

[Apgc 1121](#)

[Aprg 501/A](#)

[Aprh 1001/A](#)

[Apri 711/C](#)

[Apg 802/B](#)

[Ape 501/A](#)

[Aprh 631/A](#)

[Aprh 1002/B](#)

[Apf 502/B](#)

[Apri 901/B](#)

[Aprh 1001/B](#)

[Aprg 1001/D](#)

[Apri 1001/C](#)

[Apgc 711](#)

[Apec 351](#)

[Ape 901/C](#)

[Apg 712/A](#)

[Aprg 632/A](#)

[Aprg 901/C](#)

[Ape 351/B](#)

[Aprlc 901](#)

[Apg 901/B](#)

[Aprf 1001/A](#)

[Apg 902/C](#)

[Aprf 802/A](#)

[Aprg 901/A](#)

[Aprf 631/B](#)

[Apri 1002/B](#)

[Aprl 801/A](#)

[Apec 901](#)

[Ape 901/B](#)

[Apg 801/B](#)

[Aprf 1001/C](#)

[Apf 632/B](#)

[Aprh 802/C](#)

[Aprf 801/D](#)

[Aprf 1122/B](#)

[Aprlc 631](#)

[Apri 802/B](#)

[Aprg 1122/C](#)

[Apgc 631](#)

[Apri 711/A](#)

[Apric 1601](#)

[Aprl 803/A](#)

[Apg 632/A](#)

[Apec 631](#)

[Apgc 1001](#)

[Apric 631](#)

[Aprg 1002/B](#)

[Aprg 1001/B](#)

[Aprg 711/B](#)

[Apri 712/A](#)

[Aprg 712/B](#)

[Aprg 801/B](#)

[Apec 501](#)

[Apg 901/A](#)

Aprh 1002/A
Aprh 711/B
Aprf 801/A
Aprh 901/C
Aprhc 631
Aprhc 1001
Apg 631/C
Apg 901/C
Aprf 901/E
Evf 800/F Ausfg. 4
Apf 901/D
Aprl 631/A
Ape 801/B
Apfc 901
Apec 711
Aprh 1001/C
Aprlc 1601
Aprg 562/A
Aprlc 1121
Apf 631/A
Apf 801/D
Aprg/A-562/A
Aprg 902/C
Aprh 802/A
Apf 801/C
Apg 902/A
Aprg 1002/D
Apf 902/C
Aprg 712/A
Apec 451

Aprgc 1121
Aprf 1121/A
Apec 401
Apf 561/A
Aprf 802/C
Apri 712/B
Aprh 902/A
Apf 711/B
Ape 711/A
Aprhc 1601
Apg 902/B
Aprlc 1001
Apf 802/B
Aprf 902/C
Apri 802/A
Aprhc 711
Apric 711
Aprg 801/D
Apf 712/C
Ape 351/A
Aprg 631/A
Aprf 902/B
Apf 711/C
Apg 711/C
Apri 902/A
Aprh 712/B
Aprhc 1401
Aprl 632/A
Apfc 561
Aprg 632/C
Aprf 712/B

Aprg 1121/A
Aprgc 561
Aprf 801/C
Aprh 712/A
Apg 802/A
Aprf 901/D
Apf 712/D
Apg 631/A
Aprg 902/B
Aprh 632/B
Apri 902/C
Apec 651
Apri 632/A
Aprgc 1401
Apfc 711
Aprg 1122/B
Aprf1002/C
Aprfc 711
Aprh 901/A
Ape 401/A
Aprfc 901
Apf 802/A
Aprg 802/B
Aprh 711/C
Apg 562/A
Aprlc 1801
Apric 901
Aprf 1122/A
Apf 901/A
Aprf1121/D

[Aprf 711/C](#)

[Aprgc 501](#)

[Apgc 901](#)

[Apric 1801](#)

[Apf 902/B](#)

[Apg 502/C](#)

[Aprf 1002/B](#)

[Apg 561/A](#)

[Aprh 1003/A](#)

[Apg 502/A](#)

[Apg 562/B](#)

[Aprg 561/B](#)

[Aprf 711/B](#)

[Aprgc 801](#)

[Aprg 802/A](#)

[Apg 561/B](#)

[Aprfc 1251](#)

[Aprh 801/C](#)

[Aprf 561](#)

[Ape 801/A](#)

[Aprfc 1121](#)

[Aprg 1122/A](#)

[Apf 902/A](#)

[Aprg 711/A](#)

[Aprg 801/A](#)

[Aprfc 1601](#)

[Apric 1001](#)

[Aprfc1001](#)

[Aprf 631/A](#)

[Apg 501/A](#)

Apfc 801
Apri 1002/C
Aprf 1002/A
Aprgc 631
Aprhc 801
Aprf 1002/D
Apg 902/D
Apri 1002/A
Apf 902/D
Aprgc 711
Aprf 902/D
Apf 712/B
Aprh 801/B
Aprfc 801
Apri 801/A
Aprl 712/A
Aprhc 1251
Aprg 1001/A
Apf 801/A
Apec 1001
Bpr 903/A
Aprh 902/B
Apf 711/A
Ape 561/B
Aprlc 711
Apf 631/B
Ape 561/A
Apg 632/D
Aprh 561/B
Aprf 1001/D
Aprgc 901

Aprl 802/A
Apg 711/B
Ape 451/B
Ape 631/A
Apric 801
Apg 901/D
Apf 901/B
Apf 712/A
Apf 502/A
Apri 1001/B
Aprg 632/B
Aprfc 631
Apg 711/D
Apf 561/B
Aprh 631/D
Aprlc 1251
Aprf 1121/B
Aprhc 1801
Aprlc 1401
Apf 632/A
Apri 1001/A
Aprh 1003/B
Apg 802/C
Apri 901/A
Apg 712/B
Aprg 1002/A
Aprg 801/C
Aprg 902/A
Aprf 1001/B
Aprlc 801

Aprg 902/D
Apg 632/B
Aprh 632/D
Aprhc 901
Apri 631/B
Apri 902/B
Aprh 561/A
Aprf 1122/D
Apg 501/C
Apg 561/C
Aprf 802/B
Aprg 901/B
Aprh 631/C
Ape 801/C
Apf 802/C
Aprf 801/B
Aprf 712/C
Aprf 902/A
Apec 801
Aprl 713/A
Aprgc 1001
Apg 561/D
Aprf 901/B
Apg 802/D
Apg 801/A
Aprg 561/A
Aprg 501/B
Ape 712/A
Apg 712/C
Aprh 901/B

Apfc_502
Apfc_1001
Apric_1251
Aprf_712/A
Apric_1121
Apri_711/B
Apg_632/C
Aprfc_1801
Aprhc_561
Apg_562/C
Apri_632/B
Ape_451/A
Aprg_1001/C
Apg_631/B
Apg_562/D
Apri_631/A
Aprg_1121/C
Aprf_1121/C
Apric_1401
Apfc_631
Aprf_901/A
Apf_801/B
Apri_801/C
Aprl_633/A
Apg_502/B
Apg_501/B